



Follow us on: | jaquar.com



LED LIGHTING SOLUTIONS
PRODUCT GUIDE

LED LIGHTING SOLUTIONS

PRODUCT GUIDE 2023-2024

VOL 4 | 2023 - 2024

Looking for
Jaquar Lighting Products?

CALL
PURCHASE ASSISTANCE
1800-120-332222
(Toll Free)

And we'll make it easy!
Speak to our Lighting Experts, who will suggest the right product
that you should go in for and where to buy it from



 ***Global Headquarters***
Net Zero Energy Building spread over 48,000 sq. mtrs.

Conceived back in 1960, the Jaquar Group has been built on the platform of the highest quality standards, aesthetics and the intent of providing world-class products. Today, the Jaquar Group caters to luxury, premium and value bathroom segments with Artize, Jaquar & Essco brands, respectively, for residential and commercial sectors across the globe. The group's lighting division, Jaquar Lighting too, has been setting new parameters of excellence while witnessing unprecedented success.

Artize

It pays a tribute to the fine traditions of exquisite craftsmanship and precision where design, technology and talent combine to deliver a masterpiece. Artize products are crafted for luxurious bath spaces. Perfect harmony is the very essence of Artize- together as coordinates or even as individual pieces. Artize's exquisite craftsmanship is so stunning that it can inspire the design principles of not just your bath spaces but of your entire living spaces.



A leading global super brand known for its excellence in innovation and technology. The highest build standards combine with the most beautifully designed aesthetics to provide world-class products for tough conditions. With a superb blend of ergonomic shapes, contemporary styles and meticulous finish, Jaquar continues to enthrall millions of hearts across the world with its wide range of concepts and products.



For over 6 decades 'Essco' the bathroom brand has been the benchmark for organised bath industry in India. Essco defines base quality standards in India. A great value for money bath brand, Essco pioneered the concept of branded bath fittings in India, and is today one of the most respected names in the market, fulfilling a common man's ambition of a better quality of life through true quality, better hygiene, affordable pricing, trusted customer service & a 10 year warranty promise.



LED lighting solutions

Jaquar lighting gives you LED lighting solutions – for residential and outdoor use. Choose for varied budgets without compromising on quality and reliability.

They are designed to complement and co-ordinate the most exclusive interior and exterior lifestyles and decors, from classic to contemporary.

In fact, Jaquar lighting carries forward the legacy of Jaquar Group where the thrust has always been on creating new parameters of design, quality and customer satisfaction.



LED lighting solutions

Jaquar lighting gives you LED lighting solutions – for residential, commercial and outdoor use. Choose for varied budgets without compromising on quality and reliability.

They are designed to complement and co-ordinate the most exclusive interior and exterior lifestyles and decors, from classic to contemporary.

In fact, Jaquar lighting carries forward the legacy of Jaquar Group where the thrust has always been on creating new parameters of design, quality and customer satisfaction.



JAUQUAR LIGHTING

The torchbearer for innovation in lighting

Innovative, energy-efficient lighting solutions, for an array of places and purposes. From home to office, decorative to landscaping, from gorgeous chandeliers to unique LEDs, you name it, we have it. All, illuminating with the highest quality, fascinating designs and immaculate perfection.

What makes Jaquar lighting stand apart:

- LED lighting solutions
- Futuristic manufacturing facility
- Global certifications
- Unique customisation option for chandeliers
- Best in the world lighting, best for the Indian conditions
- Smart new products
- Trusted for prestigious projects
- Jaquar orientation centres
- Pro-active customer care





Futuristic manufacturing facility

One of the flag-bearers of the government's 'Make in India' initiative, Jaquar's advanced LED plant produces a wide range of world-class lighting products under one roof.



- A fully automated state-of-the-art manufacturing facility sprawling over 68,000 sq. m. of covered area
- Fully automated facility with in-house ROHS compliant LED driver manufacturing capability
- NABL accredited lab with an in-house testing of CCT upto 100,000 K
- LED module manufacturing unit with high-precision optical inspection equipment that can mount 160,000 LEDs per hour as well as 120,000 electronic components per hour simultaneously
- Powder coating machine to make 22,000 LED housing units a day
- In-house pressure die-casting machines of 250 tons and 350 tons for making housings
- With many firsts to its credit and with sustained investment in enhancing capabilities, Jaquar has been setting new benchmarks for the lighting industry




BIS Certificate

 <p>भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS</p>	110002 15/1322 (PART 5/SEC 3) - 2013 Gurgaon BIS REGISTRATION@bis.org.in www.bis.org.in										
Our Ref: Registration/CRS 2018-3285/R-91002879 Date: 07-09-2018	Date: 07-09-2018										
Subject : Licence Document											
MANUFACTURING UNIT : JAQUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA - 122050, INDIA sall.kulshrestha@jaquar.com 7290027208											
Dear Sir, 1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">PRODUCT :</td> <td>LED FLOOD LIGHTS</td> </tr> <tr> <td>IS NO :</td> <td>IS 10322 (PART 5/SEC 3) - 2013</td> </tr> <tr> <td>BRAND :</td> <td>JAQUAR LIGHTING</td> </tr> <tr> <td>MODEL :</td> <td>250W JFCW, 340W JFCW, 220W JFCW, 200W JFCW, 150W JFCW, 140W JFCW, 130W JFCW, 120W JFCW, 200W JFCW, 90W JFCW, 70W JFCW, 50W JFCW</td> </tr> <tr> <td>MANUFACTURING ADDRESS :</td> <td>JAQUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA - 122050, INDIA</td> </tr> </table>		PRODUCT :	LED FLOOD LIGHTS	IS NO :	IS 10322 (PART 5/SEC 3) - 2013	BRAND :	JAQUAR LIGHTING	MODEL :	250W JFCW, 340W JFCW, 220W JFCW, 200W JFCW, 150W JFCW, 140W JFCW, 130W JFCW, 120W JFCW, 200W JFCW, 90W JFCW, 70W JFCW, 50W JFCW	MANUFACTURING ADDRESS :	JAQUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA - 122050, INDIA
PRODUCT :	LED FLOOD LIGHTS										
IS NO :	IS 10322 (PART 5/SEC 3) - 2013										
BRAND :	JAQUAR LIGHTING										
MODEL :	250W JFCW, 340W JFCW, 220W JFCW, 200W JFCW, 150W JFCW, 140W JFCW, 130W JFCW, 120W JFCW, 200W JFCW, 90W JFCW, 70W JFCW, 50W JFCW										
MANUFACTURING ADDRESS :	JAQUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA - 122050, INDIA										
2. The license is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above. 3. The number assigned to this License is R-91002879 which has been made operative from 06-09-2018 and is valid upto 05-09-2020 . The license Number should invariably be referred to in your future correspondence. 4. The rights and privileges under the license shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the license number shall be stopped and BIS shall be informed. 5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time 6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure. 7. The licensee shall not use the license in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time. 8. Upon expiry of validity, stoppage or suspension or cancellation of license, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto. 9. For renewal of license, the licensee shall have to apply to BIS three months in advance before expiration of the license and application form for Renewal is available on BIS website. 10. The license is not transferable.											
Yours faithfully,  (RUCHI PRABHAT) Scientist C (Reg. Deptt.) Telefax : +91-11-2323 0856 E-mail: registration@bis.org.in											

 <p>भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS</p>	110002 15/1322 (PART 5/SEC 3) - 2013 Gurgaon BIS REGISTRATION@bis.org.in www.bis.org.in										
Our Ref: Registration/CRS 2018-3075/R-91002773 Date: 11-08-2018	Date: 11-08-2018										
Subject : Licence Document											
MANUFACTURING UNIT : JAQUAR AND COMPANY PVT. LTD. PLOT NO.03, SECTOR M11, IMT MANESAR, GURGAON - 122050, HARYANA, INDIA sall.kulshrestha@jaquar.com 7290027208											
Dear Sir, 1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">PRODUCT :</td> <td>LED LUMINAIRES FOR ROAD AND STREET LIGHTING</td> </tr> <tr> <td>IS NO :</td> <td>IS 10322 (PART 5/SEC 3) - 2013</td> </tr> <tr> <td>BRAND :</td> <td>JAQUAR LIGHTING</td> </tr> <tr> <td>MODEL :</td> <td>250W JSCW, 220W JSCW, 200W JSCW, 180W JSCW, 150W JSCW, 140W JSCW, 120W JSCW, 110W JSCW, 100W JSCW, 90W JSCW, 70W JSCW, 60W JSCW, 45W JSCW, 40W JSCW, 35W JSCW, 30W JSCW, 25W JSCW, 20W JSCW, 18W JSCW</td> </tr> <tr> <td>MANUFACTURING ADDRESS :</td> <td>JAQUAR AND COMPANY PVT. LTD. PLOT NO.03, SECTOR M11, IMT MANESAR, GURGAON - 122050, HARYANA, INDIA</td> </tr> </table>		PRODUCT :	LED LUMINAIRES FOR ROAD AND STREET LIGHTING	IS NO :	IS 10322 (PART 5/SEC 3) - 2013	BRAND :	JAQUAR LIGHTING	MODEL :	250W JSCW, 220W JSCW, 200W JSCW, 180W JSCW, 150W JSCW, 140W JSCW, 120W JSCW, 110W JSCW, 100W JSCW, 90W JSCW, 70W JSCW, 60W JSCW, 45W JSCW, 40W JSCW, 35W JSCW, 30W JSCW, 25W JSCW, 20W JSCW, 18W JSCW	MANUFACTURING ADDRESS :	JAQUAR AND COMPANY PVT. LTD. PLOT NO.03, SECTOR M11, IMT MANESAR, GURGAON - 122050, HARYANA, INDIA
PRODUCT :	LED LUMINAIRES FOR ROAD AND STREET LIGHTING										
IS NO :	IS 10322 (PART 5/SEC 3) - 2013										
BRAND :	JAQUAR LIGHTING										
MODEL :	250W JSCW, 220W JSCW, 200W JSCW, 180W JSCW, 150W JSCW, 140W JSCW, 120W JSCW, 110W JSCW, 100W JSCW, 90W JSCW, 70W JSCW, 60W JSCW, 45W JSCW, 40W JSCW, 35W JSCW, 30W JSCW, 25W JSCW, 20W JSCW, 18W JSCW										
MANUFACTURING ADDRESS :	JAQUAR AND COMPANY PVT. LTD. PLOT NO.03, SECTOR M11, IMT MANESAR, GURGAON - 122050, HARYANA, INDIA										
2. The license is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above. 3. The number assigned to this License is R-91002773 which has been made operative from 07-08-2018 and is valid upto 06-08-2020 . The license Number should invariably be referred to in your future correspondence. 4. The rights and privileges under the license shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the license number shall be stopped and BIS shall be informed. 5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time 6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure. 7. The licensee shall not use the license in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time. 8. Upon expiry of validity, stoppage or suspension or cancellation of license, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto. 9. For renewal of license, the licensee shall have to apply to BIS three months in advance before expiration of the license and application form for Renewal is available on BIS website. 10. The license is not transferable.											
Yours faithfully,  (Sandeep Kumar) Scientist C (Reg. Deptt.) Telefax : +91-11-2323 0856 E-mail: registration@bis.org.in											

 <p>भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS</p>	110002 15/1322 (PART 5/SEC 3) - 2013 Gurgaon BIS REGISTRATION@bis.org.in www.bis.org.in										
Our Ref: Registration/CRS 2018-3963/R-91003000 Date: 27-09-2018	Date: 27-09-2018										
Subject : Licence Document											
MANUFACTURING UNIT : JAQUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURUGRAM - 122050, HARYANA, INDIA sall.kulshrestha@jaquar.com 7290027208											
Dear Sir, 1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">PRODUCT :</td> <td>RECESSED LED LUMINAIRES</td> </tr> <tr> <td>IS NO :</td> <td>IS 10322 (PART 5/SEC 3) - 2013</td> </tr> <tr> <td>BRAND :</td> <td>JAQUAR LIGHTING</td> </tr> <tr> <td>MODEL :</td> <td>22W DL, 20W DL, 18W DL, 15W DL, 12W DL, 10W DL, 8W DL, 6W DL, 5W DL</td> </tr> <tr> <td>MANUFACTURING ADDRESS :</td> <td>JAQUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURUGRAM - 122050, HARYANA, INDIA</td> </tr> </table>		PRODUCT :	RECESSED LED LUMINAIRES	IS NO :	IS 10322 (PART 5/SEC 3) - 2013	BRAND :	JAQUAR LIGHTING	MODEL :	22W DL, 20W DL, 18W DL, 15W DL, 12W DL, 10W DL, 8W DL, 6W DL, 5W DL	MANUFACTURING ADDRESS :	JAQUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURUGRAM - 122050, HARYANA, INDIA
PRODUCT :	RECESSED LED LUMINAIRES										
IS NO :	IS 10322 (PART 5/SEC 3) - 2013										
BRAND :	JAQUAR LIGHTING										
MODEL :	22W DL, 20W DL, 18W DL, 15W DL, 12W DL, 10W DL, 8W DL, 6W DL, 5W DL										
MANUFACTURING ADDRESS :	JAQUAR AND COMPANY PVT. LTD. PLOT NO.3, SECTOR M11, IMT MANESAR, GURUGRAM - 122050, HARYANA, INDIA										
2. The license is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above. 3. The number assigned to this License is R-91003000 which has been made operative from 25-09-2018 and is valid upto 24-09-2020 . The license Number should invariably be referred to in your future correspondence. 4. The rights and privileges under the license shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the license number shall be stopped and BIS shall be informed. 5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time 6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure. 7. The licensee shall not use the license in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time. 8. Upon expiry of validity, stoppage or suspension or cancellation of license, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto. 9. For renewal of license, the licensee shall have to apply to BIS three months in advance before expiration of the license and application form for Renewal is available on BIS website. 10. The license is not transferable.											
Yours faithfully,  (RUCHI PRABHAT) Scientist C (Reg. Deptt.) Telefax : +91-11-2323 0856 E-mail: registration@bis.org.in											

 <p>भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS</p>	110002 15/1322 (PART 5/SEC 3) - 2013 Gurgaon BIS REGISTRATION@bis.org.in www.bis.org.in										
Our Ref: Registration/CRS 2018-3126/R-91000559 Date: 29-08-2018	Date: 29-08-2018										
Subject : Grant of Registration											
MANUFACTURING UNIT : JAQUAR AND COMPANY PVT LTD PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA, INDIA MR. SALL KULSHRESTHA, HEAD, R & D & PRODUCTION sall.kulshrestha@jaquar.com 7290027208											
Dear Sir, 1. With reference to your Application, we are pleased to inform you that it has been decided to grant you registration as per details given below:											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">PRODUCT :</td> <td>Fixed General Purpose LED Luminaires</td> </tr> <tr> <td>IS NO :</td> <td>IS 10122(PART 5/SEC 1) 2012</td> </tr> <tr> <td>BRAND :</td> <td>Jaquar Lighting</td> </tr> <tr> <td>MODEL :</td> <td>16W JMSE, 18W JMSE, 20W JMSE, 6W JMSE, 8W JMSE, 10W JMSE, 12W JMSE, 4W JMSE</td> </tr> <tr> <td>FACTORY ADDRESS :</td> <td>JAQUAR AND COMPANY PVT LTD PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA, INDIA</td> </tr> </table>		PRODUCT :	Fixed General Purpose LED Luminaires	IS NO :	IS 10122(PART 5/SEC 1) 2012	BRAND :	Jaquar Lighting	MODEL :	16W JMSE, 18W JMSE, 20W JMSE, 6W JMSE, 8W JMSE, 10W JMSE, 12W JMSE, 4W JMSE	FACTORY ADDRESS :	JAQUAR AND COMPANY PVT LTD PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA, INDIA
PRODUCT :	Fixed General Purpose LED Luminaires										
IS NO :	IS 10122(PART 5/SEC 1) 2012										
BRAND :	Jaquar Lighting										
MODEL :	16W JMSE, 18W JMSE, 20W JMSE, 6W JMSE, 8W JMSE, 10W JMSE, 12W JMSE, 4W JMSE										
FACTORY ADDRESS :	JAQUAR AND COMPANY PVT LTD PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA, INDIA										
2. The Registration is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above. 3. The number assigned to this Registration is R-91000559 which has been made operative from 25-08-2018 and is valid upto 22-08-2018 . The Registration Number should invariably be referred to in your future correspondence. 4. The rights and privileges under the registration shall not be exercised by any other factory / organisation at any other location. This registration is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place use of the Registration Number shall be stopped and BIS shall be informed. 5. You shall comply with the provisions of Bureau of Indian Standards Act, 1986 and Rules and Regulations framed there under and as amended from time to time. 6. You shall follow the guidelines for the use of Standard Mark and labeling requirements under BIS Compulsory Registration Scheme for Electronic and IT Products given in circular No. Ref : CMD S/IE 1187/5 dated 01/12/2013 available on BIS website and Department of Electronics and Information Technology (DeitI) notification S. O. 6883 dated 10/03/2016. 7. You shall not use the registration in any manner which contravenes the provisions of Bureau of Indian Standards Act, 1986 and Rules and Regulations framed there under and as amended from time to time. 8. Upon expiry of validity, stoppage or suspension or cancellation of registration, you shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto. 9. As per your declaration, MR. SALL KULSHRESTHA, HEAD, R & D & PRODUCTION is your authorized representative. Any intended change in the name of the authorized representative ought to be brought to our notice immediately. 10. It may be noted that for consideration of renewal of your registration, you shall have to apply to BIS at least one month in advance before expiry of the validity period. Application Form for Renewal (FORM R) is available on BIS website. 11. This letter is being issued with the approval of competent authority. Kindly acknowledge receipt of this letter.											
Yours faithfully,  (RUCHI PRABHAT) Scientist C (Reg. Deptt.) Telefax : +91-11-2323 0856 E-mail: registration@bis.org.in											

ISO Certificate

ZERTIFIKAT ♦ CERTIFICATE ♦ 証書 ♦ CERTIFICADO ♦ CERTIFICAT



CERTIFICATE

The Certification Body
of TÜV SÜD South Asia Private Limited
certifies that

 **Jaquar** Complete
Bathroom
and Lighting
Solutions

Jaquar & Company Pvt. Ltd. (Lighting Division)
Plot No-A 111 to 114, RIICO Industrial Area,
Bhiwadi, Alwar – 301019, Rajasthan, India

has implemented Quality Management System
in accordance with **ISO 9001:2015**
for the scope of

**Design and Manufacture of Indoor & Outdoor LED Lights and
Chandeliers for Domestic & Overseas Markets**

The certificate is valid in conjunction
with the main certificate from **2022-05-15** until **2025-05-14**
Subject to successful completion of annual periodic audits

The present status of this certificate can be obtained through TUV SUD website by scanning below QR code and by
entering the certificate number (without spaces) on web page. Further clarifications regarding the status & scope of
this certificate may be obtained by consulting the certification body at info.in@tuv-sud.com

Certificate Registration No. **99 100 16868/07**
Date of Initial certification: **2019-05-15**
Issue Date: **2022-05-20** Rev. 01



Rahul Kale
Head of Certification Body
of TÜV SÜD South Asia Private Limited,
Mumbai
Member of TÜV SÜD Group



TÜV SÜD South Asia Pvt. Ltd. ■ TÜV SÜD House ■ Saki Naka ■ Andheri (East) ■ Mumbai – 400072 ■ Maharashtra ■ India 

Global certifications

They say, excellence begets rewards and laurels. Jaquar Lighting's NABL accredited lab has enabled the company to come up with the best lighting products. Certifications followed along the way:

- System certifications like ISO 9001:2015, BIS and BEE
- BIS certification for its LED Lamps, Drivers, Panels, LED Streetlights and Floodlights, as per the latest applicable Indian standards



ROHS COMPLIANT



UL



ECAS



EC



Unique customisation option for Chandeliers

Jaquar Lighting has the first chandelier manufacturing plant in India with in-house facilities for designing, fabrication, plating and assembly, to provide unique customised solutions.

As a chandelier manufacturer, Jaquar is also the first and only one in India to offer 24K gold plating-in Antique Gold, as well as Chrome plating with some of the world's best crystals.



Best in the world lighting, best for the Indian conditions

Jaquar lighting products are built keeping in mind the tough, ever-changing Indian weather conditions. These products pass through a wide range of tests to ensure their endurance, reliability and durability.

Jaquar lighting products follow the philosophy of sustained development. Precisely why, all these products are eco-friendly and energy-efficient.

Jaquar lighting LED products:

- Save up to 90% of the energy required for similar levels of illumination by conventional, non-LED products
- Designed to be glare-free and provide uniform illumination
- Built to be high efficiency products that provide approximately 100 Lm/W-higher than most competing products

Trusted for prestigious projects

Jaquar lighting has been entrusted to light up an array of prestigious premises for its expertise in coming up with the best lighting solutions. Have a look:

- Central Hall, Parliament of India
- Supreme Court, Delhi
- Jammu & Kashmir Assembly, Srinagar
- Governor House, Dehradun
- Air Force Headquarters, Delhi
- National Defence Academy (NDA), Pune
- ISRO
- Royal Orchid hotels in Bangalore, Hyderabad and Jaipur
- Hotel Mount View, Chandigarh
- Hotel Westin, Hyderabad
- Hotel India Awadh, Lucknow
- Amber Conventional Centre, Indore
- Hindustan Club, Kolkata
- Hotel Crown, Bhubaneswar

- IIM Shillong
- IIT Mandi & IIT Guwahati
- Bangur House, Kolkata
- Holiday Inn, Kolkata
- Mahagun, Noida
- Supertech, Noida
- MG Motors, Delhi
- Jeep Showroom, Haryana
- Hotel Hyatt, Gurgaon
- Hotel Marriott, Nasik
- HP (Hewlett Packard)

Jaquar lighting also has corporate tie-ups with Sayaji Group, Lemontree, and Jaypee, among others.



Good lighting takes good planning

Give your property's lighting design the benefit of professional advice. With Jaquar's Light Planning Service you get expert guidance to achieve the right effect using the key features of your building's architecture, as well as evoke the right mood in your interior spaces.

Jaquar uses the latest professional design software to develop and present the entire solution to you – from AutoCAD drawings of the layouts to the analysis of the plan, to creating simulations, designs, renders and culminating in the documentation, right down to details like the BoQ.



Jaquar orientation centres

Jaquar orientation centres are spread across the length & breadth of the nation and even abroad.

You can discover the whole gamut of Jaquar lighting products under one roof. Offering a one-stop solution to the discovery and selection process, the orientation centre is manned by trained experts who can help you find the perfect match even for your most unique lighting requirements.

So drop in to a Jaquar orientation centre today. And bring home the glow of happiness!

For more information, visit any of our 21 orientation centres in following cities:

Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Cochin, Guwahati, Hyderabad, Jaipur, Jammu, Kolkata, Lucknow, Ludhiana, Mumbai, Nagpur, New Delhi, Pune, Raipur, Siliguri and Surat





Pro-active customer care

Even the peers vouch for Jaquar's enviable customer care.


Backed by over 1,000 trained technicians and warranty on its products, Jaquar lighting provides India's most reliable service to its customers with fully integrated service network across the country.

Toll-free customer care no: 1800 212 6808

E-mail: ccare.lighting@jaquar.com

Category Content

Professional Lighting



Chandeliers & Decorative Lights

The best of global lighting designs and craftsmanship in a large range of chandeliers and decorative lighting designs



Commercial Indoor Lights

The latest options in LED lighting solutions for indoor spaces in offices, malls, and commercial areas



Commercial Outdoor Lights

The most comprehensive range of high-quality products for landscape and outdoor lighting



Landscape Lights Premium Series

World-class designs and technology combined in our Premium Landscape lighting products

Professional Lighting



274

Landscape Lights Choice Series

Affordable yet efficient
Landscape lighting products to
light up your spaces

Smart Lighting



310

Smart Lights

The world is getting smarter and so
are the Jaquar Lighting Products

Consumer Lighting



318

Consumer Lights

Cutting-edge, energy-efficient LED
lighting solutions for an array of
residential requirements



Professional Lighting

Discover the best of global lighting designs and craftsmanship in our comprehensive range of technologically advanced professional lighting products. Designed keeping your space in mind, our lighting solutions is essential in creating aesthetically pleasing urban & professional environments.

Our range of professional lighting includes:

- Chandeliers
- Decorative Lights
- Commercial Indoor Lights
- Commercial Outdoor Lights



Chandeliers

There are a few bigger statements of luxury in an indoor space than a sparkling chandelier. Discover a grand centrepiece for your indoor space in Jaquar's range of chandeliers.

- Our chandeliers, a fusion of class and quality, are made with lead-free Asfour Almaaza crystals of high-precision cut, clarity, colour, and shape, from some of the world's best crystal manufacturers.
- We use mainly brass in the frame of our chandeliers, which come with a 7 year to 10 year warranty on the plating – ranging from 24K Gold to Chrome, Antique Brass and Copper.
- With the fabrication and plating of chandeliers being done in-house, Jaquar is one of the leading brands of India with its own production facility for crystal chandeliers.
- Available in classic and contemporary styles, reflecting traditional grace or modern elegance, our chandeliers range from 3-head to 24-head designs, with suspended or ceiling-mounted options.
- In fact, apart from the extensive choice, Jaquar Lighting also offers a unique customisation option in Crystal chandeliers - you can redesign, mix and match, and even ask to increase or reduce the crystals used in the chandeliers you select.

But no matter which chandelier you choose from Jaquar, it'll definitely have the power to be the cynosure of all eyes in the room.

Content

CHANDELIERS WITH SHADES

Octans	030
Ara	031
Carina	032
Ursa	033

TIERED CANDLE CHANDELIERS

Pictor	036
Pollux	037
Mensa	038
Vela	039
Grandiose	040
Meridian	041
Gondola	042
Celeste	043
Orion	044
Celosia	045
Trillium	046
Centaurus	047
Circinus	048
Cassia	049
Wisteria	050
Pegasus	051
Bergenia	052
Phoenix	053
Selene	054
Lantana	055

CONCEALED LIGHT CHANDELIERS

Sirius	058
Nobella	059
Grapewine	060
Honey comb	061
Lancia	062
Lancia	063
Galaxy	064
Cosmos	065
Supernova	066
Digest	067
Cairn	068
Nimbus	069
Starling	070
Starling	071

MODERN CHANDELIERS

Lepus	074
Nebula	075
Arcturus	076
Nova	077
Umbra	078
Norma	079
Canis	080
Lynx	081
Auriga	082

MINIMALISTIC CHANDELIERS

Tortile	086
Saggita	087

WALL LAMPS

Arena	090
Trident	090
Tulipz	091
Exalta	091
Trident Gold	092
Celestia Pearl	092
Volans	093





Chandeliers with Shades

Perfect for making the light source in the room discrete, a chandelier with shades works even better when paired with drapery that matches the colour and texture of the shades in the chandelier.



Octans

Asfour Almaaza

Product code: CHL-ABR-ASOCT0095430C

Color:	Bronze
Material:	Zinc alloy and fabric shade
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1500 x H 1850
Weight (Kg):	150
No. of boxes for one product:	6



Ara

Asfour Almaaza

Product code: CHL-ABR-CHL00954005

Color:	Bronze
Material:	Copper, bronze and fabric
No. of heads:	4+8+12
Cap type:	E14
Wattage:	24 x 4.5 W LED
Dimension (mm):	Ø 1260 x H 1400
Weight (Kg):	90
No. of boxes for one product:	6
Premium fabric shade	



Carina

Asfour Almaaza

Product code: CHL-SKG-ASCARL0095436C

Color:	SK gold
Material:	Zinc alloy and fabric shade
No. of heads:	6+12+18
Cap type:	E14
Wattage:	36 x 4.5 W LED
Dimension (mm):	Ø 1530 x H 2300
Weight (Kg):	200
No. of boxes for one product:	9



Ursa

Product code: CHL-SKG-14844X15C

Color:	Gold finish
Material:	Zinc alloy and fabric shade
No. of heads:	15
Cap type:	E14
Wattage:	15 x 4.5 W LED
Dimension (mm):	Ø 1000 x H 600
Weight (Kg):	20
No. of boxes for one product:	1



Tiered Candle Chandeliers

A tiered candle-chandelier like this one is the perfect way to accentuate a room's traditional elegance. Reminiscent of real candle chandeliers from many centuries ago, that were lowered, lit and then pulled up by rope, the unmasked light source allows the crystals underneath to sparkle with greater intensity.



Pictor

Asfour Almaaza

Product code: CHL-SKG-ASPIC0095430C

Color:	SK gold
Material:	Zinc alloy with jade
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1450 x H 2100
Weight (Kg):	110
No. of boxes for one product:	13



Pollux

Asfour Almaaza

Product code: CHL-ABR-ASPOL0095443C

Color:	Bronze
Material:	Zinc alloy and bobèche glass
No. of heads:	6+8+10+19+5
Cap type:	E14
Wattage:	48 x 4.5 W LED
Dimension (mm):	Ø 1600 x H 2300
Weight (Kg):	150
No. of boxes for one product:	6



Mensa

Asfour Almaaza

Product code: CHL-GLD-ASMEN0095456C

Color:	Gold
Material:	Copper with natural pink jade
No. of heads:	8+12+16+20
Cap type:	E14
Wattage:	56 x 4.5 W LED
Dimension (mm):	Ø 2260 x H 3000
Weight (Kg):	500
No. of boxes for one product:	13
24K gold used for perfect finish	



Vela

Asfour Almaaza

Product code: CHL-SKG-ASVEL09540636C

Color:	SK gold
Material:	Zinc alloy with natural pink jade
No. of heads:	6+12+18
Cap type:	E14
Wattage:	36 x 4.5 W LED
Dimension (mm):	Ø 1550 x H 2110
Weight (Kg):	150
No. of boxes for one product:	8



Grandiose

Asfour Almaaza

Gold

Product code: CHL-GLD-AS110212

Chrome

Product code: CHL-CHR-AS110212

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	12
Cap type:	E14
Wattage:	12 x 4.5 W LED
Dimension (mm):	Ø 850 x H 560
Weight (Kg):	18
No. of boxes for one product:	1



Meridian

Asfour Almaaza

Gold

Product code: CHL-GLD-AS20918

Chrome

Product code: CHL-CHR-AS20918B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	18
Cap type:	E14
Wattage:	18 x 4.5 W LED
Dimension (mm):	Ø 1050 x H 560
Weight (Kg):	20
No. of boxes for one product:	1



Gondola

Asfour Almaaza

Gold

Product code: CHL-GLD-AS2028A

Chrome

Product code: CHL-CHR-AS2028A

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4 W LED
Dimension (mm):	Ø 700 x H 430
Weight (Kg):	12
No. of boxes for one product:	1



Celeste

Asfour Almaaza

Gold

Product code: CHL-GLD-AS93112A

Chrome

Product code: CHL-CHR-AS93112A

Color:	Gold and chrome
Material:	Brass
No. of heads:	6+6
Cap type:	E14
Wattage:	12 x 4.5 W LED
Dimension (mm):	Ø 630 x H 930
Weight (Kg):	21
No. of boxes for one product:	2



Orion

Asfour Almaaza

Product code: CHL-GLD-AS2038BCAG

Color:	Gold/Black powder
Material:	Brass/Asfour Crystal/MS
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4.5 W LED
Dimension (mm):	D 660 x H 1200
Weight (Kg):	10
No. of boxes for one product:	2



Celosia

Asfour Almaaza

Product code: CHL-SLV-ASCEL716510C

Color:	Silver (Real)
Material:	Copper and bobèche glass
No. of heads:	10
Cap type:	E14
Wattage:	10 x 4.5 W LED
Dimension (mm):	Ø 1000 x H 885
Weight (Kg):	40
No. of boxes for one product:	1
Real silver used for perfect finish	



Trillium

Asfour Almaaza

Product code: CHL-GLD-ASTRISYY15730C

Color:	Gold
Material:	Copper and bobèche glass
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1500 x H 2120
Weight (Kg):	200
No. of boxes for one product:	6
24K gold used for perfect finish	



Centaurus

Asfour Almaaza

Product code: CHL-GLD-ASCEL1771230C

Colour:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	15+10+5
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1470 x H 1900
Weight (Kg):	110
No. of boxes for one product:	7



Circinus

Asfour Almaaza

Product code: CHL-GLD-ASCIR1780218C

Color:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	12+6
Cap type:	E14
Wattage:	18 x 4.5 W LED
Dimension (mm):	Ø 1150 x H 1000
Weight (Kg):	70
No. of boxes for one product:	3



Cassia

Asfour Almaaza

Product code: CHL-GLD-ASCAS178027C

Color:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	70
Cap type:	E14
Wattage:	70 x 4.5 W LED
Dimension (mm):	Ø 2000 x H 3100
Weight (Kg):	400
No. of boxes for one product:	15



Wisteria

Asfour Almaaza

Product code: CHL-BRS-ASWISSYY0170C

Color:	Bronze
Material:	Zinc alloy and marble
No. of heads:	6+12+18+12+24+8
Cap type:	E14
Wattage:	80 x 4.5 W LED
Dimension (mm):	Ø 2330 x H 3300
Weight (Kg):	550
No. of boxes for one product:	17



Pegasus

Asfour Almaaza

Product code: CHL-GLD-ASPEG173918C

Color:	Gold
Material:	Zinc alloy with natural jade
No. of heads:	12+6
Cap type:	E14
Wattage:	18 x 4.5 W LED
Dimension (mm):	Ø 1160 x H 690
Weight (Kg):	55
No. of boxes for one product:	3



Bergenia

Asfour Almaaza

Product code: CHL-GLD-ASBER1739536C

Color:	Gold
Material:	Zinc alloy and glass
No. of heads:	6+15+10+5
Cap type:	E14
Wattage:	36 x 4.5 W LED
Dimension (mm):	Ø 1500 x H 2350
Weight (Kg):	110
No. of boxes for one product:	6



Phoenix

Asfour Almaaza

Product code: CHL-GLD-ASPHOSYA65032C

Color:	Gold
Material:	Copper with natural jade
No. of heads:	6+10+16
Cap type:	E14
Wattage:	32 x 4.5 W LED
Dimension (mm):	Ø 1550 x H 1920
Weight (Kg):	200
No. of boxes for one product:	9
18K gold used for perfect finish	



Selene

Asfour Almaaza

Product code: CHL-SLV-ASSEL716530C

Color:	Silver (Real)
Material:	Copper and bobèche glass
No. of heads:	5+10+15
Cap type:	E14
Wattage:	30 x 4.5 W LED
Dimension (mm):	Ø 1460 x H 1900
Weight (Kg):	150
No. of boxes for one product:	4
Real silver used for perfect finish	



Lantana

Asfour Almaaza

Product code: CHL-GLD-ASLANSY66031C

Color:	Gold
Material:	Copper with natural jade
No. of heads:	15+10+6
Cap type:	E14
Wattage:	31 x 4.5 W LED
Dimension (mm):	Ø 1460 x H 2290
Weight (Kg):	170
No. of boxes for one product:	7
18K gold used for perfect finish	



Concealed Light Chandeliers

A complete creation in crystal, the opulence of chandeliers like these demand décor that's no less magnificent. Concealing the light source within allows the crystals to appear as if they are the light source themselves – a multitude of little suns scattering beautiful rays around the room.



Sirius

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11063XB

Chrome

Product code: CHL-CHR-AS11063XB

Color:	Gold and chrome
Material:	Brass
No. of heads:	27
Cap type:	E14
Wattage:	27 x 4.5 W LED
Dimension (mm):	Ø 1066 x H 2743
Weight (Kg):	55
No. of boxes for one product:	2



Nobella

Asfour Almaaza

Gold

Product code: CHL-GLD-AS1009

Chrome

Product code: CHL-CHR-AS1009

Color:	Gold and chrome
Material:	Brass
No. of heads:	12
Cap type:	E14
Wattage:	12 x 4.5 W LED
Dimension (mm):	Ø 610 x H 920
Weight (Kg):	20.5
No. of boxes for one product:	2



Grapewine

Asfour Almaaza

Gold

Product code: CHL-GLD-AS4032

Chrome

Product code: CHL-CHR-AS4032

Color:	Gold and chrome
Material:	Brass
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4.5 W LED
Dimension (mm):	Ø 600 x H 380
Weight (Kg):	16
No. of boxes for one product:	1



Honey Comb

Asfour Almaaza

Gold

Product code: CHL-GLD-AS4031A

Chrome

Product code: CHL-CHR-AS4031A

Color:	Gold and chrome
Material:	Brass
No. of heads:	6
Cap type:	E14
Wattage:	6 x 4.5 W LED
Dimension (mm):	Ø 550 x H 510
Weight (Kg):	17
No. of boxes for one product:	1



Lancia

Asfour Almaaza

Gold

Product code: CHL-GLD-AS8051B

Chrome

Product code: CHL-CHR-AS8051B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	4
Cap type:	E14
Wattage:	4 x 4.5 W LED
Dimension (mm):	Ø 400 x H 180
Weight (Kg):	4.5
No. of boxes for one product:	1



Lancia

Asfour Almaaza

Gold

Product code: CHL-GLD-AS8051D25

Chrome

Product code: CHL-CHR-AS8051D25

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	3
Cap type:	E14
Wattage:	3 x 4.5 W LED
Dimension (mm):	Ø 250 x H 200
Weight (Kg):	2
No. of boxes for one product:	1



Galaxy

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11025

Chrome

Product code: CHL-CHR-AS11025

Color:	Chrome and gold
Material:	Brass
No. of heads:	NA
Cap type:	NA
Wattage:	120 W LED
Dimension (mm):	Ø 914 x H 330
Weight (Kg):	25
No. of boxes for one product:	1



Cosmos

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11021

Chrome

Product code: CHL-CHR-AS11021

Color:	Chrome and gold
Material:	Brass
No. of heads:	NA
Cap type:	NA
Wattage:	60 W LED
Dimension (mm):	Ø 600 x H 90
Weight (Kg):	12
No. of boxes for one product:	1



Supernova

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11028

Chrome

Product code: CHL-CHR-AS11028

Color:	Chrome and gold
Material:	Brass
No. of heads:	NA
Cap type:	NA
Wattage:	105 W LED
Dimension (mm):	L 533 x W 533 x H 450
Weight (Kg):	18
No. of boxes for one product:	1



Digest

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11015

Chrome

Product code: CHL-CHR-AS11015

Color:	Chrome and gold
Material:	Brass/SS
No. of heads:	12
Cap type:	E14
Wattage:	12 x 4.5 W LED
Dimension (mm):	Ø 750 x H 300
Weight (Kg):	35
No. of boxes for one product:	1



Cairn

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11060

Chrome

Product code: CHL-CHR-AS11060

Color:	Chrome and gold
Material:	Brass
No. of heads:	14
Cap type:	E14
Wattage:	14 x 4.5 W LED
Dimension (mm):	Ø 600 x H 1220
Weight (Kg):	35
No. of boxes for one product:	1



Nimbus

Asfour Almaaza

Gold

Product code: CHL-GLD-AS689

Chrome

Product code: CHL-CHR-AS689

Color:	Gold and chrome
Material:	Brass
No. of heads:	6
Cap type:	E14
Wattage:	6 x 4.5 W LED
Dimension (mm):	Ø 400 x H 900
Weight (Kg):	8
No. of boxes for one product:	1



Starling

Asfour Almaaza

Gold

Product code: CHL-GLD-AS80881B

Chrome

Product code: CHL-CHR-AS80881B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	4
Cap type:	E14
Wattage:	4 x 4.5 W LED
Dimension (mm):	Ø 500 x H 180
Weight (Kg):	6
No. of boxes for one product:	1



Starling

Asfour Almaaza

Gold

Product code: CHL-GLD-AS8088B

Chrome

Product code: CHL-CHR-AS8088B

Color:	Gold and chrome
Material:	Brass casting
No. of heads:	3
Cap type:	E14
Wattage:	3 x 4.5 W LED
Dimension (mm):	Ø 330 x H 140
Weight (Kg):	4.5
No. of boxes for one product:	1



Modern Chandeliers

Representing the evolution of chandeliers, rectilinear and curved forms of chandeliers question traditional outlines and pay tribute to the more functional forms seen in architecture of the 20th century. Ideal for interiors where modern lines and newer, man-made materials are chosen.



Lepus

Asfour Almaaza

Gold

Product code: CHL-GLD-AS40510X2

Chrome

Product code: CHL-CHR-AS40510X2

Color:	Gold and chrome
Material:	SS
No. of heads:	8
Cap type:	G9
Wattage:	8 x 5 W LED
Dimension (mm):	L 1066 x W 381 x H 304
Weight (Kg):	20
No. of boxes for one product:	1



Nebula

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11058/3

Chrome

Product code: CHL-CHR-AS11058/3

Color:	Gold and chrome
Material:	Brass
No. of heads:	NA
Cap type:	NA
Wattage:	225 W LED
Dimension (mm):	L 1500 x W 457 x H 457
Weight (Kg):	30
No. of boxes for one product:	1



Arcturus

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11065

Chrome

Product code: CHL-CHR-AS11065

Color:	Gold and chrome
Material:	Brass
No. of heads:	NA
Cap type:	NA
Wattage:	150 W LED
Dimension (mm):	L 1053 x W 600 x H 600
Weight (Kg):	28
No. of boxes for one product:	1



Nova

Gold

Product code: CHL-GLD-DROP11066

Chrome

Product code: CHL-CHR-DROP11066

Color:	Gold and chrome
Material:	SS and glass
No. of heads:	8
Cap type:	E14
Wattage:	8 x 4.5 W LED
Dimension (mm):	L 1210 x W 457 x H 395
Weight (Kg):	20
No. of boxes for one product:	1
Available in mouth blown drop glass only	



Umbra

Asfour Almaaza

Gold

Product code: CHL-GLD-AS9111

Chrome

Product code: CHL-CHR-AS9111

Color:	Gold and chrome
Material:	Brass
No. of heads:	1
Cap type:	E14
Wattage:	1 x 4.5 W LED
Dimension (mm):	Ø 250 x H 260
Weight (Kg):	1.5
No. of boxes for one product:	1



Norma

Product code: CHL-GLD-MD177218009

Color:	Gold
Material:	SS/Brass
No. of heads:	9
Cap type:	E14
Wattage:	9 x 4.5 W LED
Dimension (mm):	Ø 800 x H 375
Weight (Kg):	30
No. of boxes for one product:	1
Available in K9 crystals only	



Canis

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11003

Chrome

Product code: CHL-CHR-AS11003

Color:

Chrome and gold

Material:

Brass

No. of heads:

7

Cap type:

G9

Wattage:

7 x 5 W LED

Dimension (mm):

Ø 457 x H 225

Weight (Kg):

8

No. of boxes for one product: 1



Lynx

Asfour Almaaza

Product code: CHL-BLK-GLS11042X70CM

Color:	Black chrome
Material:	Brass/Rock glass
No. of heads:	N/A
Cap type:	N/A
Wattage:	15 W LED
Dimension (mm):	Ø 700 x H 195
Weight (Kg):	12
No. of boxes for one product:	1



Auriga

Asfour Almaaza

Product code: CHL-BLK-K9CUBE10X10

Color:	Black nickel finished
Material:	Brass and K9 crystals
No. of heads:	N/A
Cap type:	N/A
Wattage:	45 W LED
Dimension (mm):	L 360 x H 450
Weight (Kg):	13.800
No. of boxes for one product:	1





Minimalistic Chandeliers

Pushing the boundaries of the definition of chandeliers, iconic pieces like these are carefully designed to achieve the maximum effect with a minimum of elements. Accepting the challenge of today's minimalistic design aesthetic, pieces like this embody the concept of 'less is more'



Tortile

Asfour Almaaza

Gold

Product code: CHL-GLD-AS11037

Chrome

Product code: CHL-CHR-AS11037

Color:

Chrome and gold

Material:

Brass

No. of heads:

5

Cap type:

Spot light

Wattage:

5 x 2 W LED

Dimension (mm):

Ø 360 x H 800

Weight (Kg):

8

No. of boxes for one product: 1



Saggita

Asfour Almaaza

Product code: CHL-CHR-AS600X335X2

Color:	Chrome
Material:	Brass/Asfour crystal
No. of heads:	N/A
Cap type:	N/A
Wattage:	60 W LED
Dimension (mm):	D 600 x H 600
Weight (Kg):	18
No. of boxes for one product:	1



Wall Lamps

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky design and artful expression, there's wall light for every need here.



Arena

Asfour Almaaza

Gold

Product code: WBR-GLD-AS20SW

Chrome

Product code: WBR-CHR-AS20SW

Color:	Chrome and gold
Material:	Brass and bobèche glass
No. of heads:	2
Cap type:	E14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 270 x W 190 x H 250
Weight (Kg):	1.3
No. of boxes for one product:	1



Trident

Asfour Almaaza

Gold

Product code: WBR-GLD-AS9118

Chrome

Product code: WBR-CHR-AS9118

Color:	Chrome and gold
Material:	Brass and bobèche glass
No. of heads:	2
Cap type:	E14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 250 x W 160 x H 270
Weight (Kg):	1.5
No. of boxes for one product:	1



Tulipz

Asfour Almaaza

Gold

Product code: WBR-GLD-AS7771

Chrome

Product code: WBR-CHR-AS7771

Color:	Chrome and gold
Material:	Brass
No. of heads:	1
Cap type:	LED
Wattage:	3 W
Dimension (mm):	L 130 x W 140 x H 500
Weight (Kg):	1.5
No. of boxes for one product:	1



Exalta

Asfour Almaaza

Gold

Product code: WBR-GLD-AS98181

Chrome

Product code: WBR-CHR-AS98181

Color:	Chrome and gold
Material:	Brass and bobèche glass
No. of heads:	1
Cap type:	E14
Wattage:	1 x 4.5 W LED
Dimension (mm):	L 100 x W 180 x H 280
Weight (Kg):	1
No. of boxes for one product:	1



Trident Gold

Asfour Almaaza

Gold

Product code: WBR-GLD-AS98182

Chrome

Product code: WBR-CHR-AS98182

Color:	Gold and chrome
Material:	Brass
No. of heads:	2
Cap type:	E14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 280 x W 180 x H 300
Weight (Kg):	1.5
No. of boxes for one product:	1



Celestia Pearl

Asfour Almaaza

Gold

Product code: WBR-GLD-AS96069

Chrome

Product code: WBR-CHR-AS96069

Color:	Gold and chrome
Material:	Brass
No. of heads:	2
Cap type:	E 14
Wattage:	2 x 4.5 W LED
Dimension (mm):	L 260 x W 130 x H 240
Weight (Kg):	1.5
No. of boxes for one product:	1



Volans

Gold

Product code: WBR-GLD-5057

Chrome

Product code: WBR-CHR-5057

Color:	Chrome and gold
Material:	Brass
No. of heads:	NA
Cap type:	LED strip
Wattage:	9 W
Dimension (mm):	L 110 x W 75 x H 290
Weight (Kg):	2.5
No. of boxes for one product:	1
Available in twist glass tube	



Decorative Lights

Jaquar decorative lighting collection combines the very best of global design and craftsmanship in an impressively large range of designs and shapes. Jaquar range of products in the Decorative category includes Chandeliers, Pendant lights, Wall and Ceiling mounted lights, Table lamps and Floor lamps, and even Aqua lights for use in bathrooms.

Within each type of light too, there's one for every preference. Pendant lights are available in single or multiple heads with suspended or ceiling mounted options. Ceiling lights are available in standalone, single tier, 2 tier and 3 tier variants with Chrome, White, or Rose Gold finishes with Metal and Glass options. Our innovative range of LED wall lights are available in standalone, single head, 2 head and 3 head variants with matching chandeliers.

For enhancing the ambience of interiors, choose from our trendsetting table lamps that are available in Chrome, Glass, Wood and Metallic finishes with fabric or PVC shades. Similar options are available in our Floor lamps too, which are distinctive and contemporary.

For use in moist environments like bathrooms, Jaquar Aqua lights feature Chrome finish and Ingress Protection (IP) 44 rating.

Unless otherwise specified, all Jaquar lighting products are built with the flexibility to be compatible with not just LED lamps but CFL and GLS lamps too.

Content

DECORATIVE LIGHTS


Ceiling Lights	096
Floor Lamps	140
Table Lamps	146
Wall Lights	162
Bath (Aqua) Lights	184





Ceiling Lights

To meet the sophisticated design requirements of ceiling lighting, Jaquar offers a vast repertoire to choose from. Discover some of the most alluring models from our latest collection.



JES-CHR-MD400500618C

Description: 1 Tier metal string with chrome finish ceiling light

Fixture Height: 1500

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: G9 LED 4 W x 8

L	W	D	H
680	1500		

JES-CHR-MD400500654C

Description: 3 Tier metal string with chrome finish ceiling light

Fixture Height: 2500

Standard Packaging Box: 1

Net Weight (Kg): 38

Lamp: G9 LED 4 W x 24

L	W	D	H
680	2500		




JES-CHR-MD400500636C

Description: 2 Tier metal string with chrome finish ceiling light
Fixture Height: 1700
Standard Packaging Box: 1
Net Weight (Kg): 32
Lamp: G9 LED 4 W x 16
 L W D H
 680 1700



JES-RDG-MD400500654C

Description: 3 Tier metal string with rose gold finish ceiling light
Fixture Height: 2500
Standard Packaging Box: 1
Net Weight (Kg): 38
Lamp: G9 LED 4 W x 24
 L W D H
 680 2500



JES-RDG-MD400500636C

Description: 2 Tier metal string with rose gold finish ceiling light
Fixture Height: 1700
Standard Packaging Box: 1
Net Weight (Kg): 32
Lamp: G9 LED 4 W x 16
 L W D H
 680 1700



JES-RDG-MD400500618C

Description: 1 Tier metal string with rose gold finish ceiling light
Fixture Height: 1500
Standard Packaging Box: 1
Net Weight (Kg): 18
Lamp: G9 LED 4 W x 8
 L W D H
 680 1500



KCH-CHR-MD80473A

Description: 3 Light cone shaped with chrome finish ceiling light

Fixture Height: 1000

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 3

L	W	D	H
600	1000		

KCH-CHR-MD80476A

Description: 6 Light cone shaped with chrome finish ceiling light

Fixture Height: 1000

Standard Packaging Box: 1

Net Weight (Kg): 2.6

Lamp: E14 LED 4.5 W x 6

L	W	D	H
650	1000		



Ceiling Lights



DCL-CHR-MX81366B

Description: 6 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 9.2

Lamp: G9 LED 5 W x 6

L	W	D	H
450			225



DCL-CHR-MX81368A

Description: 8 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 11

Lamp: G9 LED 5 W x 8

L	W	D	H
430	430		225



DCL-CHR-MX81364B

Description: 4 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 5.5

Lamp: G9 LED 5 W x 4

L	W	D	H
350			225



DCL-CHR-MX81364A

Description: 4 Light star shape glass tube with chrome finish ceiling light

Fixture Height: 225

Standard Packaging Box: 1

Net Weight (Kg): 7

Lamp: G9 LED 5 W x 4

L	W	D	H
330	330		225

Height Adjustable

KCH-COP-MD501001512C

Description: 12 Light aluminium curved strips with copper finish pendant

Fixture Height: 560

Standard Packaging Box: 1

Net Weight (Kg): 5.2

Lamp: G9 LED 5 W x 12

L	W	D	H
560	1200		



Height Adjustable



KCH-RDG-MD501001512C

Description: 12 Light aluminium curved strips with rose gold finish pendant

Fixture Height: 560

Standard Packaging Box: 1

Net Weight (Kg): 5.2

Lamp: G9 LED 5 W x 12

L	W	D	H
560	1200		

Height Adjustable



KCH-STC-MD501001512B

Description: 12 Light aluminium curved strips with silver finish pendant

Fixture Height: 650

Standard Packaging Box: 1

Net Weight (Kg): 6.5

Lamp: G9 Bulb 5 W x 12

L	W	D	H
650	1300		

Height Adjustable



KCH-BCH-MD501001512B

Description: 12 Light aluminium curved strips with black finish pendant

Fixture Height: 650

Standard Packaging Box: 1

Net Weight (Kg): 6.5

Lamp: G9 LED 5 W x 12

L	W	D	H
650	1300		



JIG-CHR-MD809824A

Description: 24 Light meta swan with chrome finish ceiling light
Available in: Black / Matt Gold / Chrome
Fixture Height: 1500
Standard Packaging Box: 1
Net Weight (Kg): 21.5
Lamp: G4 Bulb 5 W x 24

L	W	D	H
		1100	1500



JIG-GLD-MX809818A

Description: 18 Light meta swan with gold finish ceiling light
Available in: Black / Red / White / Matt Gold / Chrome
Fixture Height: 780
Standard Packaging Box: 1
Net Weight (Kg): 18
Lamp: G4 Bulb 5 W x 18

L	W	D	H
		860	780



JIG-BLC-MX809812A

Description: 12 Light meta swan with black finish ceiling light
Available in: Black / Red / White / Matt Gold / Chrome
Fixture Height: 620
Standard Packaging Box: 1
Net Weight (Kg): 9.5
Lamp: G4 Bulb 5 W x 12

L	W	D	H
		710	620



JIG-WHT-MX809818A

Description: 18 Light meta swan with white finish ceiling light

Available in: Black / Red / White / Matt Gold / Chrome

Fixture Height: 780

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: G4 Bulb 5 W x 18

L	W	D	H
860	780		



STL-BLK-SL1027S400

Description: 1 Light black hemp rope ball pendant

Fixture Height: 400

Available in: Black / White

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
400	1200		



STL-BLK-SL1027S600

Description: 1 Light black hemp rope ball pendant

Fixture Height: 600

Available in: Black / White

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E27 LED 7 W x 1

L	W	D	H
600	1200		



STL-BLK-SL1027S800

Description: 1 Light black hemp rope ball pendant

Fixture Height: 800

Available in: Black / White

Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 7 W x 1

L	W	D	H
800	1300		



STL-CHR-SL1128S

Description: 9 Light black fabric shade with chrome finish pendant

Fixture Height: 970

Standard Packaging Box: 1

Net Weight (Kg): 23

Lamp: E27 LED 7 W x 9

L	W	D	H
1030	1750		



KCH-CHR-MD1503300212

Description: 12 Light champagne opal glass with chrome finish chandelier

Fixture Height: 620

Standard Packaging Box: 1

Net Weight (Kg): 15

Lamp: E14 LED 4.5 W x 12

L	W	D	H
830	1200		



KCH-CHR-MD150330026A

Description: 6 Light champagne opal glass with chrome finish chandelier

Fixture Height: 620

Standard Packaging Box: 1

Net Weight (Kg): 7

Lamp: E14 LED 4.5 W x 6

L	W	D	H
600	1200		



KCH-WTC-MD1503000818

Description: 18 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 18

Lamp: E14 LED 4.5 W x 18

L	W	D	H
1050	1200		



KCH-WTC-MD150300088A

Description: 8 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 6

Lamp: E14 LED 4.5 W x 8

L	W	D	H
760	1200		



KCH-WTC-MX150300086A

Description: 6 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 5

Lamp: E14 LED 4.5 W x 6

L	W	D	H
430	600		



KCH-WTC-MX1503000812

Description: 12 Light white pitcher glass with white finish chandelier

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 10

Lamp: E14 LED 4.5 W x 12

L	W	D	H
870	490		

Ceiling Lights



JNL-CHR-MD160275216A

Description: 6 Light frosted glass with chrome finish chandelier

Fixture Height: 320

Standard Packaging Box: 1

Net Weight (Kg): 5

Lamp: E27 LED 7 W x 6

L	W	D	H
800	1000		



JNL-CHR-MD160275218A

Description: 8 Light frosted glass with chrome finish chandelier

Fixture Height: 540

Standard Packaging Box: 1

Net Weight (Kg): 6.5

Lamp: E27 LED 7 W x 8

L	W	D	H
800	1000		



JES-BLK-SL1174S

Description: 3 Light frosted glass, aluminium with black and gold finish pendant

Fixture Height: 50

Standard Packaging Box: 1

Net Weight (Kg): 4.02

Lamp: E14 LED 4.5 W x 3

L	W	D	H
350	1100		

Ceiling Lights



JNL-COP-MD150031251C

Description: 1 Light copper glass with copper finish pendant

Fixture Height: 270

Standard Packaging Box: 8

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

L	W	D	H
100	1200		



JNL-CHR-MD160020053B

Description: 3 Light clear glass, rose gold mesh with chrome finish pendant

Fixture Height: 260-750

Standard Packaging Box: 1

Net Weight (Kg): 3.5

Lamp: G9 LED 5 W x 3

L	W	D	H
375	1200		



JNL-CHR-MD160020051C

Description: 1 Light clear glass, rose gold mesh with chrome finish pendant

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: G9 LED 5 W x 1

L	W	D	H
190	1200		



KCH-RDG-MD140030571C

Description: 1 Light PC globe diffuser with rose gold finish pendant

Available in: Nickel / Chrome / Antique brass

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 1.4

Lamp: E27 LED 7 W x 1

L	W	D	H
200	1500		



KCH-CHR-MD150031291A

Description: 1 Light smoky glass with chrome finish pendant
Fixture Height: 225
Standard Packaging Box: 1
Net Weight (Kg): 1.2
Lamp: E27 LED 7 W x 1


L	W	D	H
280			1200



KCH-CHR-MD150031291B

Description: 1 Light smoky glass with chrome finish pendant
Fixture Height: 220
Standard Packaging Box: 8
Net Weight (Kg): 1
Lamp: E27 LED 7 W x 1


L	W	D	H
200			1200



JNL-COP-MD150031251B

Description: 1 Light copper glass with copper finish pendant
Fixture Height: 280
Standard Packaging Box: 1
Net Weight (Kg): 0.8
Lamp: E27 LED 7 W x 1

L	W	D	H
130			1200



JNL-COP-MD150031251A

Description: 1 Light copper glass with copper finish pendant
Fixture Height: 220
Standard Packaging Box: 8
Net Weight (Kg): 0.6
Lamp: E27 LED 7 W x 1

L	W	D	H
170			1200

Ceiling Lights



STL-GRY-SL966S1

Description: 2 Light dark grey carbon steel pendant
Available in: Grey / Gold
Fixture Height: 620
Standard Packaging Box: 1
Net Weight (Kg): 9.5
Lamp: E27 LED 7 W x 2

L	W	D	H
510		615	



STL-GLD-SL966S3

Description: 2 Light dark gold carbon steel pendant
Available in: Gold / Grey
Fixture Height: 820
Standard Packaging Box: 1
Net Weight (Kg): 12.5
Lamp: E27 LED 7 W x 2

L	W	D	H
750		810	



JIG-ABS-SL1204S3

Description: 3 Light aluminium hexagon style with antique copper finish pendant
Fixture Height: 200
Standard Packaging Box: 1
Net Weight (Kg): 4.5
Lamp: E14 LED 4.5 W x 3

L	W	D	H
500		210-2000	



STL-ABS-SL1204S14

Description: 14 Light aluminium hexagon style with antique copper finish pendant
Fixture Height: 200
Standard Packaging Box: 1
Net Weight (Kg): 21
Lamp: E14 LED 4.5 W x 14

L	W	D	H
1475	410		2000

KCH-CHR-MD160030111A

Description: 1 Light clear globe glass with chrome finish pendant

Fixture Height: 210

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

L	W	D	H
130			1200



KCH-RDG-MD160030111A

Description: 1 Light clear globe glass with rose gold finish pendant

Fixture Height: 210

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

L	W	D	H
130			1200

Ceiling Lights



JNL-CHR-MD150031271A

Description: 1 Light smoky glass with chrome finish pendant

Fixture Height: 436

Standard Packaging Box: 1

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

L	W	D	H
150	1200		



JDM-CHR-MD150031271B

Description: 1 Light smoky glass with chrome finish pendant

Fixture Height: 180

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
220	1200		



JNL-BLK-SL00WCNIE27

Description: 1 Light bar with black finish conical pendant

Fixture Height: 380

Standard Packaging Box: 4

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

L	W	D	H
300	120		



JNL-BLK-SL00WCYIE27

Description: 1 Light bar with black finish cylindrical pendant

Fixture Height: 275

Standard Packaging Box: 4


Net Weight (Kg): 2.4

Lamp: E27 LED 7 W x 1

L	W	D	H
195	1200		

JNL-RDG-SL00FRD3E27

Description: 3 Light frosted glass with rose gold finish pendant
Fixture Height: 340
Standard Packaging Box: 4
Net Weight (Kg): 2.9
Lamp: E27 LED 7 W x 3
 L W D H
 300 1200




JNL-RDG-SL00FRD1E27

Description: 1 Light frosted glass with rose gold finish pendant
Fixture Height: 260
Standard Packaging Box: 8
Net Weight (Kg): 0.9
Lamp: E27 LED 7 W x 1
 L W D H
 120 1200



JNL-BRN-SL880861

Description: 1 Light rebars, mesh with dark brown finish pendant
Fixture Height: 245
Standard Packaging Box: 1
Net Weight (Kg): 7
Lamp: E27 LED 7 W x 1
 L W D H
 180 1200



JNL-GRY-CL92931

Description: 1 Light cage type, antique green marble with antique finish ceiling light
Fixture Height: 280
Standard Packaging Box: 2
Net Weight (Kg): 2.4
Lamp: E27 LED 7 W x 1
 L W D H
 130 280





JNL-COP-SL180461A

Description: 1 Light mesh shade with copper finish pendant

Fixture Height: 235

Standard Packaging Box: 4

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
100			1200



STL-GLD-SL1133S

Description: 24 Light trumpet style with gold finish pendant

Fixture Height: 730

Standard Packaging Box: 1

Net Weight (Kg): 20

Lamp: E14 LED 4.5 W x 24

L	W	D	H
1500			1400-2000



STL-GLD-SL1133S1

Description: 24 Light trumpet style with gold finish pendant

Fixture Height: 730

Standard Packaging Box: 1

Net Weight (Kg): 12.5

Lamp: E14 LED 4.5 W x 24

L	W	D	H
1080			1400-2000

JDM-BRS-MD150273871B

Description: 1 Light clear glass with
brass finish pendant

Fixture Height: 270


Standard Packaging Box: 1

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

L	W	D	H
200	1200		





STL-COP-SL1162S2

Description: 14 Light aluminium pipe with copper finish pendant

Fixture Height: 320

Standard Packaging Box: 1

Net Weight (Kg): 33.2

Lamp: E14 LED 4.5 W x 14

L	W	D	H
1720	300		2000



STL-COP-SL1162S1

Description: 12 Light aluminium pipe with copper finish pendant

Fixture Height: 320

Standard Packaging Box: 1

Net Weight (Kg): 26

Lamp: E14 LED 4.5 W x 12

L	W	D	H
950			2000



STL-COP-SL1162S3

Description: 37 Light aluminium pipe with copper finish pendant

Fixture Height: 750

Standard Packaging Box: 1

Net Weight (Kg): 44

Lamp: E14 LED 4.5 W x 37

L	W	D	H
1050			2000-3000



STL-COP-SL1162S7

Description: 89 Light aluminium pipe with copper finish pendant

Fixture Height: 1250

Standard Packaging Box: 1

Net Weight (Kg): 164

Lamp: E14 LED 4.5 W x 89

L	W	D	H
1950			2000-3000

STL-GLD-SL1153S6

Description: 6 Light frosted glass
with matt gold finish pendant

Fixture Height: 300-600

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: G9 LED 5 W x 6

L	W	D	H
1100	1400		



STL-GLD-SL1153S10

Description: 10 Light frosted glass
with matt gold finish pendant

Fixture Height: 300-600

Standard Packaging Box: 1

Net Weight (Kg): 8.8

Lamp: G9 LED 5 W x 10

L	W	D	H
1100	1400		



JIG-BRS-SL1260S200

Description: 1 Light clear glass with brushed brass finish pendant

Fixture Height: 420

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: G4 LED 5 W x 1

L	W	D	H
200	420	2000	



JIG-BRS-SL1260S250

Description: 1 Light clear glass with brushed brass finish pendant

Fixture Height: 500

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: G4 LED 5 W x 1

L	W	D	H
250	520	2000	



JIG-BRS-SL1260SX3

Description: 3 Light clear glass with brushed brass finish pendant

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: G4 LED 5 W x 3

L	W	D	H
780	700	2000	



JIG-BRS-SL1260S1

Description: 6 Light clear glass with brushed brass finish pendant

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 6.43

Lamp: G4 LED 5 W x 6

L	W	D	H
960	650	900	1800



JIG-BRS-SL1260S3

Description: 8 Light clear glass with brushed brass finish pendant

Fixture Height: 1000

Standard Packaging Box: 1

Net Weight (Kg): 11.40

Lamp: G4 LED 5 W x 8

L	W	D	H
2000	1140	950-1900	

All dimensions are in mm



JHL-ABS-SLSF9001S1

Description: 1 Light diamond cut style glass with antique brass finishing pendant

Fixture Height: 500

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: G4 LED 5 W x 1

L	W	D	H
100	100	1200	



JHL-COG-SL1216S

Description: 1 Light cognac glass with copper finish pendant

Fixture Height: 460

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: E14 LED 4.5 W x 1

L	W	D	H
130			2000

Ceiling Lights



STL-GRY-SLSM2329S

Description: 1 Light smokey glass with chrome finish pendant

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: G9 LED 5 W x 1

L	W	D	H
80	1200		



JDM-ABS-SL1217S2

Description: 1 Light glass with antique brass finish pendant

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 3.5

Lamp: E27 LED 7 W x 1

L	W	D	H
350	2000		



STL-COP-SL1217S

Description: 1 Light copper plated glass with copper finish pendant

Fixture Height: 280

Standard Packaging Box: 1

Net Weight (Kg): 1.6

Lamp: E27 LED 9 W x 1

L	W	D	H
190	2000		



JNL-COP-SLPEA089AE27

Description: 1 Light aluminium globe shape with copper finish pendant

Available in: Copper / Black

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 1.7

Lamp: E27 LED 7 W x 1

L	W	D	H
400			1200



JNL-COP-SLPEA031BE27

Description: 1 Light aluminium, white wood with copper finishing pendant

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
300			1200



JES-ANT-SL1137S1
Description: 1 Light aluminium
with antique finish pendant
Fixture Height: 150
Standard Packaging Box: 1
Net Weight (Kg): 0.5
Lamp: E27 LED 7 W x 1
L W D H
125 2000



JES-ANT-SL1131S1
Description: 1 Light aluminium
with antique finish pendant
Fixture Height: 300
Standard Packaging Box: 1
Net Weight (Kg): 0.45
Lamp: E27 LED 7 W x 1
L W D H
138 2000



CHL-BLK-11086X3

Description: 3 Light black powder coated pendant

Fixture Height: 305

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: LED 3 W x 3 In-built

L	W	D	H
510	65		1200

Ceiling Lights



STL-GLD-SLKS2450S

Description: 1 Light clear glass with gold finish pendant

Fixture Height: 425

Standard Packaging Box: 1

Net Weight (Kg): 6.5

Lamp: E27 LED 7 W x 1

L	W	D	H
450	1200		



STL-GLD-SLKS2450S1

Description: 1 Light clear glass with gold finish pendant


Fixture Height: 290

Standard Packaging Box: 1

Net Weight (Kg): 4.6

Lamp: E27 LED 7 W x 1

L	W	D	H
300	1200		



CHL-BLK-11086

Description: 1 Light black powder coated pendant

Fixture Height: 300

Standard Packaging Box: 12

Net Weight (Kg): 0.6

Lamp: LED 3 W x 1 In-built

L	W	D	H
25	1200		



JNL-BRS-SLPEA020BE27

Description: 1 Light aluminium with shiny brass paint finish pendant

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
		250	1200

JDM-BLK-SLHPP0414E27

Description: 1 Light aluminium industrial style with sanded black finish pendant

Fixture Height: 380

Standard Packaging Box: 1

Net Weight (Kg): 2.8

Lamp: E27 LED 7 W x 1

L	W	D	H
		380	1200



JDM-BRN-SLPEA299E27

Description: 1 Light aluminum with coffee paint finish pendant

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: E27 LED 7 W x 1

L	W	D	H
		320	1200



JDM-BLK-SLPEA138E27

Description: 1 Light aluminum with sanded black paint finish pendant

Fixture Height: 370

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
		350	1200



JDM-NKL-SLPEAW15833E27

Description: 1 Light aluminum, brown wood with satin nickel finish pendant

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 1

L	W	D	H
330	1200		



DPN-COP-SLHPPA0414DE27

Description: 1 Light aluminium industrial style, frosted glass with copper finish pendant

Fixture Height: 430

Standard Packaging Box: 1

Net Weight (Kg): 2.4

Lamp: E27 LED 7 W x 1

L	W	D	H
400	1200		



JFO-NAW-SLPEW00445E27

Description: 1 Light bamboo wood with natural wood finishing pendant

Fixture Height: 530

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 1

L	W	D	H
450			1200



JFO-NAW-SLPEW00735E27

Description: 1 Light bamboo wood with natural wood finish pendant

Fixture Height: 340

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: E27 LED 7 W x 1

L	W	D	H
350			1200



JES-BLK-CHL0006PRE14

Description: 6 Light black glass with black crystal chandelier

Fixture Height: 900

Standard Packaging Box: 1

Net Weight (Kg): 6.1

Lamp: E14 LED 4.5 W x 6

L	W	D	H
580			1200



JES-AMB-CHL0006SYE14

Description: 6 Light honey glass with gold finish chandelier

Fixture Height: 900

Standard Packaging Box: 1

Net Weight (Kg): 5

Lamp: E14 LED 4.5 W x 6

L	W	D	H
770			1200



JNL-WHT-SLPEA034AE27

Description: 1 Light aluminium with white powder finish pendant

Fixture Height: 260

Standard Packaging Box: 1

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
350	1200		



JES-WHT-CHL0006TAE14

Description: 6 Light clear glass with gold finish chandelier

Fixture Height: 1100

Standard Packaging Box: 1

Net Weight (Kg): 10.5

Lamp: E27 LED 7 W x 6

L	W	D	H
755	1400		



CHL-CHR-SL11086X3

Description: 3 Light chrome finish pendant

Fixture Height: 865

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: LED 3 W x 3 In-built

L	W	D	H
260		865	



JHL-AMB-SLGLS250E27

Description: 1 Light apple shape amber glass pendant with nickel finish

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
250		1200	



WHT-SLWAVEGLS200E27

Description: 1 Light globe shaped ss finished ceiling light

Fixture Height: 200

Standard Packaging Box: 2

Net Weight (Kg): 0.85

Lamp: E-27 LED 7 W x 1

L	W	D	H
200	1200		



YEL-SLWAVEGLS200E27

Description: 1 Light globe shaped ss finished ceiling light

Fixture Height: 200

Standard Packaging Box: 2

Net Weight (Kg): 0.85

Lamp: E-27 LED 7 W x 1

L	W	D	H
200	1200		



GRY-SL275GLWCE27

Description: 1 Light bell shaped aluminium finished ceiling light

Fixture Height: 220

Standard Packaging Box: 4

Net Weight (Kg): 0.75

Lamp: E-27 LED 7 W x 1

L	W	D	H
170	1200		



GRN-SLCONE300E27

Description: 1 Light bell shaped aluminium finished ceiling light

Fixture Height: 215

Standard Packaging Box: 1

Net Weight (Kg): 0.7

Lamp: E14 LED 4.5 W x 6

L	W	D	H
300	1200		

Ceiling Lights



WNE-SLHALFRDL305E27

Description: 1 Light bell shaped aluminium finished ceiling light

Fixture Height: 280

Standard Packaging Box: 1

Net Weight (Kg): 1.1

Lamp: E-27 LED 7 W x 1

L	W	D	H
290	1200		



WHT-SLCON107E27

Description: 1 Light cone shaped aluminium finished ceiling light

Fixture Height: 330

Standard Packaging Box: 4

Net Weight (Kg): 0.75

Lamp: E-27 LED 7 W x 1

L	W	D	H
105	1200		



GRY-SL270GLWCE27

Description: 1 Light bell shaped aluminium finished ceiling light

Fixture Height: 275

Standard Packaging Box: 1

Net Weight (Kg): 1.25

Lamp: E-27 LED 7 W x 1

L	W	D	H
260	1200		



WNE-SLDL200E27

Description: 1 Light bell shaped aluminium /MS finished ceiling light

Fixture Height: 260

Standard Packaging Box: 2

Net Weight (Kg): 1.2

Lamp: E-27 LED 7 W x 1

L	W	D	H
200	1200		

GLD-SLCONE200E27

Description: 1 Light bell shaped aluminium finished ceiling light

Fixture Height: 285

Standard Packaging Box: 2

Net Weight (Kg): 0.6

Lamp: E-27 LED 7 W x 1

L	W	D	H
200	1200		



GRY-SLCON107X3E27

Description: 3 Light cone shaped aluminium finished ceiling light

Fixture Height: 330

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E-27 LED 7 W x 3

L	W	D	H
550	105	1200	



JHL-ACR-SL11086X6W

Description: 1 Light cylindrical shaped brass finished ceiling light

Fixture Height: 305

Standard Packaging Box: 1

Net Weight (Kg): 0.5

Lamp: Inbuilt LED 6 W

L	W	D	H
42	1200		



Floor Lamps

Add a unique touch to your décor with our exciting range of floor lights that not only add functional elegance to the room, but also become conversation pieces for your visitors.

Floor Lamps



JDM-WNT-FLWD400E27

Description: 1 Light wooden tripod with black fabric shade floor lamp

Fixture Height: 945

Standard Packaging Box: 2

Net Weight (Kg): 9

Lamp: E27 LED 7 W x 1

L	W	D	H
		400	1500



STL-CHR-FL1128F

Description: 3 Light black fabric shade with chrome finish floor lamp

Fixture Height: 1750

Standard Packaging Box: 1

Net Weight (Kg): 19

Lamp: E27 LED 7 W x 3

L	W	D	H
		490	1750



JES-WHT-FL306F

Description: 1 Light aluminium shade with white paint finish floor lamp

Fixture Height: 1765

Standard Packaging Box: 1

Net Weight (Kg): 12.5

Lamp: E27 LED 7 W x 1

L	W	D	H
		500	1765



JES-BLK-FL306F

Description: 1 Light aluminium shade with black paint finish floor lamp

Fixture Height: 1765

Standard Packaging Box: 1

Net Weight (Kg): 12.5

Lamp: E27 LED 7 W x 1

L	W	D	H
		500	1765

Floor Lamps



STL-BLK-FL737F

Description: 1 Light black fabric shade with black powder coated finish floor lamp

Fixture Height: 1900-2400


Standard Packaging Box: 1

Net Weight (Kg): 14

Height: Adjustable

Lamp: E27 LED 7 W x 1

L	W	H
935	860	1900-2400



JES-BLK-FL1174F

Description: 3 Light frosted glass with black and gold finish floor lamp

Fixture Height: 1400

Standard Packaging Box: 1

Net Weight (Kg): 16.2

Lamp: E14 LED 4.5 W x 3

L	W	D	H
610	350		1400



KPT-CHR-ML49061A

Description: 1 Light opal glass shade with marble base and chrome finish floor lamp

Fixture Height: 1900

Standard Packaging Box: 1

Net Weight (Kg): 20

Lamp: E27 LED 7 W x 1

L	W	D	H
1250	300		1900



JIG-BRS-FL1260F

Description: 2 Light clear glass with brushed brass finish floor lamp

Fixture Height: 1220-1880

Standard Packaging Box: 1

Net Weight (Kg): 8

Lamp: G4 LED 5 W x 2

L	W	D	H
1100	250		1220-1880

STL-WNG-FL1092FB

Description: 1 Light fabric shade with wood, alloy zinc floor lamp

Fixture Height: 1850

Standard Packaging Box: 1

Net Weight (Kg): 16

Lamp: E27 LED 7 W x 1

L	W	D	H
850	800		1850



STL-WHT-FL1213F

Description: 3 Light metal half dome with antique white finish floor lamp

Fixture Height: 1680

Standard Packaging Box: 1

Net Weight (Kg): 30

Lamp: G9 LED 4 W x 3

L	W	D	H
			455 1680



STL-WNG-FL1092FA

Description: 1 Light diffuser glass with wood, alloy zinc floor lamp

Fixture Height: 1850

Standard Packaging Box: 1

Net Weight (Kg): 35

Lamp: E27 LED 7 W x 1

L	W	D	H
850	800		1850





STL-BLK-FL1029F

Description: 1 Light PVC shade cheval with black finish floor lamp

Fixture Height: 2550

Standard Packaging Box: 1

Net Weight (Kg): 52

Lamp: E27 LED 7 W x 1

L	W	D	H
2400	550		2550



Table Lamps

For the demanding needs of task lighting around your work spaces and your bedside, Jaquar Lighting's table lamps span a wide range of design influences – from the classic to the ultra contemporary.



STL-CHR-TL1018T2

Description: 1 Light PVC shade
with chrome finish table lamp

Fixture Height: 750

Standard Packaging Box: 1

Net Weight (Kg): 3.26

Lamp: E27 LED 7 W x 1

L	W	D	H
		230	750

STL-WHT-TL765T

Description: 1 Light strip fabric shade with chrome finish table lamp

Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: E27 LED 7 W x 1

L	W	D	H
370			850



JIG-BLK-TL1018T2

Description: 1 Light black fabric shade with black finish table lamp

Fixture Height: 750

Standard Packaging Box: 1

Net Weight (Kg): 3.26

Lamp: E27 LED 7 W x 1

L	W	D	H
230			750



STL-COG-TL1149T

Description: 1 Light cognac glass table lamp

Fixture Height: 835

Standard Packaging Box: 1

Net Weight (Kg): 6.4

Lamp: G9 LED 5 W x 1

L	W	D	H
		380	835



JES-BLK-TL1174T

Description: 3 Light frosted glass, aluminium with black and gold finish table lamp

Fixture Height: 430

Standard Packaging Box: 1

Net Weight (Kg): 3.18

Lamp: E14 LED 4.5 W x 3

L	W	D	H
		350	430



STL-BLK-TL306T

Description: 1 Light aluminium shade with black paint finish table lamp

Fixture Height: 575

Standard Packaging Box: 1

Net Weight (Kg): 3.1

Lamp: E27 LED 7 W x 1

L	W	D	H
		390	575



STL-CHR-TL1128T

Description: 3 Light black fabric shade with chrome finish table lamp

Fixture Height: 875

Standard Packaging Box: 1

Net Weight (Kg): 13

Lamp: E27 LED 7 W x 3

L	W	D	H
490			875

Table Lamps



KTL-CHR-MT49061A

Description: 1 Light opal glass, marble base with chrome finish frame table lamp

Fixture Height: 520

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

L	W	D	H
425	130		520



STL-COP-TLKS6308T

Description: 1 Light opal glass with copper finish base table lamp

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: G9 LED 5 W x 1

L	W	D	H
		180	250



JNL-BRS-TL1300H

Description: 1 Light fabric shade with hammered pattern base with brash finish table lamp

Fixture Height: 460

Standard Packaging Box: 4

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

L	W	D	H
		350	460



JNL-WNT-TLVPWODE27

Description: 1 Light fabric shade with wooden vertical pyramid base table lamp

Fixture Height: 650

Standard Packaging Box: 4

Net Weight (Kg): 1.3

Lamp: E27 LED 7 W x 1

L	W	D	H
		300	650



JNL-NKL-TL400WOS

Description: 1 Light fabric shade with nickel finish base table lamp

Fixture Height: 470

Standard Packaging Box: 4

Net Weight (Kg): 0.75

Lamp: E27 LED 7 W x 1

L	W	D	H
		300	470



KCH-CHR-MT160275451B

Description: 1 Light fabric shade with chrome finish base table lamp

Fixture Height: 610

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 1

L	W	D	H
		350	610

Table Lamps



KCH-CHR-MT160275451A

Description: 1 Light fabric shade with chrome finish base table lamp

Fixture Height: 680

Standard Packaging Box: 1

Net Weight (Kg): 2.65

Lamp: E27 LED 7 W x 1

L	W	D	H
380			680



KCH-CHR-MT170275021L

Description: 1 Light fabric shade, red leather with chrome finish base table lamp

Fixture Height: 950

Standard Packaging Box: 1

Net Weight (Kg): 2.6

Lamp: E27 LED 7 W x 1

L	W	D	H
355			950



KCH-CHR-MT170275041C

Description: 1 Light PVC shade, red leather with chrome finish base table lamp

Fixture Height: 880

Standard Packaging Box: 1

Net Weight (Kg): 3.2

Lamp: E27 LED 7 W x 1

L	W	D	H
355			880



KCH-CHR-MT170275071I

Description: 1 Light fabric shade, crystal with chrome finish base table lamp

Fixture Height: 670

Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 7 W x 1

L	W	D	H
410			670



JCN-WHT-TBL00954001

Description: 1 Light fabric shade with crystal base table lamp

Fixture Height: 760

Standard Packaging Box: 1

Net Weight (Kg): 7

Lamp: E27 LED 7 W x 1

L	W	D	H
380		760	



KCH-ABR-MT170275071J

Description: 1 Light fabric shade, crystal with antique brass finish base table lamp

Fixture Height: 710

Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 7 W x 1

L	W	D	H
			380 710



KCH-CHR-MT170275071J

Description: 1 Light fabric shade, crystal with chrome finish base table lamp

Fixture Height: 670

Standard Packaging Box: 1

Net Weight (Kg): 2.75

Lamp: E27 LED 7 W x 1

L	W	D	H
			410 670



STL-WHT-TL1213T

Description: 3 Light metal half dome with antique white finish table lamp

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 9.9

Lamp: G9 LED 5 W x 3

L	W	D	H
305			600



STL-GRY-TL1187T1

Description: 1 Light smoky grey glass with chrome finish table lamp

Fixture Height: 400

Standard Packaging Box: 1

Net Weight (Kg): 3.25

Lamp: E27 LED 7 W x 1

L	W	D	H
285			400



STL-RED-TL1187T2

Description: 1 Light smoky grey glass with chrome finish table lamp

Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 8.5

Lamp: E27 LED 7 W x 1

L	W	D	H
509			850



JIG-BRS-TL1260T

Description: 2 Light clear glass with brushed brass finish base table lamp

Fixture Height: 510

Standard Packaging Box: 1

Net Weight (Kg): 3

Lamp: G4 LED 5 W x 2

L	W	D	H
400	200	360	510



GLD-TLCYLND260E27
Description: 1 Light fabric shade
gold finished table lamp
Fixture Height: 450
Standard Packaging Box: 1
Net Weight (Kg): 2.4
Lamp: E-27 LED 7 W x 1
L W D H
280 450



GLD-TLWAVE550E27
Description: 1 Light fabric shade
gold finished table lamp
Fixture Height: 520
Standard Packaging Box: 1
Net Weight (Kg): 2.5
Lamp: E-27 LED 7 W x 1
L W D H
280 520





Wall Lights

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky design and artful expression, there's a wall light for every need here.



KWB-CHR-MB80473A

Description: 3 Light cone shape with chrome finish wall lamp

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 1.4

Lamp: E14 LED 4.5 W x 3

L	W	D	H
390	440		310



KWB-CHR-MB80471A

Description: 1 Light cone shape with chrome finish wall lamp

Fixture Height: 310

Standard Packaging Box: 6

Net Weight (Kg): 0.8

Lamp: E14 LED 4.5 W x 1

L	W	D	H
280	110		310



JIG-NKL-MB80985A

Description: 5 Light meta swan shape with chrome finish wall lamp

Available in: White / Black / Gold / Nickel / Red

Fixture Height: 850

Standard Packaging Box: 1

Net Weight (Kg): 3

Lamp: G4 Bulb 5 W x 5

L	W	D	H
230	460		850



JIG-RDG-MB80983A

Description: 3 Light meta swan shape with red finish wall lamp

Available in: White / Black / Gold / Nickel / Red

Fixture Height: 470

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: G4 Bulb 5 W x 3

L	W	D	H
228	425		470



WBR-CHR-MB12021201A

Description: 1 Light ivory fabric shade with chrome finish base wall lamp


Fixture Height: 205

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

L	W	D	H
155	280		205



WBR-CHR-MB11002351B

Description: 1 Light aluminium mesh with clear glass and chrome finish base wall lamp

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: G9 Bulb 5 W x 1

L	W	D	H
150	160		160



JIG-BRS-WL1260W

Description: 1 Light clear glass with brushed brass base wall lamp

Fixture Height: 370

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: G4 LED 5 W x 1

L	W	D	H
150	215		370



KWB-WTC-MB150300081A

Description: 1 Light white pitcher glass with white finish base wall lamp

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 0.9

Lamp: E14 LED 4.5 W x 1

L	W	D	H
150	305		290



KWB-WTC-MB150300082A

Description: 2 Light white pitcher glass with white finish base wall lamp

Fixture Height: 250

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E14 LED 4.5 W x 2

L	W	D	H
440	250		290



STL-WHT-WL688W1

Description: 1 Light fabric shade with aluminium finish base wall lamp


Fixture Height: 355

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 1

L	W	D	H
240	374		355



JES-COP-WL1162W

Description: 1 Light aluminium pipe with copper finish wall lamp

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

L	W	D	H
145	120		300



JES-COP-WL1162W3

Description: 5 Light aluminium pipe with copper finish wall lamp

Fixture Height: 600

Standard Packaging Box: 1

Net Weight (Kg): 4

Lamp: E14 LED 4.5 W x 5

L	W	D	H
420	210		600



STL-CHR-WL1128W

Description: 2 Light black fabric shade with chrome finish base wall lamp

Fixture Height: 785

Standard Packaging Box: 1

Net Weight (Kg): 4.2

Lamp: E27 LED 7 W x 2

L	W	D	H
470	360		785



JNL-CHR-MB140048C1E

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 310

Standard Packaging Box: 8

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
120	150		310



JNL-CHR-MB14048T1E27

Description: 1 Light opal glass with chrome finish SS wall lamp

Fixture Height: 310

Standard Packaging Box: 8

Net Weight (Kg): 0.8

Lamp: E27 LED 7 W x 1

L	W	D	H
165	130		310



JES-BLK-WL1174W

Description: 3 Light frosted glass, aluminium with black and gold finish wall lamp


Fixture Height: 360

Standard Packaging Box: 1

Net Weight (Kg): 3.9

Lamp: E14 LED 4.5 W x 3

L	W	D	H
590	350		360



WBR-GLD-WL1153W2

Description: 2 Light frosted glass with matt gold finish base wall lamp

Fixture Height: 860

Standard Packaging Box: 1

Net Weight (Kg): 1.8

Lamp: G9 LED 5 W x 2

L	W	D	H
760	160		95



WBR-GLD-WL1153W4

Description: 4 Light frosted glass with matt gold finish base wall lamp

Fixture Height: 300

Standard Packaging Box: 1

Net Weight (Kg): 3.9

Lamp: G9 LED 5 W x 4

L	W	D	H
870	760		300



JNL-GRY-WL92931

Description: 1 Light cage type, antique green marble with antique finish wall lamp

Fixture Height: 310

Standard Packaging Box: 4

Net Weight (Kg): 2.3

Lamp: E27 LED 7 W x 1

L	W	D	H
130	170		310



JNL-GRY-WL92932

Description: 2 Light cage type, antique green marble with antique finish base wall lamp

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 4.5

Lamp: E27 LED 7 W x 2

L	W	D	H
340	160		310



JNL-CHR-MB160275211A

Description: 1 Light frosted glass with chrome finish base wall lamp

Fixture Height: 200

Standard Packaging Box: 8

Net Weight (Kg): 0.9

Lamp: E27 LED 7 W x 1

L	W	D	H
130	180		200



JNL-CHR-MB160275212A

Description: 2 Light frosted glass with chrome finish base wall lamp

Fixture Height: 195

Standard Packaging Box: 4

Net Weight (Kg): 2

Lamp: E27 LED 7 W x 2

L	W	D	H
300	180		195



KCH-CHR-MB150330021A

Description: 1 Light champagne opal glass with chrome finish wall lamp

Fixture Height: 355

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
210	330		355



KCH-CHR-MB150330022A

Description: 2 Light champagne opal glass with chrome finish wall lamp

Fixture Height: 355

Standard Packaging Box: 1

Net Weight (Kg): 2.2

Lamp: E14 LED 4.5 W x 2

L	W	D	H
480	260		355



JHL-CHR-MB160275531B

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 235

Standard Packaging Box: 8

Net Weight (Kg): 0.6

Lamp: E14 LED 4.5 W x 1

L	W	D	H
120	130		235



JHL-CHR-MB160275532B

Description: 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 235

Standard Packaging Box: 4

Net Weight (Kg): 1

Lamp: E14 LED 4.5 W x 2

L	W	D	H
270	130		225



JNL-AGR-WL89872

Description: 2 Light tap style with antique green finish base wall lamp

Fixture Height: 270

Standard Packaging Box: 4

Net Weight (Kg): 1.6

Lamp: E27 LED 7 W x 2

L	W	D	H
315	150		270



JNL-AGR-WL89871

Description: 1 Light tap style with antique green finish base wall lamp

Fixture Height: 200

Standard Packaging Box: 8

Net Weight (Kg): 0.6

Lamp: E27 LED 7 W x 1

L	W	D	H
130	167		200



JNL-GRY-WL91301

Description: 1 Light mesh/ ceramic with rusty finish wall lamp

Fixture Height: 340

Standard Packaging Box: 1

Net Weight (Kg): 3.5

Lamp: E27 LED 7 W x 1

L	W	D	H
210	150		340



JNL-CHR-MB160275542A

Description: 2 Light opal glass with chrome finish wall lamp

Fixture Height: 230

Standard Packaging Box: 4

Net Weight (Kg): 1.2

Lamp: E27 LED 7 W x 2

L	W	D	H
270	150		230



JNL-CHR-MB160275541A

Description: 1 Light frosted glass with chrome finish wall lamp

Fixture Height: 230

Standard Packaging Box: 8

Net Weight (Kg): 0.65

Lamp: E27 LED 7 W x 1

L	W	D	H
120	150		230



JNL-NKL-WLRB0480SE27

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 235

Standard Packaging Box: 8

Net Weight (Kg): 0.58

Lamp: E27 LED 7 W x 1

L	W	D	H
100	140		235



JNL-COP-WL180461B

Description: 1 Light mesh with rust finish base wall lamp

Fixture Height: 350

Standard Packaging Box: 8

Net Weight (Kg): 1.5

Lamp: E27 LED 7 W x 1

L	W	D	H
120	140		350



JNL-NKL-WLSL55004E27

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 295

Standard Packaging Box: 8

Net Weight (Kg): 0.65

Lamp: E27 LED 7 W x 1

L	W	D	H
125	220		295



JNL-NKL-WLBPGG001E27

Description: 1 Light opal globe glass with nickel finish base wall lamp

Fixture Height: 315

Standard Packaging Box: 8

Net Weight (Kg): 0.7

Lamp: E27 LED 7 W x 1

L	W	D	H
120	225		315



JNL-NKL-WLBPGG002E27

Description: 2 Light opal globe glass with nickel finish base wall lamp


Fixture Height: 315

Standard Packaging Box: 4

Net Weight (Kg): 1.45

Lamp: E27 LED 7 W x 2

L	W	D	H
275	225		315



JIG-ABS-WL1204W1

Description: 1 Light aluminium hexagon style with antique copper finish wall lamp

Fixture Height: 160

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: E14 LED 4.5 W x 1

L	W	D	H
230	160		160



JNL-BRG-WLCONESIE14

Description: 1 Light cone opal glass wall lamp

Fixture Height: 280

Standard Packaging Box: 8

Net Weight (Kg): 0.7

Lamp: E14 LED 4.5 W x 1

L	W	D	H
100	140		300



JNL-BRG-WLCYLNDIE14

Description: 1 Light cylindrical opal glass wall lamp

Fixture Height: 300

Standard Packaging Box: 8

Net Weight (Kg): 0.6

Lamp: E14 LED 4.5 W x 1

L	W	D	H
100	140		300



JES-BLK-WL00002PRE14

Description: 2 Light black base with black crystal wall lamp

Fixture Height: 300

Standard Packaging Box: 4

Net Weight (Kg): 2.9

Lamp: E14 LED 4.5 W x 2

L	W	D	H
500	170		300



JES-GLD-WL00002TAE27

Description: 2 Light clear glass with crystal wall lamp

Fixture Height: 360

Standard Packaging Box: 4

Net Weight (Kg): 2.1

Lamp: E27 LED 7 W x 2

L	W	D	H
440	160		360



JHL-COG-WL1216W

Description: 1 Light copper glass with cognac finish wall lamp

Fixture Height: 550

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
130	210		550



WBR-CHR-MB12021191B

Description: 1 Light black fabric shade with chrome finish base wall lamp

Fixture Height: 205

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
240	280		205



WBR-CHR-MB12021192B

Description: 1 Light black fabric shade with chrome finish base wall lamp with 3 W reading lamp

Fixture Height: 405

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

and 3 W (In-built) LED

L	W	D	H
240	280		405



WBR-CHR-MB12021192A

Description: 1 Light ivory fabric shade with chrome finish base wall lamp (bulb included)

Fixture Height: 405

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1 and 3 W (In-built) LED

L	W	D	H
155	280		405



JES-AMB-WL00002SYE14

Description: 2 Light honey glass wall lamp

Fixture Height: 225

Standard Packaging Box: 4

Net Weight (Kg): 1.9

Lamp: E14 LED 4.5 W x 2

L	W	D	H
590	200		225



WBR-SNS-5048X2

Description: 2 Light SS finish with double neck wall lamp

Fixture Height: 80

Standard Packaging Box: 1

Net Weight (Kg): 1

Lamp: LED 3 W x 2 (In-built)

L	W	D	H
228	100		110



WBR-SNS-5048

Description: 1 Light SS finish with single neck wall lamp

Fixture Height: 125

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: LED 3 W x 1 (In-built)

L	W	D	H
77	100		125



WBR-CHR-WL5007X315

Description: 1 Light flute with chrome finish wall lamp

Fixture Height: 345

Standard Packaging Box: 4

Net Weight (Kg): 2.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
110	100		345



WBR-CHR-WLLED5006

Description: 2 Light strip with chrome finish wall lamp

Fixture Height: 195

Standard Packaging Box: 1

Net Weight (Kg): 2.5

Lamp: E14 LED 4.5 W x 2

L	W	D	H
185	95		195



WBR-CHR-MB12021182A

Description: 1 Light ivory fabric shade with chrome finish base wall lamp

Fixture Height: 480

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1 and 3 W (In-built) LED

L	W	D	H
240	180		480



WBR-ABR-FBCRY155

Description: 1 Light fabric shade with crystal plate base wall lamp

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 4.5 W x 1

L	W	D	H
230	160		310



WBR-BRS-WL5009

Description: 1 Light with brass finish wall lamp

Fixture Height: 350

Standard Packaging Box: 1

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
120	110		350



WBR-CHR-WLRDFAB150

Description: 1 Light fabric shade with chrome finish base wall lamp

Available in: Antique brass

Fixture Height: 310

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 1 x 4.5 W and 3 W (In-built)

L	W	D	H
210	160		310



WBR-ABR-BELLFAB255

Description: 1 Light bell shape fabric shade with antique brass finish base wall lamp

Available in: Chrome

Fixture Height: 315

Standard Packaging Box: 1

Net Weight (Kg): 2

Lamp: E14 LED 1 x 4.5 W and 3 W (In-built)

L	W	D	H
260	220		315



WBR-BCH-5048XBC

Description: 1 Light spot light with black chrome finish wall lamp

Fixture Height: 100

Standard Packaging Box: 1

Net Weight (Kg): 0.6

Lamp: 3 W x 1 (In-built)

L	W	D	H
80	90		100



WBR-CHR-LBED01R003XW

Description: 1 Light with chrome finish wall lamp

Fixture Height: 220

Standard Packaging Box: 1

Net Weight (Kg): 0.30

Lamp: 3 W x 1 (In-built)

L	W	D	H
200	80		220



CHR-WL160020051C

Description: 1 Light bell shaped aluminium finished wall light

Fixture Height: 210

Standard Packaging Box: 2

Net Weight (Kg): 0.8

Lamp: G9 LED 5 W x 1

L	W	D	H
140	240		210



CHR-MB14048T2E27

Description: 2 Light opal glass aluminium finished wall light

Fixture Height: 265

Standard Packaging Box: 4

Net Weight (Kg): 1.5

Lamp: E-27 LED 7 W x 2

L	W	D	H
275	165		265



JHL-CHR-WL5048X6W

Description: 1 Light cylindrical shaped brass finished wall light

Fixture Height: 120

Standard Packaging Box: 1

Net Weight (Kg): 0.4

Lamp: LED 6 W (In-built)

L	W	D	H
42	140		120



WBR-ACR-WLG5012

Description: 1 Light bell shaped brass finished wall light

Fixture Height: 325

Standard Packaging Box: 1

Net Weight (Kg): 0.85

Lamp: E-14 LED 4 W x 1

L	W	D	H
125	220		325



WBR-ABR-WL9601G9

Description: 1 Light clear glass brass finished wall light

Fixture Height: 230

Standard Packaging Box: 1

Net Weight (Kg): 0.65

Lamp: G9 LED 5 W x 1

L	W	D	H
120	190		230



WBR-ACR-WLC9602XK9

Description: 1 Light clear glass brass finished wall light

Fixture Height: 260

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: G9 LED 5 W x 1

L	W	D	H
190	255		260



WBR-ABR-WLC9603XK9

Description: 1 Light clear glass brass finished wall light

Fixture Height: 220

Standard Packaging Box: 1

Net Weight (Kg): 1.6

Lamp: E-14 LED 4 W x 1

L	W	D	H
165	255		220





Bath (Aqua) Lights

Take bath décor beyond the ordinary with Jaquar's Aqualite range. Created specially for the bathroom, these are the perfect choice for withstanding the rigours of the bath environment.



KWB-CHR-MB12021341A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 181

Standard Packaging Box: 12

Net Weight (Kg): 1.5

Lamp: G9 LED 5 W x 1

L	W	D	H
130	156		181

Bath (Aqua) Lights



KWB-CHR-MB12021151A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 166

Standard Packaging Box: 12

Net Weight (Kg): 0.9

Lamp: G9 LED 5 W x 1

L	W	D	H
120	160		166



KWB-CHR-MB12021161A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 156

Standard Packaging Box: 12

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

L	W	D	H
110	145		156



KWB-CHR-MB12021331A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 190

Standard Packaging Box: 1

Net Weight (Kg): 1.2

Lamp: G9 LED 5 W x 1

L	W	D	H
170	130		190



KWB-CHR-MB12021321A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 270

Standard Packaging Box: 12

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
107	80		270



KWB-CHR-MB12021131A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 206

Standard Packaging Box: 1

Net Weight (Kg): 0.5

Lamp: G9 LED 5 W x 1

L	W	D	H
150	100		206



KWB-CHR-MB48011A

Description: 1 Light opal glass with nickel finish base wall lamp

Fixture Height: 212

Standard Packaging Box: 12

Net Weight (Kg): 0.8

Lamp: G9 LED 5 W x 1

L	W	D	H
74	95		212

KWB-CHR-MB48021A

Description: 1 Light matt opal glass with nickel finish base wall lamp

Fixture Height: 290

Standard Packaging Box: 12

Net Weight (Kg): 1.5

Lamp: E14 LED 4.5 W x 1

L	W	D	H
74	100		290



KWB-CHR-MB12021121A

Description: 1 Light opal glass with chrome finish base wall lamp

Fixture Height: 290

Standard Packaging Box: 12

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 1

L	W	D	H
70	137		290



KWB-CHR-MB48022A

Description: 2 Light opal glass with nickel finish base wall lamp


Fixture Height: 74

Standard Packaging Box: 12

Net Weight (Kg): 1

Lamp: E14 LED 4.5 W x 2

L	W	D	H
500	100		74



KWB-CHR-MB12021172A

Description: 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 80

Standard Packaging Box: 12

Net Weight (Kg): 1.3

Lamp: E14 LED 4.5 W x 2

L	W	D	H
485	85		80



KWB-CHR-MB48012D

Description: 2 Light clear glass with chrome finish base wall lamp and inside frosted glass

Fixture Height: 130

Standard Packaging Box: 12

Net Weight (Kg): 1.3

Lamp: G9 LED 5 W x 2

L	W	D	H
400	100		130



KWB-CHR-MB12021262A

Description: 2 Light opal glass with chrome finish base wall lamp

Fixture Height: 60

Standard Packaging Box: 12

Net Weight (Kg): 0.6

Lamp: G9 LED 5 W x 2

L	W	D	H
330	55		60





50 000 hrs

FREE
Mercury

IP20

Commercial Lights

Jaquar Lighting pushes the boundaries of commercial lighting to provide you with some of the most advanced, high performance, energy-saving lighting systems for the workplace. Choose from a wide variety of products to suit every application and meet the lighting needs of all kinds of commercial spaces, from workstations to conference rooms, reception areas to cabins, and small and large showrooms, workshops and factories.

APPLICATIONS



OFFICE



HOTEL AND RESTAURANT



RESIDENCE



STAIRCASE



AUDITORIUM



CORRIDOR



RETAIL



HOSPITAL



ROHS COMPLIANT



ECAS



UL



CE

Applicable to select products only

Content

COMMERCIAL INDOOR LIGHTS

DOWNLIGHTS

Neve Plus (Round)	197
Neve Plus (Square)	197
Lucent	198
Areva Prime	198
Nero Surface (Round)	199
Nero Surface (Square)	199
Ensave Plus	200
Microwave Sensor	200

COB-DOWNLIGHTS

Teny	201
Eris (Low border deep-recessed)	201
Estus Swivel (Round)	202
Esport	202
Eris Swivel (Round)	203
Eris Reflecto	203
Eris Fixed	204

DESIGNER LIGHTS

Reflectorz	208
Eris Surface (Deep surface)	208
Scintillio Slim	209

RETAIL LIGHTS

Zoom Light	212
Multiple Zoom Light	212
Track Light	213

Accessories for Track Light

3 Line Track	213
3 Line Track Connector	213

Epito	214
Cyno	214
Empha	214
Emina	215
Emina Tilttable	215
Rene	215
IP20 Strip Light (24 V DC)	216
IP65 Strip Light (24 V DC)	216
Power Supply for Indoor Strip Light (IP20)	217
Power Supply for Outdoor Strip Light (IP65 rated)	217

MAGNETIC LIGHTS

Orelli Slim	220
Insta Ray Slim Linear- with Lens	220
Insta Ray Slim Linear	221
Insta Ray Round Slim	221
Orelli Slim Hanging	221
Insta Ray Slim Linear Diffused	222
Instaray Slim Tilttable & diffused	222
Magnetic Track Light Accessories	221

PANELS

Ultima Slim (1'x1')	226
Ultima Slim (2'x2')	226
Accessories for Ultima Slim	226
Ultima Ultra Slim (1'x4')	226
Ultima Ultra (2'x2')	227
Ultima Multi-colour (2'x2')	227

BATTENS

Glaze	228
Glaze Ultra (PC)	228
T8 Retro Tube	228
T8 Retro Accessories	229
Glaze Ultra Aluminium	229

INDUSTRIAL LIGHTS

Glaze	232
Pride (Weather-proof IP65 rated)	232
Bulk Head	233
Well Glass	233
Highbay	234
Ultralite Highbay	234

COMMERCIAL OUTDOOR LIGHTS

PCR	238
Trump	238
Street Light (45 W)	238
Street Light (25 & 30 W)	238
Street Light (45, 60, 70 & 72 W)	239
Street Light (90, 120, 150 & 200 W)	239
Flood Light	239
Faro (Low wattage floodlight)	240
Ledstar	240





Commercial Indoor Lights

Jaquar's lighting solutions for indoor commercial spaces include a wide range of high quality Downlights, COB Downlights, Battens and Panel lights. The choice makes it easy to find the perfect solution for every décor and lighting need.

- **Downlights**
Choose from as many as 10 different design ranges with sleek profiles, and multiple shapes and specifications.
- **COB Downlights**
Jaquar's recess-mounted COB downlights are available in 3 extensive design ranges with multiple choices of illumination power.
- **Designer Lights**
Jaquar's stunning offering in its Designer Lighting series brings state-of-the-art lighting solutions for commercial indoor spaces.
- **Retail Lights**
Jaquar offers a complete range of recess-mounted and surface-mounted spotlights, strip lights, and accessories for innovative and attractive commercial indoor spaces.
- **Panels**
Available in recess-mounted, surface-mounted or pendant applications, Jaquar's LED panels are first among the equals.
- **Battens and Tubes**
Jaquar offers Battens in 2 designs, a variety of outputs, and 3 different colour temperatures. Also available are a wide range of Tubes.
- **Industrial Lights**
Jaquar offers high-powered, long-lasting tube lights, bulk heads, and COB highbay lights for heavy-duty lighting requirements of industrial plants, factories and shop floors.



Downlights

Recess-mounted round panel with die cast aluminium housing.



Neve Plus (Round)

Item Code	Wattage (W)	CCT (K)	Case No.
LNEP01R003XC	3	6500	20
LNEP01R003XN	3	4000	20
LNEP01R003XW	3	3000	20
LNEP01R006XC	6	6500	20
LNEP01R006XN	6	4000	20
LNEP01R006XW	6	3000	20
LNEP01R012XC	12	6500	10
LNEP01R012XN	12	4000	10
LNEP01R012XW	12	3000	10
LNEP01R015XC	15	6500	10
LNEP01R015XN	15	4000	10
LNEP01R015XW	15	3000	10
LNEP01R018XC	18	6500	10
LNEP01R018XN	18	4000	10
LNEP01R018XW	18	3000	10
LNEP01R024XC	24	6500	10
LNEP01R024XN	24	4000	10
LNEP01R024XW	24	3000	10

3 W Cutout: Ø 72 mm
Height: 20 mm

6 W Cutout: Ø 107 mm
Height: 20 mm

12 W Cutout: Ø 160 mm
Height: 20 mm

15 W Cutout: Ø 180 mm
Height: 20 mm

18 W Cutout: Ø 206 mm
Height: 20 mm

24 W Cutout: Ø 275 mm
Height: 20 mm

*THD <10% for wattage ≥12 W.

Recess-mounted square panel with die cast aluminium housing.

Neve Plus (Square)

Item Code	Wattage (W)	CCT (K)	Case No.
LNEP01S003XC	3	6500	20
LNEP01S003XN	3	4000	20
LNEP01S003XW	3	3000	20
LNEP01S006XC	6	6500	20
LNEP01S006XN	6	4000	20
LNEP01S006XW	6	3000	20
LNEP01S012XC	12	6500	10
LNEP01S012XN	12	4000	10
LNEP01S012XW	12	3000	10
LNEP01S015XC	15	6500	10
LNEP01S015XN	15	4000	10
LNEP01S015XW	15	3000	10
LNEP01S018XC	18	6500	10
LNEP01S018XN	18	4000	10
LNEP01S018XW	18	3000	10
LNEP01S024XC	24	6500	10
LNEP01S024XN	24	4000	10
LNEP01S024XW	24	3000	10

3 W Length: 72 mm
Width: 72 mm
Height: 20 mm

6 W Length: 107 mm
Width: 107 mm
Height: 20 mm


12 W Length: 160 mm
Width: 160 mm
Height: 20 mm

15 W Length: 180 mm
Width: 180 mm
Height: 20 mm

18 W Length: 206 mm
Width: 206 mm
Height: 20 mm

24 W Length: 275 mm
Width: 275 mm
Height: 20 mm

*THD < 10% for wattage ≥ 12 W.



Downlights

Recess-mounted, sleek, round downlight with die cast aluminium housing and polycarbonate diffuser for dazzle-free soft light.



**Efficacy 100Lm/W
in 6 W and above**

Lucent

Item Code	Wattage (W)	CCT (K)	Case No.
LLCN01R003XC	3	6500	20
LLCN01R003XN	3	4000	20
LLCN01R003XW	3	3000	20
LLCN01R006XC	6	6500	20
LLCN01R006XN	6	4000	20
LLCN01R006XW	6	3000	20
LLCN01R009XC	9	6500	20
LLCN01R009XN	9	4000	20
LLCN01R009XW	9	3000	20
LLCN01R012XC	12	6500	10
LLCN01R012XN	12	4000	10
LLCN01R012XW	12	3000	10
LLCN01R015XC	15	6500	10
LLCN01R015XN	15	4000	10
LLCN01R015XW	15	3000	10
LLCN01R018XC	18	6500	10
LLCN01R018XN	18	4000	10
LLCN01R018XW	18	3000	10
LLCN01R022XC	22	6500	10
LLCN01R022XN	22	4000	10
LLCN01R022XW	22	3000	10

3 W Cutout: Ø 70 mm
(DxH): Ø 82x17 mm

6 W Cutout: Ø 105 mm
(DxH): Ø 116x17 mm

9 W Cutout: Ø 105 mm
(DxH): Ø 116x17 mm

12 W Cutout: Ø 132 mm
(DxH): Ø 144x17 mm

15 W Cutout: Ø 155 mm
(DxH): Ø 166x17 mm

18 W Cutout: Ø 155 mm
(DxH): Ø 166x17 mm

22 W Cutout: Ø 175 mm
(DxH): Ø 184x17 mm

Recess-mounted, maintenance-free, round downlight with die cast aluminium housing and sleek backlit design suitable for low height ceiling.

Areva Prime

Item Code	Wattage (W)	CCT (K)	Case No.
LARP01R006XC	6	6500	20
LARP01R006XN	6	4000	20
LARP01R006XW	6	3000	20
LARP01R009XC	9	6500	20
LARP01R009XN	9	4000	20
LARP01R009XW	9	3000	20
LARP01R012XC	12	6500	10
LARP01R012XN	12	4000	10
LARP01R012XW	12	3000	10
LARP01R015XC	15	6500	10
LARP01R015XN	15	4000	10
LARP01R015XW	15	3000	10
LARP01R018XC	18	6500	10
LARP01R018XN	18	4000	10
LARP01R018XW	18	3000	10
LARP01R024XC	24	6500	10
LARP01R024XN	24	4000	10
LARP01R024XW	24	3000	10

6 W Cutout: Ø 80 mm
(DxH): Ø 90x28 mm

9 W Cutout: Ø 80 mm
(DxH): Ø 90x28 mm

12 W Cutout: Ø 105 mm
(DxH): Ø 120x28 mm

15 W Cutout: Ø 105 mm
(DxH): Ø 120x28 mm

18 W Cutout: Ø 152 mm
(DxH): Ø 171x28 mm


24 W Cutout: Ø 207 mm
(DxH): Ø 225x28 mm

*Also available in Black Housing



Downlights

Surface-mounted round panel with die cast aluminium housing.



Nero Surface (Round)



Item Code	Wattage (W)	CCT (K)	Case No.
LNRO02R006SC	6	6500	20
LNRO02R006SN	6	4000	20
LNRO02R006SW	6	3000	20
LNRO02R012SC	12	6500	12
LNRO02R012SN	12	4000	12
LNRO02R012SW	12	3000	12
LNRO02R018SC	18	6500	12
LNRO02R018SN	18	4000	12
LNRO02R018SW	18	3000	12

6 W Dia: Ø 125 mm
Height: 35 mm

12 W Dia: Ø 175 mm
Height: 35 mm

18 W Dia: Ø 225 mm
Height: 35 mm

Surface-mounted square panel with die cast aluminium housing.



Nero Surface (Square)

Item Code	Wattage (W)	CCT (K)	Case No.
LNRO02S006SC	6	6500	20
LNRO02S006SN	6	4000	20
LNRO02S006SW	6	3000	20
LNRO02S012SC	12	6500	12
LNRO02S012SN	12	4000	12
LNRO02S012SW	12	3000	12
LNRO02S018SC	18	6500	12
LNRO02S018SN	18	4000	12
LNRO02S018SW	18	3000	12

6 W Length: 125 mm
Width: 125 mm
Height: 35 mm

12 W Length: 175 mm
Width: 175 mm
Height: 35 mm

18 W Length: 225 mm
Width: 225 mm
Height: 35 mm

Downlights

Recess-mounted round downlight with die cast aluminium housing.



Ensave Plus

Item Code	Wattage (W)	CCT (K)	Case No.
LESP01R009XC	9	6500	20
LESP01R009XN	9	4000	20
LESP01R009XW	9	3000	20
LESP01R015XC	15	6500	10
LESP01R015XN	15	4000	10
LESP01R015XW	15	3000	10
LESP01R025XC	25	6500	10
LESP01R025XN	25	4000	10
LESP01R025XW	25	3000	10

9 W Cutout: Ø 100 mm
Height: 60 mm

15 W Cutout: Ø 160 mm
Height: 85 mm

25 W Cutout: Ø 160 mm
Height: 85 mm

Recess/ Surface mounted round microwave sensor with die cast aluminium housing.




Microwave Sensor

Item Code	Cutout (MM)	Dimension (MM)	Case No.
MOTSENMW2IN1	Ø 85	Ø 85	5

COB-Downlights

Recess-mounted spotlight with aluminium housing (white finish).




Teny

Item Code	Wattage (W)	CCT (K)	Case No.
LTNY01R002XW	2	3000	50

Round: 2 W Cutout: Ø 27 mm
Height: 27 mm

Deep recess-mounted, COB-based, round, fixed downlight with die cast aluminium housing and 24° beam angle.



Eris (Low border deep recess)

Item Code	Wattage (W)	CCT (K)	Case No.
LERS02R005XC	5	6500	20
LERS02R005XN	5	4000	20
LERS02R005XW	5	3000	20
LERS02R010XC	10	6500	20
LERS02R010XN	10	4000	20
LERS02R010XW	10	3000	20
LERS02R015XC	15	6500	10
LERS02R015XN	15	4000	10
LERS02R015XW	15	3000	10
LERS02R020XC	20	6500	10
LERS02R020XN	20	4000	10
LERS02R020XW	20	3000	10

5 W Cutout: Ø 47 mm
Height: 100 mm

10 W Cutout: Ø 69 mm
Height: 110 mm

15 W Cutout: Ø 80 mm
Height: 120 mm

20 W Cutout: Ø 115 mm
Height: 130 mm


*THD <10%, *CRI >90

*Also available in Black Housing in 10 & 15 W

COB-Downlights

Recess-mounted, COB-based, round, tiltable downlight with die cast aluminium housing and 36° beam angle.

Estus Swivel (Round)



Item Code	Wattage (W)	CCT (K)	Case No.
LETS36R003XC	3	6500	20
LETS36R003XN	3	4000	20
LETS36R003XW	3	3000	20
LETS36R006XC	6	6500	20
LETS36R006XN	6	4000	20
LETS36R006XW	6	3000	20
LETS36R009XC	9	6500	20
LETS36R009XN	9	4000	20
LETS36R009XW	9	3000	20
LETS36R012XC	12	6500	20
LETS36R012XN	12	4000	20
LETS36R012XW	12	3000	20
LETS36R015XC	15	6500	20
LETS36R015XN	15	4000	20
LETS36R015XW	15	3000	20
LETS36R018XC	18	6500	10
LETS36R018XN	18	4000	10
LETS36R018XW	18	3000	10
LETS36R024XC	24	6500	10
LETS36R024XN	24	4000	10
LETS36R024XW	24	3000	10
LETS36R030XC	30	6500	10
LETS36R030XN	30	4000	10
LETS36R030XW	30	3000	10

3 W Cutout: Ø 58 mm
Height: 50 mm

6 W Cutout: Ø 74 mm
Height: 65 mm

9 W Cutout: Ø 74 mm
Height: 65 mm

12 W Cutout: Ø 95 mm
Height: 85 mm

15 W Cutout: Ø 95 mm
Height: 85 mm


18 W Cutout: Ø 118 mm
Height: 85 mm

24 W Cutout: Ø 118 mm
Height: 85 mm

30 W Cutout: Ø 118 mm
Height: 100 mm

*THD <10% for wattage ≥6 W.
*Also available in Black Housing

Recess-mounted spotlight with aluminium housing and prismatic diffuser (white finish).



Espot

Item Code	Wattage (W)	CCT (K)	Case No.
LSPT06R002XC	2	6000	20
LSPT06R002XW	2	3000	20

2 W Cutout: Ø 32 mm
Height: 25 mm

COB-Downlights

Deep recess-mounted, COB-based swivel downlight with 38° beam angle.



Eris Swivel (Round)

Item Code	Wattage (W)	CCT (K)	Case No.
LERS03R007XC	7	6500	20
LERS03R007XN	7	4000	20
LERS03R007XW	7	3000	20
LERS03R012XC	12	6500	10
LERS03R012XN	12	4000	10
LERS03R012XW	12	3000	10
LERS03R020XC	20	6500	20
LERS03R020XN	20	4000	20
LERS03R020XW	20	3000	20
LERS03R030XC	30	6500	10
LERS03R030XN	30	4000	10
LERS03R030XW	30	3000	10

7 W Cutout: Ø 78 mm
Height: 73 mm

12 W Cutout: Ø 92 mm
Height: 90 mm

20 W Cutout: Ø 117 mm
Height: 90 mm

30 W Cutout: Ø 148 mm
Height: 98 mm

*THD <10%, CRI >90

*Also available in Black Housing

Recess-mounted, COB-based downlight with die cast aluminium housing and anodized reflector.



Eris Reflecto

Item Code	Wattage (W)	CCT (K)	Case No.
LERS04R007XC	7	6500	50
LERS04R007XN	7	4000	50
LERS04R007XW	7	3000	50
LERS04R012XC	12	6500	10
LERS04R012XN	12	4000	10
LERS04R012XW	12	3000	10
LERS04R020XC	20	6500	20
LERS04R020XN	20	4000	20
LERS04R020XW	20	3000	20
LERS04R030XC	30	6500	20
LERS04R030XN	30	4000	20
LERS04R030XW	30	3000	20

7 W Cutout: Ø 75 mm
Height: 43 mm
Beam angle: 38°



12 W Cutout: Ø 97 mm
Height: 53 mm
Beam angle: 43°

20 W Cutout: Ø 115 mm
Height: 65 mm
Beam angle: 52°

30 W Cutout: Ø 140 mm
Height: 75 mm
Beam angle: 52°

COB-Downlights

Recess-mounted, COB-based downlight with die cast aluminium housing and clear glass.



Eris Fixed

Item Code	Wattage (W)	CCT (K)	Case No.
LERS05R007XC	7	6500	50
LERS05R007XN	7	4000	50
LERS05R007XW	7	3000	50
LERS05R012XC	12	6500	40
LERS05R012XN	12	4000	40
LERS05R012XW	12	3000	40
LERS05R020XC	20	6500	10
LERS05R020XN	20	4000	10
LERS05R020XW	20	3000	10
LERS05R035XC	35	6500	10
LERS05R035XN	35	4000	10
LERS05R035XW	35	3000	10

7 W Cutout: Ø 80 mm
Height: 60 mm
Beam angle: 33°

12 W Cutout: Ø 100 mm
Height: 65 mm
Beam angle: 45°

20 W Cutout: Ø 130 mm
Height: 75 mm
Beam angle: 45°

35 W Cutout: Ø 185 mm
Height: 95 mm
Beam angle: 50°





Designer Lights

Jaquar has stunning offerings in its Designer Lighting series, with more on the way, that bring state-of-the-art lighting solutions to commercial spaces. Any space that uses the Trius or Lattice lights moves several notches up the scale in aesthetic appeal.

Deep recessed, anti-glare light with die cast aluminium housing, aluminium heat sink and tiltable arrangement.



Reflectorz

Item Code	Wattage (W)	CCT (K)	Case No.
LSYGRDR007XN	7	4000	20
LSYGRDR007XW	7	3000	20
LSYGRDR009XN	9	4000	20
LSYGRDR009XW	9	3000	20
LSYGRDR012XN	12	4000	20
LSYGRDR012XW	12	3000	20


7, 9 & 12 W Cutout: Ø 68 mm
Height: 93 mm

Item Code	Wattage (W)	CCT (K)	Case No.
LSYGOVR007XN	7	4000	20
LSYGOVR007XW	7	3000	20
LSYGOVR009XN	9	4000	20
LSYGOVR009XW	9	3000	20
LSYGOVR012XN	12	4000	20
LSYGOVR012XW	12	3000	20

7, 9 & 12 W Cutout: Ø 68 mm
Height: 93 mm

*THD <10%, CRI >90
2700K available on request

Surface-mounted COB downlight with die cast aluminium housing and gold finish reflector. 30° beam angle.



Eris Surface (Deep surface)

Item Code	Wattage (W)	CCT (K)	Case No.
LERSWG012SC	12	6500	40
LERSWG012SN	12	4000	40
LERSWG012SW	12	3000	40
LERSWG020SC	20	6500	30
LERSWG020SN	20	4000	30
LERSWG020SW	20	3000	30
LERSWG030SC	30	6500	16
LERSWG030SN	30	4000	16
LERSWG030SW	30	3000	16

Item Code	Wattage (W)	CCT (K)	Case No.
LERSBGS012SC	12	6500	40
LERSBGS012SN	12	4000	40
LERSBGS012SW	12	3000	40
LERSBGS020SC	20	6500	30
LERSBGS020SN	20	4000	30
LERSBGS020SW	20	3000	30
LERSBGS030SC	30	6500	16
LERSBGS030SN	30	4000	16
LERSBGS030SW	30	3000	16

12 W Length: 73 mm
Width: 73 mm
Height: 95 mm

20 W Length: 95 mm
Width: 95 mm
Height: 110 mm

30 W Length: 115 mm
Width: 115 mm
Height: 125 mm

Designer Lights

Decorative, energy efficient, recess mounted 2x2 decorative panel with white powder coated CRCA housing and full mounted acrylic diffuser, flicker-free low power consumption bulb.



Scintillio Slim

Item Code	Wattage (W)	CCT (K)	Case No.
LSNL01S045XC	45	6500	2
LSNL01S045XN	45	4000	2
LSNL01S045XW	45	3000	2

45 W Length: 580 mm

Width: 580 mm

Height: 20 mm

*THD <10%



Retail Lights

For the specialised needs of the retail industry, Jaquar offers a complete range of recess-mounted and surface-mounted spot lights, strip lights and accessories, which make innovative and highly attractive product lighting possible.

Retail Lights

Recess-mounted zoom light with powder coated die cast aluminium housing and anodized aluminium reflector. 38° beam angle.




Zoom Light

Item Code	Wattage (W)	CCT (K)	Case No.
LZOM01R015XC	15	6500	1
LZOM01R015XN	15	4000	1
LZOM01R015XW	15	3000	1
LZOM01R025XC	25	6500	1
LZOM01R025XN	25	4000	1
LZOM01R025XW	25	3000	1


15 W Cutout: Ø 85 mm
Height: 72 mm

25 W Cutout: Ø 140 mm
Height: 121 mm

*THD <10%




Recess-mounted, COB based multiple zoom light with die cast aluminium housing, anodized reflector and tempered transparent glass diffuser. 40° beam angle.



Multiple Zoom Light


Item Code	Wattage (W)	CCT (K)	Case No.
LZOMMLR215XC	2x15	6500	20
LZOMMLR215XN	2x15	4000	20
LZOMMLR215XW	2x15	3000	20

2 x 15 W Length: 192 mm
Width: 92 mm
Height: 86 mm



Retail Lights

Track-mounted round focus light with moveable base. Fully adjustable with aluminium housing (including driver casing). 40° beam angle.



Track Light

Item Code	Wattage (W)	CCT (K)	Case No.
LTRLW1R010XC	10	5000	1
LTRLW1R010XN	10	4000	1
LTRLW1R010XW	10	3000	1
LTRLW1R020XC	20	5000	1
LTRLW1R020XN	20	4000	1
LTRLW1R020XW	20	3000	1
LTRLW1R030XC	30	5000	1
LTRLW1R030XN	30	4000	1
LTRLW1R030XW	30	3000	1
LTRLB1R010XC	10	5000	1
LTRLB1R010XN	10	4000	1
LTRLB1R010XW	10	3000	1
LTRLB1R020XC	20	5000	1
LTRLB1R020XN	20	4000	1
LTRLB1R020XW	20	3000	1
LTRLB1R030XC	30	5000	1
LTRLB1R030XN	30	4000	1
LTRLB1R030XW	30	3000	1

10 W Dia: ø 78 mm
Length: 205 mm
Width: 192 mm
Height: 106 mm

20 W Dia: ø 110 mm
Length: 268 mm
Width: 240 mm
Height: 131 mm

30 W Dia: ø 110 mm
Length: 268 mm
Width: 240 mm
Height: 131 mm

Accessories for Track Light

3 Line Track

Item Code	Length	Colour
LTRK3L1MTRBL	1 MTR	BLK
LTRK3L1MTRWH	1 MTR	WHT
LTRK3L2MTRBL	2 MTR	BLK
LTRK3L2MTRWH	2 MTR	WHT

3 Line Track Connector

Item Code	Shape	Colour
LTRCBL3LISHP	I	BLK
LTRCWH3LISHP	I	WHT
LTRCBL3LLSHP	L	BLK
LTRCWH3LLSHP	L	WHT
LTRCBL3LXSHP	X	BLK
LTRCWH3LXSHP	X	WHT
LTRCBL3LTSHP	T	BLK
LTRCWH3LTSHP	T	WHT

Retail Lights

Recessed, directional COB downlight with die cast aluminium housing.




Epito

Item Code	Wattage (W)	CCT (K)	Case No.
LEPO01R012XC	12	6500	10
LEPO01R012XN	12	4000	10
LEPO01R012XW	12	3000	10
LEPO01R020XC	20	6500	10
LEPO01R020XN	20	4000	10
LEPO01R020XW	20	3000	10

12 W Cutout: ø 75 mm
Dia: ø 85 mm
Height: 70 mm

20 W Cutout: ø 95 mm
Dia: ø 108 mm
Height: 85 mm

Deep recessed, surface mounted focus light with die cast aluminium housing.




Cyno

Item Code	Wattage (W)	CCT (K)	Case No.
LCYN01R010SC	10	6500	20
LCYN01R010SN	10	4000	20
LCYN01R010SW	10	3000	20

10 W Dia: ø 50 mm
Height: 165 mm

Deep recessed, extended COB focus light with die cast aluminium housing.



Empha

Item Code	Wattage (W)	CCT (K)	Case No.
LEMP01R007XC	7	6500	20
LEMP01R007XN	7	4000	20
LEMP01R007XW	7	3000	20
LEMP01R015XC	15	6500	10
LEMP01R015XN	15	4000	10
LEMP01R015XW	15	3000	10

7 W Cutout: ø 62 mm
Dia: ø 72 mm
Height: 98 mm

15 W Cutout: ø 90 mm
Dia: ø 103 mm
Height: 99 mm

Retail Lights

Deep recessed downlight with die cast aluminium housing.



Emina

Item Code	Wattage (W)	CCT (K)	Case No.
LEMA01R008XC	8	6500	20
LEMA01R008XN	8	4000	20
LEMA01R008XW	8	3000	20
LEMA01R015XC	15	6500	20
LEMA01R015XN	15	4000	20
LEMA01R015XW	15	3000	20

8 W Cutout: ø 55 mm
Dia: ø 65 mm
Height: 65 mm

15 W Cutout: ø 75 mm
Dia: ø 85 mm
Height: 80 mm

*CRI >90, THD <10 | *Also available in Black Housing

Deep recessed downlight with die cast aluminium housing.



Emina Tiltable


Item Code	Wattage (W)	CCT (K)	Case No.
LEMAT1R008XC	8	6500	20
LEMAT1R008XN	8	4000	20
LEMAT1R008XW	8	3000	20
LEMAT1R015XC	15	6500	20
LEMAT1R015XN	15	4000	20
LEMAT1R015XW	15	3000	20

8 W Cutout: ø 55 mm
Dia: ø 65 mm
Height: 65 mm

15 W Cutout: ø 75 mm
Dia: ø 85 mm
Height: 80 mm

*CRI >90, THD <10

Recess-mounted, COB based tiltable linear spot light with die cast aluminium housing and 30° beam angle.



Rene

Item Code	Wattage (W)	CCT (K)	Case No.
LRNE01S002XC	2	6500	60
LRNE01S002XN	2	4000	60
LRNE01S002XW	2	3000	60
LRNE01S006XC	6	6500	48
LRNE01S006XN	6	4000	48
LRNE01S006XW	6	3000	48
LRNE01S010XC	10	6500	40
LRNE01S010XN	10	4000	40
LRNE01S010XW	10	3000	40
LRNE01S020XC	20	6500	25
LRNE01S020XN	20	4000	25
LRNE01S020XW	20	3000	25
LRNE01S030XC	30	6500	20
LRNE01S030XN	30	4000	20
LRNE01S030XW	30	3000	20

2 W Cutout: ø 50 x 47 mm
Length: 55 mm
Width: 55 mm
Height: 47mm

6 W Cutout: ø 111 x 47 mm
Length: 116 mm
Width: 55 mm
Height: 47 mm


10 W Cutout: ø 153 x 47 mm
Length: 158 mm
Width: 55 mm
Height: 47 mm

20 W Cutout: ø 286 x 47 mm
Length: 290 mm
Width: 55 mm
Height: 47 mm

30 W Cutout: ø 419 x 47 mm
Length: 423 mm
Width: 55 mm
Height: 47 mm

*Also available in Black Housing

This strip light is suitable for indoor applications with different colours and wattages. Standard 5.0 mtr roll.



IP20 Strip Light (24 V DC)


Item Code	Wattage (W)	CCT (K)	Case No.
LSTP03X005XC	25	6000	5
LSTP03X005XN	25	4000	5
LSTP03X005XW	25	3000	5
LSTP03X008XC	40	6000	5
LSTP03X008XW	40	3000	5
LSTP03X015XC	75	6000	5
LSTP03X015XW	75	3000	5

25 W Width: 8 mm
Height: 2.5 mm

40 W Width: 8 mm
Height: 2.5 mm

75 W Width: 8 mm
Height: 2.5 mm

This strip light is suitable for outdoor applications with different colours and wattages. Standard 5.0 mtr roll





IP65 Strip Light (24 V DC)

Item Code	Wattage (W)	CCT (K)	Case No.
LSTP04X005XC	25	6000	5
LSTP04X005XW	25	3000	5
LSTP04X015XC	75	6000	5
LSTP04X015XW	75	3000	5

25 W Width: 10 mm
Height: 4.5 mm


40 W Width: 10 mm
Height: 4.5 mm

75 W Width: 10 mm
Height: 4.5 mm



Power Supply for Indoor Strip Light (IP20)

Item Code	Wattage (W)
LDRV01S030XX	30
LDRV01S048XX	48
LDRV01S060XX	60
LDRV01S072XX	72
LDRV01S096XX	96



Power Supply for Outdoor Strip Light (IP65 rated)

Item Code	Wattage (W)
LDRV02S030XX	30
LDRV02S048XX	48
LDRV02S060XX	60
LDRV02S072XX	72
LDRV02S096XX	96



Magnetic Lights

Adorn your space with modern, stylish, and innovative Magnetic Lights by Jaquar. Create vertical and horizontal styles to suit many creative lighting designs. These lights are perfect for accentuating a particular spot, object, painting or more – just stick them on and let your spaces shine!

Magnetic Lights

Slim magnetic track light with die cast aluminium housing, 48V DC operated.



Orelli Slim

Item Code	Wattage (W)	CCT (K)	Case No.
LORLS24R07XC	7	6500K	24
LORLS24R07XN	7	4000K	24
LORLS24R07XW	7	3000K	24
LORLS24R12XC	12	6500K	24
LORLS24R12XN	12	4000K	24
LORLS24R12XW	12	3000K	24
LORLS24R18XC	18	6500K	24
LORLS24R18XN	18	4000K	24
LORLS24R18XW	18	3000K	24
LORLS24R24XC	24	6500K	24
LORLS24R24XN	24	4000K	24
LORLS24R24XW	24	3000K	24

7 W Length: 118 mm
Width: 80 mm
Height: 125 mm

12 W Length: 118 mm
Width: 100 mm
Height: 135 mm

18 W Length: 118 mm
Width: 125 mm
Height: 150 mm

24 W Length: 118 mm
Width: 160 mm
Height: 185 mm

Slim magnetic linear track light with die cast aluminium housing, 48V DC operated.



Insta Ray Slim Linear- with Lens

Item Code	Wattage (W)	CCT (K)	Case No.
LINRSL1F06XC	6	6500K	36
LINRSL1F06XN	6	4000K	36
LINRSL1F06XW	6	3000K	36
LINRSL1F12XC	12	6500K	36
LINRSL1F12XN	12	4000K	36
LINRSL1F12XW	12	3000K	36
LINRSL1F18XC	18	6500K	36
LINRSL1F18XW	18	4000K	36
LINRSL1F18XW	18	3000K	36
LINRSL1F24XC	24	6500K	36
LINRSL1F24XN	24	4000K	36
LINRSL1F24XW	24	3000K	36
LINRSL1F30XC	30	6500K	36
LINRSL1F30XN	30	4000K	36
LINRSL1F30XW	30	3000K	36

6 W Length: 112 mm
Width: 22 mm
Height: 45 mm

12 W Length: 220 mm
Width: 22 mm
Height: 45 mm

18 W Length: 328 mm
Width: 22 mm
Height: 45 mm

24 W Length: 436 mm
Width: 22 mm
Height: 45 mm

30 W Length: 544 mm
Width: 22 mm
Height: 45 mm

Magnetic Lights

Slim magnetic linear tiltable track light with die cast aluminium housing, 48V DC operated.



Insta Ray Slim Linear

Item Code	Wattage (W)	CCT (K)	Case No.
LINRSL2T12XC	12	6500K	36
LINRSL2T12XN	12	4000K	36
LINRSL2T12XW	12	3000K	36
LINRSL2T24XC	24	6500K	36
LINRSL2T24XN	24	4000K	36
LINRSL2T24XW	24	3000K	36

12 W Length: 135 mm
Width: 35 mm
Height: 150 mm

24 W Length: 270 mm
Width: 35 mm
Height: 150 mm

Slim magnetic round track light with die cast aluminium housing, 48V DC operated.



Insta Ray Round Slim

Item Code	Wattage (W)	CCT (K)	Case No.
LINRSL2R09XC	9	6500K	24
LINRSL2R09XN	9	4000K	24
LINRSL2R09XW	9	3000K	24
LINRSD2R12XC	12	6500K	120
LINRSD2R12XN	12	4000K	120
LINRSD2R12XW	12	3000K	120

9 W Length: 118 mm
Width: 30 mm
Height: 135 mm

12 W Length: 135 mm
Width: 35 mm
Height: 150 mm

Slim magnetic linear hanging light with die cast aluminium housing, 48V DC operated.



Orelli Slim Hanging

Item Code	Wattage (W)	CCT (K)	Case No.
LORLS24R12HN	12	3000/4000/6500	10

12 W Length: 36 mm | Width: 27.5 mm | Height: 38 mm

Magnetic Lights

Slim magnetic linear diffused light with die cast aluminium housing, 48V DC operated.



Insta Ray Slim Linear Diffused

Item Code	Wattage (W)	CCT (K)	Case No.
LINRSD1F10XC	10	6500K	20
LINRSD1F10XN	10	4000K	20
LINRSD1F10XW	10	3000K	20
LINRSD1F20XC	20	6500K	20
LINRSD1F20XN	20	4000K	20
LINRSD1F20XW	20	3000K	20
LINRSD1F30XC	30	6500K	10
LINRSD1F30XN	30	4000K	10
LINRSD1F30XW	30	3000K	10
LINRSD1F40XC	40	6500K	10
LINRSD1F40XN	40	4000K	10
LINRSD1F40XW	40	3000K	10

10 W Length: 300 mm
Width: 22 mm
Height: 45 mm

20 W Length: 600 mm
Width: 22 mm
Height: 45 mm

30 W Length: 900 mm
Width: 22 mm
Height: 45 mm

40 W Length: 1200 mm
Width: 22 mm
Height: 45 mm

Slim magnetic linear tiltable & diffused light with die cast aluminium housing, 48V DC operated.



Instaray Slim Tiltable & diffused

Item Code	Wattage (W)	CCT (K)	Case No.
LINRSL1T06XC	6	6500K	20
LINRSL1T06XN	6	4000K	20
LINRSL1T06XW	6	3000K	20
LINRSL1T12XC	12	6500K	10
LINRSL1T12XN	12	4000K	10
LINRSL1T12XW	12	3000K	10
LINRSD1T06XC	6	6500K	20
LINRSD1T06XN	6	4000K	20
LINRSD1T06XW	6	3000K	20
LINRSD1T12XC	12	6500K	10
LINRSD1T12XN	12	4000K	10
LINRSD1T12XW	12	3000K	10

6 W Length: 118 mm
Width: 35 mm
Height: 110 mm

12 W Length: 220 mm
Width: 35 mm
Height: 110 mm

Magnetic Track Light Accessories



Item Code	Description
-----------	-------------

LTRKSM1MTRXX Magnetic track slim 1 meter recess mounted

Item Code	Description
-----------	-------------

LTRKSM2MTRXX Magnetic track slim 2 meter recess mounted

Item Code	Description
-----------	-------------

LTRKSM1MTRXS Magnetic track slim 1 meter surface/ hanging mounted

Item Code	Description
-----------	-------------

LTRKSM2MTRXS Magnetic track slim 2 meter surface/ hanging mounted

Item Code	Description
-----------	-------------

LTRCMLSHPVXS Magnetic track connector L shape vertical surface mount

Item Code	Description
-----------	-------------

LTRCMLSHPHXS Magnetic track connector L shape horizontal surface mount

Item Code	Description
-----------	-------------

LTRCMLSHPVXX Magnetic track connector L shape vertical recess mount

Item Code	Description
-----------	-------------

LTRCMLSHPHXX Magnetic track connector L shape horizontal recess mount

Item Code	Description
-----------	-------------

LTRCMFJOINTR Magnetic track channel fixed jointer

Magnetic Track Light Accessories



Item Code	Description
LTRCMBINLINE	Magnetic track bendable input line connector
Item Code	Description
LTRCMBLOOPIN	Magnetic track bendable loop in jointer
Item Code	Description
LTRCMISHPXXX	Magnetic track I shape connector
Item Code	Description
LDRVM48V30W	LED magnetic track driver 48 V 30 W
Item Code	Description
LDRVM48V50W	LED magnetic track driver 48 V 50 W
Item Code	Description
LDRVM48V100W	LED magnetic track driver 48 V 100 W
Item Code	Description
LDRVM48V200W	LED magnetic track driver 48 V 200 W
Item Code	Description
HANGWIREMAGT	Hanging wire for surface mount magnetic track



Panels

Recess-mounted 1'x1' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



Ultima Slim (1'x1')

Item Code	Wattage (W)	CCT (K)	Case No.
LULTSLS018XC	18	6500	2
LULTSLS018XN	18	5000	2
LULTSLS018XW	18	4000	2

18 W Length: 294 mm
Width: 294 mm
Height: 35 mm

THD <15%, CRI >80,
Efficacy: 100 Lm/W
Beam angle: 120°

Recess-mounted 2'x2' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



Ultima Slim (2'x2')

Item Code	Wattage (W)	CCT (K)	Case No.
LULTSLS036XC	36	6500	2
LULTSLS036XN	36	4000	2
LULTSLS036XW	36	3000	2
LULTSLSN36XC*	36	6500	2


36 W Length: 580 mm
Width: 580 mm
Height: 30 mm

*With motion Sensor

Accessories for Ultima Slim

Item Code	Description
L2X2SLCLIPXX	Recess-mount clip for Ultima Slim 2x2 and 1x4 panel
LTMPULTS36SX	Surface-mount template for Ultima Slim 2x2 panel

Recess-mounted 1'x4' panel with white powder coated CRCA housing and full mounted acrylic diffuser.



Ultima Ultra Slim (1'x4')

Item Code	Wattage (W)	CCT (K)	Case No.
LULU4SL033XC	33	6500	2
LULU4SL033XN	33	4000	2
LULU4SL033XW	33	3000	2

33 W Length: 1185 mm
Width: 285 mm
Height: 34 mm

Efficacy: 120 Lm/W (for 6500K)

Panels

High efficacy, recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2'x2'), 125 Lm / W for 36 W and 120 Lm / W for 24 W.



Ultima Ultra (2'x2')

Item Code	Wattage (W)	CCT (K)	Case No.
LULU2SL036XC	24	6500	2
LULTSLS024XC	36	6500	2

24 & 36 W Length: 595 mm
Width: 595 mm
Height: 35 mm

Multi-colour changeable recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2'x2').



Ultima Multi-colour (2'x2')


Item Code	Wattage (W)	CCT (K)	Case No.
LULTSLA032XM	32	6500 / 4000 / 3000	5
ULTSLAREMOTE*			

32 W Length: 595 mm
Width: 595 mm
Height: 35 mm

THD <10%, CRI >80
Colour changes through switching
*Remote

Battens / Tubes

High quality batten with extruded aluminium housing and decorative end caps.



Glaze


Item Code	Wattage (W)	CCT (K)	Case No.
LGLZ01X010XC	10	6500	20
LGLZ01X010XN	10	4000	20
LGLZ01X010XW	10	3000	20
LGLZ01X020XC	20	6500	20
LGLZ01X020XN	20	4000	20
LGLZ01X020XW	20	3000	20
LGLZ01X024XC	24	6500	20
LGLZ01X024XN	24	4000	20
LGLZ01X024XW	24	3000	20

10 W Length: 570 mm
Width: 22 mm
Height: 37 mm


20 W Length: 1135 mm
Width: 22 mm
Height: 37 mm

24 W Length: 1185 mm
Width: 22 mm
Height: 37 mm

High quality batten with polycarbonate housing and decorative end caps.



(22 W = 2800 lumens)
for 6500K



Glaze Ultra (PC)

Item Code	Wattage (W)	CCT (K)	Case No.
LGLZPCX022XC	22	6500	20
LGLZPCX022XW	22	3000	20

22 W Length: 1145 mm
Width: 30 mm
Height: 40 mm

Indoor tubelight with aluminium housing and polycarbonate diffuser.



T8 Retro Tube

Item Code	Wattage (W)	CCT (K)	Case No.
LTBL01X020XC	20	6000	10
LTBL01X020XW	20	3000	10

20 W Length: 1200 mm
Height: 30 mm



T8 Retro Accessories

Item Code	Description
LBOXFTG020XX	Box fitting for 4FT T8 Retro
LBOXFTG040XX	Box fitting for 40 W T8 Retro

High quality batten with extruded aluminium housing and decorative end caps.




*22 W - 2650 Lumen

Glaze Ultra Aluminium

Item Code	Wattage (W)	CCT (K)	Case No.
LGLZU1X022XC	22	6500	20
LGLZU1X022XN	22	4000	20
LGLZU1X022XW	22	3000	20

22 W Length: 1135 mm
Width: 20 mm
Height: 35 mm






Industrial Lights

For the heavy-duty lighting requirements of industrial plants, factories and shop floors, Jaquar has high-powered, long-lasting solutions. Choose from weather-proof, corrosion-resistant lights, twin-tube lights, bulk heads, and suspended, industrial COB highbay lights in a wide range of options.

Industrial Lights

High quality batten with extruded aluminium housing and decorative end caps.



Glaze

Item Code	Wattage (W)	CCT (K)	Case No.
LGLZ01X040XC	40	6500	10

40 W Length: 1185 mm
Width: 25 mm
Height: 45 mm

Corrosion and impact resistant batten with polycarbonate housing. Dust and water proof.



Pride (Weather-proof IP65 rated)

Item Code	Wattage (W)	CCT (K)	Case No.
LPRD01X020XC	20	6000	1
LPRD01X020XW	20	3000	1
LPRD01X040XC	40	6000	1
LPRD01X040XW	40	3000	1
LPRD01S040XC*	40	6500	1

20 W Length: 590 mm
Width: 86 mm
Height: 67 mm

40 W Length: 1180 mm
Width: 86 mm
Height: 67 mm

*With motion sensor


Industrial Lights

Bulk head with pressure die cast aluminium housing and acrylic diffuser (IP65 protection).



02

03



Bulk Head

Item Code	Wattage (W)	CCT (K)	Case No.
LBLK02X010XC	10	6500	1
LBLK02X010XN	10	4000	1
LBLK02X010XW	10	3000	1
LBLK03X010XC	10	6500	1
LBLK03X010XN	10	4000	1
LBLK03X010XW	10	3000	1

10 W Length: 216 mm

Width: 132 mm

Height: 58 mm

CRI >80

Well glass light with die cast aluminium housing and polycarbonate diffuser (IP65 rating).



Well Glass

Item Code	Wattage (W)	CCT (K)	Case No.
LWGL02X035XC	35	6500	4
LWGL02X040XC	40	6500	4
LWGL02X070XC	70	5700	4

35 W Dia: Ø 158 mm
Height: 215 mm

40 W Dia: Ø 158 mm
Height: 215 mm

70 W Dia: Ø 200 mm
Height: 195 mm


*THD <10%, CRI >70

Industrial Lights

Discrete highbay light with die cast aluminium housing offering lumen intensity 100 Lm / W. Excellent thermal management with compact heat sink (IP65 rating).



With external SPD 10KV*



Highbay

Item Code	Wattage (W)	CCT (K)	Case No.
LHBLD1R070XC	70	5700	1
LHBLD1R100XC	100	5700	1
LHBLD1R120XC	120	5700	1
LHBLD1R150XC	150	5700	1
LHBLD1R200XC	200	5700	1

70 W Dia: Ø 244 mm
Height: 135 mm

100 W Dia: Ø 244 mm
Height: 135 mm

120 W Dia: Ø 244 mm
Height: 135 mm

150 W Dia: Ø 276 mm
Height: 135 mm

200 W Dia: Ø 276 mm
Height: 135 mm

*THD <10%, CRI >70

Discrete highbay light with die cast aluminium housing offering lumen intensity >130 Lm / W. Excellent thermal management with compact heat sink (IP65 rating).



With external SPD 10KV*

Ultralite Highbay

Item Code	Wattage (W)	CCT (K)	Case No.
LHBLDUR070XC	70	5700	1
LHBLDUR100XC	100	5700	1
LHBLDUR120XC	120	5700	1
LHBLDUR150XC	150	5700	1
LHBLDUR200XC	200	5700	1

70 W Dia: Ø 244 mm
Height: 135 mm


100 W Dia: Ø 244 mm
Height: 135 mm


120 W Dia: Ø 244 mm
Height: 135 mm

150 W Dia: Ø 276 mm
Height: 135 mm

200 W Dia: Ø 276 mm
Height: 135 mm

*THD <10%, CRI >70








Commercial Outdoor Lights

Reducing energy consumption and increasing road safety can now go hand-in-hand with commercial outdoor lighting solutions from Jaquar. Choose from a wide range of durable and weather-resistant street light and flood light options in a choice of outputs to suit every road's requirement.

Roadway Lights

IP66 rated street light with pressure die cast aluminium housing, glass cover and lens**.



PCR

Item Code	Wattage (W)	CCT (K)	Case No.
LPCRSRT25WLC	25	5700	1
LPCRSRT25WLW	25	3000	1
LPCRSRT30WXC	30	5700	1
LPCRSRT30WXW	30	3000	1
LPCRSRT36WXC	36	5700	1
LPCRSRT36WXW	36	3000	1

25, 30 & 36 W Mounting dia: Ø 42 mm
 Length: 330 mm
 Width: 117 mm
 Height: 67 mm

**T&C apply

IP66 rated street light with pressure die cast aluminium housing and polycarbonate cover.



Trump

Item Code	Wattage (W)	CCT (K)	Case No.
LTRUMP0025XC	25	5700	1
LTRUMP0025XW	25	3000	1
LTRUMP0030XC	30	5700	1
LTRUMP0030XW	30	3000	1

25 & 30 W Mounting dia: Ø 41 mm
 Length: 365 mm
 Width: 105 mm
 Height: 75 mm

LED street light with pressure die cast aluminium housing with toughened glass cover.



Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
LSRT015045XC	45	5700	10

45 W Mounting dia: Ø 42 mm
 Length: 330 mm
 Width: 117 mm
 Height: 67 mm

*THD <10%, CRI >70

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and polycarbonate cover.



Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
LSRT04S025XC	25	5700	10
LSRT04S025XW	25	3000	10
LSRTT0S025XC*	25	5700	10
LSRT015030XC	30	5700	10
LSRT015030XW	30	3000	10
LSRTTOS030XC*	30	5700	10

25 & 30 W Mounting dia: Ø 26 mm
 Length: 180 mm
 Width: 115 mm
 Height: 60 mm

*System lumen efficacy 120 Lm / W

Roadway Lights

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
LSRTTOS045XC*	45	5700	1
LSRT015060XC	60	5700	1
LSRT015060XW	60	3000	1
LSRTTOS060XC*	60	5700	1
LSRT015070XC	70	5700	1
LSRT015070XW	70	3000	1
LSRTTOS072XC*	72	5700	1

45, 60, 70 & 72 W Mounting dia: Ø 53 mm

Length: 320 mm

Width: 190 mm

Height: 80 mm

*System lumen efficacy 120 Lm / W

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



Street Light

Item Code	Wattage (W)	CCT (K)	Case No.
LSRT015090XC	90	5700	1
LSRT015090XW	90	3000	1
LSRTTOS090XC*	90	5700	1
LSRT015120XC	120	5700	1
LSRT015120XW	120	3000	1
LSRTTOS120XC*	120	5700	1
LSRT015150XC	150	5700	1
LSRT015150XW	150	3000	1
LSRTTOS150XC*	150	5700	1
LSRT015200XC	200	5700	1
LSRT015200XW	200	3000	1
LSRTTOS200XC*	200	5700	1

90 & 120 W Mounting dia: Ø 62 mm

Length: 400 mm

Width: 200 mm

Height: 108 mm

150 & 200 W Mounting dia: Ø 62 mm

Length: 520 mm

Width: 200 mm

Height: 75 mm

*System lumen efficacy 120 Lm / W

IP66 rated floodlight with high pressure die cast aluminium housing, toughened glass cover and lens.



With external
SPD 10KV*


Flood Light

Item Code	Wattage (W)	CCT (K)	Case No.
LFLOD02S400XC	400	5700	1
LFLOD02S400XW	400	3000	1

400 W Length: 700 mm

Width: 318 mm

Height: 200 mm



Roadway Lights

IP65 rated floodlight with high pressure die cast aluminium housing and impact resistant polycarbonate lens.



Faro (Low wattage floodlight)

Item Code	Wattage (W)	CCT (K)	Case No.
LFR001S030XC	30	5700	1
LFR001S050XC	50	5700	1

30 W Length: 198 mm
Width: 188 mm
Height: 36 mm

50 W Length: 238 mm
Width: 228 mm
Height: 36 mm

*Efficacy is ≥ 100 Lm / W

IP66 rated floodlight with high pressure die cast aluminium housing, lens and toughened glass cover offering lumen intensity >110 Lm / W.

Ledstar

Item Code	Wattage (W)	CCT (K)	Case No.
LFLDLS070XC	70	5700	1
LFLDLS070XW	70	3000	1
LFLDLS100XC	100	5700	1
LFLDLS100XW	100	3000	1
LFLDLS120XC	120	5700	1
LFLDLS120XW	120	3000	1
LFLDLS150XC	150	5700	1
LFLDLS150XW	150	3000	1
LFLDLS180XC	180	5700	1
LFLDLS180XW	180	3000	1
LFLDLS200XC	200	5700	1
LFLDLS200XW	200	3000	1
LFLDLS240XC	240	5700	1
LFLDLS240XW	240	3000	1
LFLDLS300XC	300	5700	1
LFLDLS300XW	300	3000	1
LFLDLS350XC	350	5700	1

70 W Length: 230 mm
Width: 195 mm
Height: 53 mm

100 & 120 W Length: 290 mm
Width: 240 mm
Height: 60 mm

150 W Length: 360 mm
Width: 295 mm
Height: 74 mm

180 & 200 W Length: 387 mm
Width: 287 mm
Height: 50 mm

240 W Length: 332 mm
Width: 245 mm
Height: 120 mm

300 W Length: 383 mm
Width: 295 mm
Height: 125 mm

350 W Length: 485 mm
Width: 350 mm
Height: 135 mm







Landscape Lighting Premium Series

Jaquar Lighting, an amalgamation of the most admired and desired lighting products, presents the most comprehensive range of high quality outdoor lighting products. Unparalleled and beyond compare, Jaquar's lighting products are carefully monitored at each and every step, right from the manufacturing process to the final delivery of the products. That is because Jaquar seeks to fulfill customer needs as well as anticipate future market needs and trends, an effort which has enabled us to achieve constant growth in an increasingly competitive market.

Content

PROJECTOR LIGHTS

Lyras 65	246
Lyras 160	246

GROUND BURIAL LIGHTS

Mira 65	250
Mira 65	251
Mira 65	251
Mira 65	251
Mira 65	252
Mira 150	252
Mira 220	252

GATE TOP LIGHTS

Morphis	256
Monaco	256
Romantica	257
Neway	257
Firenze	257

BOLLARD LIGHTS

Monaco	260
Romantica	260
Morphis	261
Neway	261
Orion	262
Kubs	262
Titano	262

WALL LIGHTS

Pisa	266
Sirio	267
Firenze	267
Morphis	267
Neway	267
Kubs	268
Brick Light	268
Mira 65	268
Dolby 2	269
Cervinia	269
Lyras 130	269
Acqua	269

POLE LIGHTS

Monaco	272
Romantica	272
Morphis	273
Morphis	273






Projector Lights

APPLICATIONS:

- Façade lighting
- Accent lighting
- Atriums and columns
- Architectural lighting
- Varied beam angle applications



Lyras 65

Features



Decorative fixture (3000 K)
 Transparent glass diffuser
 30° Narrow beam
 IP67
 IK08

Product Code

4699LL5H.BRZ

Wattage

5 W LED



Lyras 160

Features

Decorative fixture
 Die cast aluminium housing
 Transparent glass diffuser
 Grey colour
 60° beam angle
 IP67

Product Code

4641LL10H.NHG
 4641LL20H.NHG

Wattage

10 W / 20 W LED






Ground Burial Lights

APPLICATIONS:

- Outdoor façade lighting
- Landscape lighting
- Accent lighting



Mira 65

Features

- Decorative fixture (3000K)
- Extruded anodized aluminium housing
- Transparent glass diffuser
- 30° beam angle
- IP67
- IK08

Product Code

5351LL5H.INX

Wattage

5 W LED

Mira 65

Features



- Decorative fixture (3000K)
- Extruded anodized aluminium housing
- Glass diffuser
- 30° beam angle
- IP67
- IK08

Product Code

5383LL5H.INX

Wattage

5 W LED



Mira 65

Features

- Decorative fixture
- Extruded anodized aluminium housing
- Glass diffuser
- IP67
- IK08

Product Code

5382LL5H.INX

Wattage

5 W LED

Mira 65

Features


- Decorative fixture
- Extruded anodized aluminium housing
- Glass diffuser
- IP67
- IK08


Product Code

5385LL5H.INX

Wattage

5 W LED





Mira 65

Features

- Decorative fixture
- Extruded anodized aluminium housing
- Glass diffuser
- IP67
- IK08

Product Code

5386LL5H.INX

Wattage

5 W LED

Mira 150

Features



- Decorative fixture (3000K)
- Die cast aluminium housing
- Stainless steel AISI 316L frame
- Transparent glass diffuser
- 45° beam angle
- IP67
- IK10

Product Code

5121LL9H.INX

Wattage

12 W LED



Mira 220

Features

- Decorative fixture (3000K)
- Die cast aluminium housing
- Stainless steel AISI 316L frame
- Transparent glass diffuser
- 60° beam angle
- IP67
- IK10

Product Code

5521LL20H.INX

5521LL30H.INX

Wattage

20 W / 30 W LED






Gate Top Lights

APPLICATIONS:

- Bungalows
- Villas
- Pavement lighting
- Landscape lighting



Morphis

Features


Decorative fixture (3000K)
Die cast aluminium housing
Transparent glass diffuser
Grey colour
IP65

Product Code

177.33L24H.NHG
177.33.NHG

Base Cap / Wattage

E27 / 24 W LED



Monaco

Features

Decorative fixture (3000K)
Die cast aluminium housing
Transparent glass diffuser
Black colour
IP43

Product Code


340.33.NGG

Base Cap

E27



Romantica



Features

Decorative fixture (3000K)
 Die cast aluminium housing
 Polycarbonate frosted diffuser
 Black colour
 IP43

Product Code


350.33L10H.NGG

Base Cap

E27



Neway



Features

Decorative fixture (3000K)
 Die cast aluminium housing
 Polycarbonate diffuser
 Grey colour
 IP65

Product Code


405.03L10H.NHG

Wattage

10 W LED



Firenze



Features

Decorative fixture
 Die cast aluminium housing
 Glass diffuser
 Black colour
 IP43

Product Code

330.33.NGG

Base Cap


E27



Bollard Lights

APPLICATIONS:

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls



Monaco

Features


Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

Product Code

340.44.NGG

Base Cap

E27



Romantica

Features


Decorative fixture
Die cast aluminium housing
Polycarbonate frosted diffuser
Black colour
IP43

Product Code

350.44L10H.NGG

Wattage

10 W LED



Morphis

Features


Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
IP65

Product Code

177.095L24H.NHG

Wattage

24 W LED



Neway

Features

Decorative fixture (3000K)
Die cast aluminium housing
Polycarbonate diffuser
Grey colour / wood finish
IP65


Product Code

405.075L10H.NHG
405.K075L10H.NHG

Wattage

10 W LED

Bollard Lights



Features

Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP44

Product Code

400.075.NHG

Base Cap

E27

Orion



Features

Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
IP65

Product Code

404.070L8X1H.NHG
404.070L4X2H.NHG

Wattage

8 / 2 x 4 W LED



KubS




404.070L8X1H.NHG

404.070L4X2H.NHG



Titano



Features

Decorative fixture
Die cast extruded aluminium housing
Polycarbonate transparent diffuser
Grey colour / wood colour
IP65

Product Code

824.075L10H.NHG
824.K075L10H.NHG

Wattage

10 W LED






Wall Lights

APPLICATIONS:

- Residential
- Offices
- Hotels
- Banquet Halls
- Malls



Pisa

Features


Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

Product Code

300.00.NGG

Base Cap

E27



Sirio

Features


Decorative fixture
Die cast aluminium housing
Opal polycarbonate diffuser
White / black colour
IP43

Product Code

150.01.BGG
150.01.NGG

Base Cap

E27



Morphis

Features



Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
IP65

Product Code

175L12H.NHG

Wattage

12 W LED



Firenze

Features



Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

Product Code

330.00.NGG

Base Cap

E27



Neway

Features


Decorative fixture
Die cast aluminium housing
Polycarbonate diffuser
Grey colour
IP44

Product Code

405.NHG

Base Cap


E27



Narrow Beam 10°
404LS4X2H.NHG

Beam Angle 45°
404LL4X2H.NHG

Narrow Beam 10°
+ Wide Beam 45°
404LMA4X2H.NHG



Kubs

Features

Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
Narrow beam 10° (up and down)
Wide beam 45° (up and down)
Narrow beam 10° + wide beam 45° (up and down)
IP65

Product Code

404LS4X2H.NHG
404LL4X2H.NHG
404LMA4X2H.NHG

Wattage

2 x 4 W LED

Brick Light

Features



Decorative fixture (3000K)
Recess mounted
Die cast aluminium housing
Polycarbonate diffuser
Grey colour
IP54

Product Code

410L6HM.NGG
4100M.NGG

Base Cap / Wattage

E27 / 6 W



Mira 65

Features



Decorative fixture (3000K)
Recess mounted extruded anodized aluminium housing
Opal glass diffuser
IP66
IK08

Product Code

4183LL5H.BRZ

Wattage

5 W LED



Dolby 2

Features

- Decorative fixture (3000K)
- Die cast aluminium housing
- Transparent diffuser
- Grey colour
- 45° beam angle /
- 45° beam angle + 45° beam angle (up and down light)
- IP65

Product Code

- 457LL12X1H.NHG
- 457LL18X2H.NHG

Wattage

12 / 18 W LED



45° beam angle
457LL12X1H.NHG



45° beam angle
457LL18X2H.NHG



40° beam angle
465LL5X1H.NHG





40° beam angle
465LL5X2H.NHG



45° beam angle
460LL9X1H.NHG



45° beam angle
460LL9X2H.NHG



Lyras 130

Features


- Decorative fixture (3000K)
- Die cast aluminium housing
- Transparent diffuser
- Grey colour
- 40° medium beam angle /
- 40° medium beam angle (up and down light)
- 45° medium beam angle /
- 45° medium beam angle (up and down light)
- IP66

Product Code

- 465LL5X1H.NHG / 465LL5X2H.NHG
- 460LL9X1H.NHG / 460LL9X2H.NHG

Wattage

1 x 5 / 2 x 5 / 1 x 12 / 2 x 12 W LED



Cervinia

Features

- Decorative fixture
- Die cast aluminium housing
- Opal polycarbonate diffuser
- Grey colour
- Auto sensor with a range of 1-8 meter (adjustable)
- IK07
- IP54

Product Code


- 9008L12H.NHG
- 9008L12HSEN.NHG

Base Cap

E27



sensor



Acqua

Features

- Decorative fixture
- Stainless steel AISI 316L housing
- Opal polycarbonate diffuser
- Auto sensor with a range of 1-8 meter (adjustable)
- IK07
- IP54

Product Code

9100SEN.INX

Base Cap


E27



Pole Lights

APPLICATIONS:

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls



Monaco

Features


Decorative fixture
Die cast aluminium housing
Glass diffuser
IP43

Product Code

340.PE8.NGG

Base Cap / Wattage

20 W LED



Romantica

Features


Decorative fixture (3000K)
Die cast aluminium housing
Glass diffuser
IP43

Product Code

350.PE8L10H.NGG

Wattage

10 W LED



Morphis

Features


Decorative fixture
Die cast aluminium housing
Glass diffuser
IP65

Product Code

177.300L24H.NHG - 24 W
177.300.NHG - E27 Cap

Wattage

24 W LED



Morphis

Features

Decorative fixture (3000K)
Die cast aluminium housing
Glass diffuser
IP65

Product Code

178L24H.P1.NHG

Wattage

24 W LED



Landscape Lighting Choice Series

Choose the best of Choice Landscape Lighting products for your spaces. Affordable yet classy, the Jaquar Choice Series offers a wide range of Projector Lights, Ground Burials, Gate Tops, Bollards, and Wall Lights to light up your spaces. Carefully crafted to perfection to illuminate your spaces, the Choice Landscape Lighting products are unparalleled and beyond comparison.

Content

PROJECTOR LIGHTS

Luminz	278
Electra	278
Sparklz	279
Splash	279
Illumine	280
Rigel	280
Ossum	281
Garnet	281

GROUND BURIAL LIGHTS

Castor	284
Hydrus	284
Polaris	285
Ikon	285

GATE TOP LIGHTS

Capella	288
Orbiss	288
Irena	289
Reneva	289
Avior	290
Turais	290
Lex	291
Vimio	291
Navis	292
Sentinel	292
Ring Post Top	293

BOLLARD LIGHTS

Illumitz	296
Miram	297
Visio	298
Cone Bollard	298
Cylinder Bollard	299
Disc Bollard	299
Orbarix	300
Elumx	300

WALL LIGHTS

Brightex	304
Breva	304
Lupus	305
Carina	305
Xcellent	305
Octan	306
Alfie	306
Preston	307
Woody	307
Lima	307
Luke	308
Cooper	308
Casper	308
Kira	309
Foot Light	309
Robo Light	309






Projector Lights

APPLICATIONS:

- Façade lighting
- Accent lighting
- Atriums and columns
- Architectural lighting
- Varied beam angle applications



Luminz

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

Product Code

LSPK03R104XW

Wattage

4 x 1 W LED



Electra

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

Product Code

LSPK04R108XW

Wattage

1 x 8 W COB LED



Sparklz

Features


- Die cast aluminium housing
- Transparent tempered glass diffuser
- Matt grey finish
- 90 V - 260 V AC
- Warm white
- IP65

Product Code

LSPK04R112XW

Wattage

1 x 12 W COB LED



Splash

Features


- Die cast aluminium housing
- Transparent tempered glass diffuser
- Matt grey finish
- 90 V - 260 V AC
- Warm white
- IP54

Product Code

LSPK05R112SW

Wattage

1 x 12 W COB LED



Illumine

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LSPK05R112XW

Wattage

1 x 12 W COB LED



Rigel

Features


Die cast aluminium housing
Clear glass diffuser
90 V - 260 V AC
Warm white
IP65

Product Code

LSPK06R103SW

Wattage

1 x 3 W LED



Ossum

Features

304 stainless steel housing
Tempered glass diffuser
12 V AC
Warm white
IP68


Product Code

LSPK68R103SW

Wattage

3 x 1 W LED

Note: Product has to be used with 12 V AC power supply at the site, not to be used under water



Garnet

Features

304 stainless steel housing
Tempered glass diffuser
12 V AC
Warm white
IP68

Product Code

LSPK68R108SW

Wattage

8 x 1 W LED


Note: Product has to be used with 12 V AC power supply at the site, not to be used under water



Ground Burial Lights

APPLICATIONS:

- Outdoor façade lighting
- Landscape lighting
- Accent lighting



Castor

Features


304 stainless steel ring
Transparent tempered glass diffuser
Stainless steel finish
90 V - 260 V AC
Warm white
IP67

Product Code

LGBL04R301XW

Wattage

3 x 1 W LED



Hydrus

Features


Die cast aluminium housing
304 stainless steel ring
Transparent tempered glass diffuser
90 V - 260 V AC
Warm white
IP67

Product Code

LGBL06R601XW

Wattage

6 x 1 W LED



Polaris

Features


- Die cast aluminium housing
- 304 stainless steel ring
- Transparent tempered glass diffuser
- Stainless steel finish
- 90 V - 260 V AC
- Warm white
- IP67

Product Code

LGBL05R101XW

Wattage

10 x 1 W LED



Ikon

Features

- Die cast aluminium housing
- 304 stainless steel ring
- Transparent tempered glass diffuser
- 90 V - 260 V AC
- Warm white
- IP67

Product Code

LGBL07R181XW

Wattage

18 x 1 W LED



Gate Top Lights

APPLICATIONS:

- Bungalows
- Villas
- Pavement lighting
- Landscape lighting

Capella

Features



Die cast aluminium housing
Clear polycarbonate diffuser
Matt grey finish
140V - 270V AC
Warm white
IP66

Product Code

LGTP03X012XW

Wattage

1 x 12 W COB LED (12 W)



Orbiss

Features


Die cast aluminium housing
Frosted polycarbonate diffuser
Matt grey finish
140V - 270V AC
Warm white
IP66

Product Code

LGTP01X012XW

Wattage

1 x 12 W



Irena

Features


Die cast aluminium housing
Opal polycarbonate diffuser
Matt grey finish
140V - 270V AC
Warm white
IP66

Product Code

LGTP02X006XW

Wattage

6 x 1 W LED (6 W)



Reneva

Features

MS housing with PU paint
Top canopy made of spun aluminium
IP65
IK10

Product Code

LGTP01X030XW

Wattage

30 W LED COB

Avior

Features



Die cast aluminium housing
Heat resistant toughened bell shaped acrylic diffuser
MS housing with PU paint
Top canopy made of spun aluminium
IP65

Product Code

LGTP04X028XW

Wattage

28 W LED



Turais

Features

Die cast aluminium housing
Heat resistant toughened glass
(clear diffuser)
IP65

Product Code

LGTP02X030XW

Wattage

30 W mid power LED



Lex

Features


Heavy spun aluminium housing
PU paint
Heavy duty heat resistance /
toughened acrylic diffuser
IP65

Product Code

LWLL01X045XW

Wattage

45 W LED



Vimio

Features

Die cast aluminium housing
Heat resistant toughened glass diffuser
IP65

Product Code

LGTP05X030XW

Wattage

30 W LED

Navis

Features

Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

Product Code

LGTP06R040XC
LGTP06R040XN
LGTP06R040XW

Wattage

40 W LED



Sentinel

Features

Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

Product Code

LGTP08X060XC / LGTP08X060XW
LGTP08X120XC / LGTP08X120XW
LGTP08X150XC / LGTP08X150XW

Wattage

60 W LED
120 W LED
150 W LED



Ring Post Top

Features

Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

Product Code

LGTP07X040XW
LGTP07X060XW

Wattage


40 W LED
60 W LED



Bollard Lights

APPLICATIONS:

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls



Illumitz

Features


Die cast aluminium housing
Frosted polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

Product Code

LBLD03R108XW

Wattage

16 x 0.5 W LED



Miram

Features


Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LBLD01R305XW

Wattage

3 x 10 x 0.5 W LED



Visio

Features

Die cast aluminium housing
Tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54


Product Code

LBLD06R108XW

Wattage

1 x 8 W COB LED

All dimensions are in mm



Cone Bollard

Features


Die cast aluminium housing
Opal diffuser with in-built LED
IP65

Product Code

LBLDCON010XW

Wattage

10 W LED



Cylinder Bollard

Features

Die cast aluminium housing
Opal diffuser with in-built LED
IP65

Product Code

LBLDCYL010XW

Wattage

10 W LED



Disc Bollard

Features

Die cast aluminium housing
Opal diffuser with in-built LED
IP65

Product Code

LBLDDSC010XW

Wattage

10 W LED



Orbarix

Features

Die cast aluminium housing
Tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LBLD02R108XW

Wattage

1 x 8 W COB LED



Elumx

Features

Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LBLD05R601XW

Wattage

6 x 1 W LED





Wall Lights

APPLICATIONS:

- Residential
- Offices
- Hotels
- Banquet Halls
- Malls

Brightex

Features



Die cast aluminium housing
Transparent tempered glass diffuser
Grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

Product Code

LWWL01X208XW

Wattage

2 x 8 W COB LED



Brevia

Features



Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LWWL01X108XW

Wattage

1 x 8 W COB LED



Lupus

Features

Die cast aluminium housing
 Transparent tempered glass diffuser
 Matt grey finish
 90 V - 260 V AC
 Up and down light
 Warm white
 IP54

Product Code

LWWL03X203XW

Wattage

2 x 3 W COB LED

Carina

Features



Die cast aluminium housing
 Transparent tempered glass diffuser
 Matt grey finish
 90 V - 260 V AC
 Warm white
 IP54

Product Code

LWWL03X103XW

Wattage

1 x 3 W COB LED



Xcellent

Features


Die cast aluminium housing
 Opal polycarbonate diffuser
 Matt grey finish
 90 V - 260 V AC
 Up and down light
 Warm white
 IP54

Product Code

LWWL02R206XW

Wattage

2 x 6 W COB LED



Octan

Features

Die cast aluminium housing
Opal polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LWWL02R108XW

Wattage

1 x 8 W COB LED

Alfie

Features


Die cast aluminium housing
SUS304 ring
Frosted polycarbonate diffuser
Anti-glare
90 V - 260 V AC
Warm white
IP65


Product Code

LBRK01S105XW

Wattage

10 x 0.5 W LED





Preston

Features

Die cast aluminium housing
Tempered glass diffuser
Grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

Product Code

LWWL02X203XW

Wattage

2 x 3 W LED

Woody

Features




Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

Product Code

LWLL01X108XW

Wattage

1 x 8 W COB LED



Lima

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
170 V-260 V AC
Warm white
Wall washer light
IP54

Product Code

LWWL03X012XW

Wattage

1 x 12 W COB LED



Luke

Features

Die cast aluminium housing
Opal white polycarbonate diffuser
90 V - 260 V AC
Warm white
IP54

Product Code

LBRK02S105XW

Wattage

10 x 0.5 W LED

Cooper

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

Product Code

LWWL04X206XW

Wattage

2 x 6 W COB LED



Casper

Features


Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54


Product Code

LCEL02R112XW

Wattage

1 x 12 W COB LED





Kira

Features

Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
Wall washer light
IP54

Product Code

LWWL04X012XW

Wattage

1 x 12 W COB LED

Foot Light

Features

Die cast aluminium housing
Polycarbonate diffuser
White and grey finish
IP54

Product Code



LFTL01S003XW*

LFTLW1S003XW#

Wattage

3 W LED

*Grey housing | #White housing



Robo Light

Features

Die cast aluminium housing
Black powder coated
Warm white
IP54

Product Code

LWWL05S401XW

Wattage

4x1 W

A man in a white shirt and glasses is shown in profile, looking out a window. He is holding a tablet computer. The background is a bright, modern interior with large windows and architectural details.

Smart Lights

The world of devices is getting smarter and so are Jaquar Lighting products.

For your daily lighting requirements, our in-house R&D has come up with several next generation products.

From a bulb which can be operated using Bluetooth and Wi-Fi, to an emergency bulb with in-built battery to stay lit during power cuts, and motion-sensing battens, downlights and panels which get switched on automatically as you approach.

All these products are designed to need minimal human touch to allow better hygiene, as well as provide ease of operation and save time, effort and energy.

Content

SMART LIGHTS

Smart Pole	312
Vivid (Bluetooth) & (Wi-Fi)	313
Strella Tri-color	314
Strella Smart	315
Kubik Smart	315
Starlite Alike (with remote)	316
Starlite	316
UV Lamp	317





FUTURE PRODUCT











Smart Pole

Next generation street light LED pole with multiple applications, like:

- HI-DEF 360° camera for surveillance
- LED display board for traffic alert, public announcement, weather report and general advertising
- Electric vehicle charger
- Fully customized wi-fi
- Weather station, which can measure air temperature, noise, air humidity, pressure, wind speed and direction



Bluetooth & Wi-fi Enabled
(Supported Devices: Android & iOS)

-  Single app can control 200 bulbs within Wi-Fi/ bluetooth range
-  Compatible with bluetooth version 4.0 and above
-  Can smoothly work up to 10 meter
-  3 million+ color options
-  Brightness adjustable from 100% to 0%
-  Create different groups to work together
-  Wireless Connection through Wi-Fi
-  Wi-Fi products compatible with Amazon Alexa/ Google Home
-  Suitable for decorative purposes
-  High efficiency

Vivid (Bluetooth) & (Wi-Fi)

Product Code	Power (W)	Color	Dimension in MM (DXH)
LWD07B22RGB	7 W	RGB / CW	Φ 65 x 126
LVDWF07B2RGB	7 W	RGB / CW	Φ 65 x 120

Technical & Commercial Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >80 Lm/W @6500K
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate





Strella Tri-color

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
LSTA3IN1R15X	15	CW/ NW/ WW	Φ 155	Φ 162 x 35



Long life



CRI > 80



Beam angle > 120°



*3-in-1 color option CW-NW-WW

Technical & Commercial Data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Light turns on
in presence
of motion and
will turn off
after 2 minutes
if there is
no motion



Strella **SMART** /// SQUARE/ROUND

Motion sensor based downlights

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (LXWXH / DXH)
LSTS01S008XC	8	CW	105 x 105	116 x 116 x 35
LSTS01S015XC	15	CW	155 x 155	162 x 162 x 35
LSTS01S022XC	22	CW	205 x 205	220 x 220 x 35
LSTS01S015XW	15	WW	155 x 155	162 x 162 x 35
LSTS01S022XW	22	WW	205 x 205	220 x 220 x 35
LSTS01R008XC	8	CW	Φ 105	116 x 35
LSTS01R015XC	15	CW	Φ 155	165 x 35
LSTS01R022XC	22	CW	Φ 205	220 x 35
LSTS01R008XW	8	WW	Φ 105	116 x 35
LSTS01R015XW	15	WW	Φ 155	165 x 35
LSTS01R022XW	22	WW	Φ 205	220 x 35



Technical Data:

- Input voltage range: 110 - 300 V AC
- Luminous efficacy: >80 Lm/W for 8 W >90 Lm/W for 15 W & 22 W
- Power factor: >0.95
- Sensor coverage range: 5-7 meters
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate



Kubik **SMART** ///

Motion sensor based battens

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)
LKBS01S020XC	20	CW	1135 x 22 x 37



Technical Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Sensor coverage range: 5-7 Metrs
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate





Starlite Alika (with remote)

SMART

Remote control operated batten with tunable colors & dimming

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)
LSRA01S020DM*	20	CW/ NW/ WW	1170 x 20 x 40



Long life



CRI > 80



Beam angle > 120°



*3-in-1 color option CW-NW-WW


BENEFITS:

- 80% energy saving
- Compact and sleek design
- 2000 Lm lumen output
- Single batten with tunable colors & dimming

*Single Remote can control 30 battens

Technical & Commercial Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate



*Remote control operation



*Dimmable (100% - 20%)

Starlite

SMART

Single batten with tunable colours

Item Code	Wattage (W)	CCT (K)	Dimension in MM (LXWXH)
LSRE01S020X	20	CW/ NW/ WW	1170 x 20 x 40



Long life



CRI > 80



Beam angle > 120°



*3-in-1 color option CW-NW-WW

Changing tri-color from CW to NW to WW in manual switching

Technical & Commercial Data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate





UVL

(Ultra Violet Light)

The light that disinfects

UV Light with anti-microbial properties that can kill up to 99.9% bacteria and viruses in the air as well as on surfaces.


UV Lamp

Product Code	Wattage (W)
LUVL01TL040X	40

USP:

- Life detection- safely suspends operation on detection of living beings
- Wireless remote control
- Long service life
- Total safety and comfort with intelligent controls
- Suitable for green field applications
- Easy integration with specialised controls
- Impeccable design
- Emanates a distinct, unique smell to indicate that disinfection is in process

Precaution: Take everyone, including pets, outside the room while the disinfection process goes on as UV light is harmful for skin and eyes.



Consumer Lights

Reflect your story to the world and let your spaces shine at its best with the right lighting solutions from Jaquar Lighting.

Choose from an array of options in varied sizes, shapes, and budgets, and enhance the indoor and outdoor spaces that will uplift the ambience invariably.

Our range of lighting includes: Smart Lights

- Downlights
- Spot Lights
- Battens
- Lamps
- Strip Lights
- Street Lights

BENEFITS:



ENERGY SAVINGS
UP TO 90 %



LONG LIFE
50,000 hrs



NO UV / IR
RADIATION



SLEEK AND COMPACT
DESIGN



GREEN LIGHTING
SOLUTIONS



MAINTENANCE-
FREE



UNIFORM
ILLUMINATION



GLARE-FREE
LIGHTING

Content

DOWNLIGHTS

Skylite	322
Lumax Plus	322
Strella HD	323
Strella Accessories	323
Volga Prime Smart	324
Scintilio	324
Pearl Plus	325
Striker	325
Eris Surface Round	326
Microwave Sensor	326
Lucent	327
Gem Surface	327

SPOTLIGHTS

Gem Plus	330
Jasper Prime	330

BATTERNS

Kubik Ultra	334
Kubik Plus	334
Kriza Inverter	335

LAMPS

Kriza Emergency Bulb	338
Illuminator	338
Spark HD	338
Prima HD	339
Night Lamps (0.5 W)	339

STRIP LIGHTS

Janus	342
Strip Driver	342
Rope Light	342

STREET LIGHTS

Hummer	346
Kriza Emergency	346
PCR	346
Street Light	347

FLOOD LIGHTS

Faro Flood Light	350
------------------	-----





Downlights

Create an enchanting ambience with Jaquar's high-performance LED downlights in different wattages. Not only these downlights uplift the entire mood & the ambience of the place, but they also make a great addition to your entire home décor.

- Recessed Downlights
- Surface Mounted Downlights
- Fixed Downlights
- Trimless Downlights
- Round Downlights
- Square Downlights

APPLICATIONS



Living rooms



Kitchens



Lobbies



Staircases



Corridors



Skylite



Long life



CRI > 80



Beam angle > 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >105 Lm/W
- Power factor: >0.95
- Housing material: CRCA

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
LSKL01S036XC	36	CW	595 x 595 x 36
LSKL01S036XN	36	NW	595 x 595 x 36
LSKL01S036XW	36	WW	595 x 595 x 36



Lumax Plus



Long life



CRI > 75



Beam angle > 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (L X W X H / DXH)
LLMP01S003XC	3	CW	74 x 74	85 x 85 x 20
LLMP01S003XN	3	NW	74 x 74	85 x 85 x 20
LLMP01S003XW	3	WW	74 x 74	85 x 85 x 20
LLMP01S006XC	6	CW	105 x 105	121 x 121 x 20
LLMP01S006XN	6	NW	105 x 105	121 x 121 x 20
LLMP01S006XW	6	WW	105 x 105	121 x 121 x 20
LLMP01S012XC	12	CW	155 x 155	171 x 171 x 20
LLMP01S012XN	12	NW	155 x 155	171 x 171 x 20
LLMP01S012XW	12	WW	155 x 155	171 x 171 x 20
LLMP01S015XC	15	CW	155 x 155	171 x 171 x 20
LLMP01S015XN	15	NW	155 x 155	171 x 171 x 20
LLMP01S015XW	15	WW	155 x 155	171 x 171 x 20
LLMP01S018XC	18	CW	175 x 175	190 x 190 x 20
LLMP01S018XN	18	NW	175 x 175	190 x 190 x 20
LLMP01S018XW	18	WW	175 x 175	190 x 190 x 20
LLMP01S022XC	22	CW	206 x 206	225 x 225 x 20
LLMP01S022XN	22	NW	206 x 206	225 x 225 x 20
LLMP01S022XW	22	WW	206 x 206	225 x 225 x 20



Long life



CRI > 80



Beam angle
> 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >90 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Strella HD

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (L X W X H / DXH)
LSTA4KVR05XC	5	CW	Ø 70	Ø 80 x 35
LSTA4KVR05XN	5	NW	Ø 70	Ø 80 x 35
LSTA4KVR05XW	5	WW	Ø 70	Ø 80 x 35
LSTA4KVS08XC	8	CW	105 x 105	116 x 116 x 35
LSTA4KVS08XN	8	NW	105 x 105	116 x 116 x 35
LSTA4KVS08XW	8	WW	105 x 105	116 x 116 x 35
LSTA4KVR08XW	8	CW	Ø 105	Ø 116 x 35
LSTA4KVR08XC	8	NW	Ø 105	Ø 116 x 35
LSTA4KVR08XN	8	WW	Ø 105	Ø 116 x 35
LSTA4KVS12XC	12	CW	125 x 125	132 x 132 x 35
LSTA4KVS12XN	12	NW	125 x 125	132 x 132 x 35
LSTA4KVS12XW	12	WW	125 x 125	132 x 132 x 35
LSTA4KVR12XC	12	CW	Ø 155	Ø 162 x 35
LSTA4KVR12XN	12	NW	Ø 155	Ø 162 x 35
LSTA4KVR12XW	12	WW	Ø 155	Ø 162 x 35
LSTA01S015XC	15	CW	155 x 155	162 x 162 x 35
LSTA01S015XN	15	NW	155 x 155	162 x 162 x 35
LSTA01S015XW	15	WW	155 x 155	162 x 162 x 35
LSTA01R015XC	15	CW	Ø 155	Ø 162 x 35
LSTA01R015XN	15	NW	Ø 155	Ø 162 x 35
LSTA01R015XW	15	WW	Ø 155	Ø 162 x 35
LSTA01S022XC	22	CW	205 x 205	220 x 220 x 35
LSTA01S022XN	22	NW	205 x 205	220 x 220 x 35
LSTA01S022XW	22	WW	205 x 205	220 x 220 x 35
LSTA01R022XC	22	CW	Ø 205	Ø 220 x 35
LSTA01R022XN	22	NW	Ø 205	Ø 220 x 35
LSTA01R022XW	22	WW	Ø 205	Ø 220 x 35



Strella Accessories

Item Code	Wattage (W)	Dimension in MM (L X W X H / DXH)
LSTA01SMS008	8	105 x 105
LSTA01SMR008	8	Ø 105
LSTA01SMS015	15	155 x 155
LSTA01SMR015	15	Ø 155
LSTA01SMS022	22	205 x 205
LSTA01SMR022	22	Ø 205



Long life



CRI > 80



Beam angle
>120°

Technical data:

- Input voltage range: 220 V - 240 V AC
- Luminous efficacy: 55 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate
- Dazzle free soft light & no dark patches
- IP65- Protected against dust & splashing water
- PC diffuser - Uniform distribution of light



Volga Prime Smart

Item Code	Wattage (W)	CCT (K)	Dimension in MM (DXH)
LVOLPS2R18SC	18	CW	280 x 70
LVOLPS2R18SN	18	NW	280 x 70
LVOLPS2R18SW	18	WW	280 x 70



Long life



CRI > 80



Beam angle
>120°

Scintilio

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
LSNL01S045XC	45	6500	580 x 580	595 x 595 x 20
LSNL01S045XN	45	6500	580 x 580	595 x 595 x 20
LSNL01S045XW	45	6500	580 x 580	595 x 595 x 20

Technical data:

- Input voltage range-100-300V
- High efficacy: 100 Lm/W
- Power factor: >0.9
- PF: ≥0.95
- THD: <10%
- Housing material: CRCA white powder coated housing
- PC Lens & PS Diffuser: Uniform distribution of light

Pearl Plus



Long life

CRI > 80

Beam angle
> 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >70 Lm/W for 3 W, >80 Lm/W for 6 W, >90 Lm/W for 15 W
- Power factor: >0.9
- Housing material: Thermally conductive polycarbonate
- Suitable for junction box fitment

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
LPPS01R003XC	3	CW	Ø 45	Ø 80 x 45
LPPS01R003XN	3	NW	Ø 45	Ø 80 x 45
LPPS01R003XW	3	WW	Ø 45	Ø 80 x 45
LPPS01R003XR	3	RED	Ø 45	Ø 80 x 45
LPPS01R003XG	3	GREEN	Ø 45	Ø 80 x 45
LPPS01R003XB	3	BLUE	Ø 45	Ø 80 x 45
LPPS01R003XP	3	PINK	Ø 45	Ø 80 x 45
LPPS01R003XV	3	VIOLET / PURPLE	Ø 45	Ø 80 x 45
LPPS02R006XC	6	CW	Ø 45	Ø 80 x 45
LPPS02R006XN	6	NW	Ø 45	Ø 80 x 45
LPPS02R006XW	6	WW	Ø 45	Ø 80 x 45
LPPS02R006XR	6	RED	Ø 45	Ø 80 x 45
LPPS02R006XG	6	GREEN	Ø 45	Ø 80 x 45
LPPS02R006XB	6	BLUE	Ø 45	Ø 80 x 45
LPPS02R006XP	6	PINK	Ø 45	Ø 80 x 45
LPPS02R006XV	6	VIOLET / PURPLE	Ø 45	Ø 80 x 45
LPPS01R015XC	15	CW	Ø 45	Ø 80 x 45
LPPS01R015XN	15	NW	Ø 45	Ø 140 x 65
LPPS01R015XW	15	WW	Ø 45	Ø 140 x 65
LPPS01R015XR	15	RED	Ø 45	Ø 140 x 65
LPPS01R015XG	15	GREEN	Ø 45	Ø 140 x 65
LPPS01R015XB	15	BLUE	Ø 45	Ø 140 x 65
LPPS01R015XP	15	PINK	Ø 45	Ø 140 x 65
LPPS01R015XV	15	VIOLET / PURPLE	Ø 45	Ø 140 x 65



Striker



Long life

CRI > 80

Beam angle
> 120°

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
LSTK01R006XC	6	CW	Ø 83	Ø 108 x 62
LSTK01R006XN	6	NW	Ø 83	Ø 108 x 62
LSTK01R006XW	6	WW	Ø 83	Ø 108 x 62
LSTK01R006XR	6	RED	Ø 83	Ø 108 x 62
LSTK01R006XG	6	GREEN	Ø 83	Ø 108 x 62
LSTK01R006XB	6	BLUE	Ø 83	Ø 108 x 62
LSTK01R006XP	6	PINK	Ø 83	Ø 108 x 62
LSTK01R006XV	6	VIOLET / PURPLE	Ø 83	Ø 108 x 62

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate with aluminium heat sink
- Suitable for junction box fitment



Long life



CRI > 80



Beam angle > 24°

Technical data:

- Input voltage range: 220-240 V AC
- Luminous efficacy: >70 Lm/W
- Power factor: >0.90
- Housing material: Die cast aluminium housing with black powder coating

Eris Surface Round

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
LERSBRGR05SC	5	CW	53	53 x 70
LERSBRGR05SN	5	NW	53	53 x 70
LERSBRGR05SW	5	WW	53	53 x 70
LERSBRGR10SC	10	CW	72	72 x 90
LERSBRGR10SN	10	NW	72	72 x 90
LERSBRGR10SW	10	WW	72	72 x 90
LERSBRGR15SC	15	CW	95	95 x 95
LERSBRGR15SN	15	NW	95	95 x 95
LERSBRGR15SW	15	WW	95	95 x 95

2-in-1
Microwave Sensor



Technical data:

- Input voltage: 220 to 240 V/AC
- Input frequency: 50/60 Hz.
- Wiring input: 2 Wire/single phase
- Power consumption: < 1W
- Power on delay: 0-5 sec
- Size diameter (mm): 93 mm +/- 2 mm
- Type of mounting: Surface/recessed

Microwave Sensor

Item Code	Cutout (MM)	Dimension in MM (D)
MOTSENMW2IN1	Φ 85	Φ 93



Long life

CRI>80

Beam angle
>120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >70 Lm/W for 6 W, >95 Lm/W for 22 W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

Lucent

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
LLCN01R003XC	3	6500	Ø 70	Ø 82 X 17
LLCN01R003XN	3	4000	Ø 70	Ø 82 X 17
LLCN01R003XW	3	3000	Ø 70	Ø 82 X 17
LLCN01R006XC	6	6500	Ø 105	Ø 116 X 17
LLCN01R006XN	6	4000	Ø 105	Ø 116 X 17
LLCN01R006XW	6	3000	Ø 105	Ø 116 X 17
LLCN01R009XC	9	6500	Ø 105	Ø 116 X 17
LLCN01R009XN	9	4000	Ø 105	Ø 116 X 17
LLCN01R009XW	9	3000	Ø 105	Ø 116 X 17
LLCN01R012XC	12	6500	Ø 132	Ø 144 X 17
LLCN01R012XN	12	4000	Ø 132	Ø 144 X 17
LLCN01R012XW	12	3000	Ø 132	Ø 144 X 17
LLCN01R015XC	15	6500	Ø 155	Ø 166 X 17
LLCN01R015XN	15	4000	Ø 155	Ø 166 X 17
LLCN01R015XW	15	3000	Ø 155	Ø 166 X 17
LLCN01R018XC	18	6500	Ø 155	Ø 166 X 17
LLCN01R018XN	18	4000	Ø 155	Ø 166 X 17
LLCN01R018XW	18	3000	Ø 155	Ø 166 X 17
LLCN01R022XC	22	6500	Ø 175	Ø 184 X 17
LLCN01R022XN	22	4000	Ø 175	Ø 184 X 17
LLCN01R022XW	22	3000	Ø 175	Ø 184 X 17



Long life

CRI>80

Beam angle
>120°

Gem Surface

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (WXH)
LGEM01R006SC	6	6500	Ø90	90 x 27
LGEM01R006SW	6	4000	Ø90	90 x 27
LGEM01R006SN	6	3000	Ø90	90 x 27
LGEM01R012SC	12	6500	Ø121	121 x 27
LGEM01R012SW	12	4000	Ø121	121 x 27
LGEM01R012SN	12	3000	Ø121	121 x 27
LGEM01R018SC	18	6500	Ø156	156 x 27
LGEM01R018SW	18	4000	Ø156	156 x 27
LGEM01R018SN	18	3000	Ø156	156 x 27

Technical data:

- Input voltage range: 100 V - 230 V AC
- Luminous efficacy: For 6 & 12 W (65 Lm/W) For 18 W (60 Lm/W)
- Power factor: >0.9
- Housing material: PC body & diffuser with metal mounting plate



Spotlights

Highlight the little details when you bring home Jaquar's energy-efficient LED spotlights. The different colour temperatures lend your home décor a vibrant and new look every time.

APPLICATIONS



Living rooms



Kitchens



Decorations



Shelves



Focus



Cabinets



Gem Plus



Technical data:


- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >90 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
LGMP01R005XC	5	CW	Φ 70	Φ 85 x 55
LGMP01R005XN	5	NW	Φ 70	Φ 85 x 55
LGMP01R005XW	5	WW	Φ 70	Φ 85 x 55
LGMP01R010XC	10	CW	Φ 70	Φ 85 x 70
LGMP01R010XN	10	NW	Φ 70	Φ 85 x 70
LGMP01R010XW	10	WW	Φ 70	Φ 85 x 70
LGMP01R015XC	15	CW	Φ 90	Φ 110 x 85
LGMP01R015XN	15	NW	Φ 90	Φ 110 x 85
LGMP01R015XW	15	WW	Φ 90	Φ 110 x 85
LGMP01R020XC	20	CW	Φ 110	Φ 140 x 95
LGMP01R020XN	20	NW	Φ 110	Φ 140 x 95
LGMP01R020XW	20	WW	Φ 110	Φ 140 x 95



Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >50 Lm/W
- Housing material: Thermally conductive polycarbonate



Jasper Prime

Item Code	Wattage (W)	CCT (K)	Cutout (MM)	Dimension in MM (DXH)
LJPM01R002XC	2	CW	Φ 35	Ø 43 x 105
LJPM01R002XG	2	GW	Φ 35	Ø 43 x 105
LJPM01R002XW	2	WW	Φ 35	Ø 43 x 105
LJPM01R002XR	2	RW	Φ 35	Ø 43 x 105
LJPM01R002XB	2	BW	Φ 35	Ø 43 x 105





Battens

Brighten up your space with Jaquar's range of environment-friendly LED battens. Available in different lumen intensity and colour temperatures, our battens are perfect for your home décor.

APPLICATIONS



Bedrooms



Living rooms



Kitchens



Study rooms



Terraces



Balconies



Pooja rooms



Kubik Ultra

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
LKBU4KVS22XC	22	CW	1135 x 31 x 40
LGLZU1X025XC	25	CW	1135 x 31 x 40
LKBU4KVS35XC	35	CW	1135 x 22 x 37



Long life



CRI > 80



Beam angle
>120° for 35 W
>180° for 25 W



117 Lm/W for 35 W
130 Lm/W for 25 W

Technical data:

- Input voltage range: 100 V - 300 V AC
- Power factor: >0.95
- Housing material: Extruded aluminium



Kubik Plus

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
LKBP01S006XC	6	CW	300 x 22 x 37
LKBP01S006XN	6	NW	300 x 22 x 37
LKBP01S006XW	6	WW	300 x 22 x 37
LKBP4KV010XC	10	CW	575 x 22 x 37
LKBP4KV010XN	10	NW	575 x 22 x 37
LKBP4KV010XW	10	WW	575 x 22 x 37
LKBP4KV020XC	20	CW	1090 x 22 x 37
LKBP4KV020XN	20	NW	1090 x 22 x 37
LKBP4KV020XW	20	WW	1090 x 22 x 37



Long life



CRI > 80



Beam angle
>120° for 6 W - 20 W



100 Lm/W

Technical data:

- Input voltage range: 100 V - 300 V AC
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate



BATTERY BACKUP



Long life



CRI > 80



Beam angle > 120°

Technical data:

- Operating voltage: 100-300 V AC, 50 Hz
- Colour temperature: 3000-6500K
- IP rating: 20
- Operating temperature: -10° C to 50°C
- Battery: Li-ION battery
- Battery backup: Up to 2 hours
- Battery capacity: 2200 mAh
- Charging time: 9 hours
- Overcharge protection: Yes
- Cycle lifetime of battery: 300 times (Completely charged and discharged)

Kriza Inverter

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
LKRZ01BAT20C	20	CW	1135 x 22 x 37
LKRZ01BAT20N	20	NW	1135 x 22 x 37
LKRZ01BAT20W	20	WW	1135 x 22 x 37



Lamps

Welcome home holistic lighting solutions from Jaquar. Want to light up a small space or illuminate an entire room? Here is our range of LED lamps from low wattage night bulbs to high wattage LED lamps for you. Enjoy the extra brightness of happiness that fits every budget and requirement.

APPLICATIONS



Bedrooms



Living rooms



Kitchens



Study rooms



Terraces



Balconies



Pooja rooms



KRIZA EMERGENCY BULB

Item Code	Wattage (W)	CCT (K)	Dimension in MM (DXH)
LKRZ009B22CW	9	6500 K	Φ 70 x 146



Long life



CRI>80



Beam angle >120°

Technical data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >80 Lm/W @ Normal Supply
- Power factor: >0.95
- Charging time: Minimum 6 Hours
- Housing materials: Thermally conductive polycarbonate



Illuminator

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
LILM030B22CW	B22	30	CW	Ø 100 x 180
LILM040B22CW	B22	40	CW	Ø 115 x 198
LILM050B22CW	B22	50	CW	Ø 125 x 220



Long life



CRI>80



Wide beam angle >180°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 100 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium



Spark HD

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
LSAK4KV05B2C	B22	5	CW	Φ 57 x 100
LSAK4KV07B2C	B22	7	CW	Φ 57 x 100
LSAK4KV09B2C	B22	9	CW	Φ 57 x 102



Long life



CRI>80



Beam angle >140°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 105 Lm/W
- Power factor: >0.95
- Housing material: Overmoulded PC

Prima HD



Long life



CRI>80



Wide beam angle
>240°

Technical data:

- Full globe diffuser for wide distribution of light
- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 105 Lm/W
- Power factor: >0.95
- Housing material: Overmoulded PC

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
LPRM4KV03B2C	B22	3	CW	Φ 50 x 92
LPRM4KV03B2W	B22	3	WW	Φ 50 x 92
LPRM4KV03E2C	E27	3	CW	Φ 50 x 92
LPRM4KV03E2W	E27	3	WW	Φ 50 x 92
LPRM4KV05B2C	B22	5	CW	Φ 60 x 112
LPRM4KV05B2W	B22	5	WW	Φ 60 x 112
LPRM4KV05E2C	E27	5	CW	Φ 60 x 112
LPRM4KV05E2W	E27	5	WW	Φ 60 x 112
LPRM4KV07B2C	B22	7	CW	Φ 60 x 112
LPRM4KV07B2W	B22	7	WW	Φ 60 x 112
LPRM4KV07E2C	E27	7	CW	Φ 60 x 112
LPRM4KV07E2W	E27	7	WW	Φ 60 x 112
LPRM5KV09B2C	B22	9	CW	Φ 60 x 112
LPRM5KV09B2W	B22	9	WW	Φ 60 x 112
LPRM5KV09E2C	E27	9	CW	Φ 60 x 112
LPRM5KV09E2W	E27	9	WW	Φ 60 x 112
LPRM012B22CW	B22	12	CW	Φ 65 x 118
LPRM012B22WW	B22	12	WW	Φ 65 x 118
LPRM012E27CW	E27	12	CW	Φ 65 x 118
LPRM012E27WW	E27	12	WW	Φ 65 x 118
LPRM4KV14B2C	B22	14	CW	Φ 65 x 126
LPRM4KV14B2W	B22	14	WW	Φ 65 x 126
LPRM4KV14E2C	E27	14	CW	Φ 65 x 126
LPRM4KV14E2W	E27	14	WW	Φ 65 x 126
LPRM4KV20B2C	B22	20	CW	Φ 80 x 152
LPRM4KV20B2W	B22	20	WW	Φ 80 x 152
LPRM4KV20E2C	E27	20	CW	Φ 80 x 152
LPRM4KV20E2W	E27	20	WW	Φ 80 x 152



Long life



CRI>80




Beam angle
>180°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >40 Lm/W
- Housing material: Polycarbonate

Night Lamps (0.5 W)

Item Code	Base Cap	Wattage (W)	CCT (K)	Dimension in MM (DXH)
LPRM01R001XC	B22	0.5	CW	Φ 45 x 70
LPRM01R001XY	B22	0.5	YELLOW	Φ 45 x 70
LPRM01R001XR	B22	0.5	RED	Φ 45 x 70
LPRM01R001XG	B22	0.5	GREEN	Φ 45 x 70
LPRM01R001XB	B22	0.5	BLUE	Φ 45 x 70
LPRM01R001XO	B22	0.5	ORANGE	Φ 45 x 70
LPRM01R001XP	B22	0.5	PINK	Φ 45 x 70



Strip Lights

Give your home a festive makeover or create awe-inspiring spaces within your home with our LED strip lights in blue, white, and other pleasing colours. Our strip lights come in 5-meter roll with specific cut points.

APPLICATIONS



Living rooms



Kitchens



Decorations



Shelves



Focus



Cabinets

Janus

Item Code	Wattage (W)	CCT (K)	Dimension in MM (L X W X H)
LJNS02S012XC	24	CW	8 x 2.25
LJNS02S012XN	24	NW	8 x 2.25
LJNS02S012XW	24	WW	8 x 2.25
LJNS02S012XR	24	Red	8 x 2.25
LJNS02S012XG	24	Green	8 x 2.25
LJNS02S012XB	24	Blue	8 x 2.25
LJNS01S012XC	24	CW	8 x 2.25
LJNS01S012XN	24	NW	8 x 2.25
LJNS01S012XW	24	WW	8 x 2.25

Technical data:

- Input voltage range: 12 V DC (with adapter)
- Luminous efficacy: >90 Lm / W
- Roll: 5 meter with cut points
- No. of LEDs: 60 LEDs / meter



Strip Driver

Item Code	Voltage (V)	Current (A)
LSTD02A012X	12 DC	2



Product specifications:

- Options: 60 LED/meter & 120 LED/meter
- Length: 45 meter/roll
- CRI: ≥80, IP65 rated
- Colour Available: CW / WW / Red / Green Blue / Ice Blue / Amber

Rope Light

Item Code	Wattage (W)	CCT (K)	Dimension in MM
LJNP01S060XC	60	CW	45m/Roll
LJNP01S060XW	60	WW	45m/Roll
LJNP01S060XR	60	RED	45m/Roll
LJNP01S060XG	60	GREEN	45m/Roll
LJNP01S060XB	60	BLUE	45m/Roll
LJNP01S060XI	60	ICE BLUE	45m/Roll
LJNP01S060XA	60	AMBER	45m/Roll
LJNP01S120XC	120	CW	45m/Roll
LJNP01S120XW	120	WW	45m/Roll
LJNP01S120XR	120	RED	45m/Roll
LJNP01S120XG	120	GREEN	45m/Roll
LJNP01S120XB	120	BLUE	45m/Roll
LJNP01S120XI	120	ICE BLUE	45m/Roll
LJNP01S120XA	120	AMBER	45m/Roll
LJPMACD01S45			

Technical data:

- Easy to install
- IP65 LED Rope light
- Long lasting and bright light to make your home, factory and office bright and stylish
- Can be used in POP Cove
- Rated input voltage-220-240 V AC
- Dazzle free soft light
- Very easy to decorate patterns, designs and characters
- Low power consumption, safe and reliable





Street Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.

APPLICATIONS



Parkings



Walkways



Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP: 65
- Housing material: Die cast aluminium



Hummer

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
LHMR01SL020C	20	CW	Φ 40	320 x 75 x 60
LHMR01SL030C	30	CW	Φ 40	320 x 75 x 60



Technical data:

- Input voltage range: 220 to 240 V
- Battery voltage: 3.7V Li-ion
- Battery capacity: 2600 mAh
- Luminous flux on AC mode: 1800 Lm
- Luminous flux on battery mode: 500 Lm
- Power factor: >0.95
- Full battery charging time: 9 Hours
- Ingress IP-66 protection



BATTERY BACKUP

Kriza Emergency

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
LKRZ01SL018C	18	CW	40 (Tol.±5)	355 x 105 x 75



Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP: 66
- Housing material: Die cast aluminium



PCR

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
LPCRSRT25WXC	25	CW	Φ 42	330 x 117 x 67



Long life



CRI > 80



Beam angle
> 120°

Technical data:

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP: 65
- Housing material: Die cast aluminium



Street Light

Item Code	Wattage (W)	CCT (K)	Pole Mounting Dimensions (MM)	Dimension (MM)
LSRT01F025C	25 W	CW	Φ 42	325 x 145 x 65



Flood Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.

APPLICATIONS



Parkings



Walkways



Long life



CRI > 80



Beam angle
> 60°

Technical data:

- Operating voltage range: 140 - 270V
- Luminous efficacy: >100 Lm/W
- Power factor: ≥ 0.95
- THD: <10%
- IP: 66
- Lens: PMMA lens for proper distribution of light
- No harmful UV & IR radiations
- Housing material: Die cast aluminum housing for superior heat dissipation



30 W



50 W

Faro Flood Light

Item Code	Wattage (W)	CCT (K)	Dimension (MM)
LFRO01S030XC	30	CW	198 x 188 x 36
LFRO01S030XN	30	NW	198 x 188 x 36
LFRO01S030XW	30	WW	198 x 188 x 36
LFRO01S050XC	50	CW	238 x 228 x 36
LFRO01S050XN	50	NW	238 x 228 x 36
LFRO01S050XW	50	WW	238 x 228 x 36



JAQUAR GROUP

Global Headquarters,
Plot No. 3, Sector-11, IMT Manesar, Gurugram-122050 India
For more information: Visit any of our 21 Orientation Centres
or log on to www.jaquar.com, e-mail: ccare.lighting@jaquar.com
For any query call: 18002126808 (Toll Free)

ORIENTATION CENTRES:

AHMEDABAD: Ground Floor,
Commerce House-4, B/S Shell Petrol
Pump, Near Anand Nagar Cross
Roads, 100 Ft. Road, Prahlad Nagar,
Satellite, Ahmedabad
Ph.: 079-30452600
Email: ahmedabad@jaquar.com

BANGALORE: No. 10, V.N. Street,
Next to Hotel Ramada, Shivaji Nagar,
Tasker Town, Bangalore-560051
Email: bangalore@jaquar.com

BHOPAL: T- 7, 8, 3rd Floor, City
Center, Above Lotus Electronics,
1 Press Complex, M. P. Nagar,
Zone-1, Bhopal- 462011
Ph.: 0755-6550888
Email: bhopal@jaquar.com

BHUBANESWAR: Plot No. 853/1671,
2nd Floor, Jharpada, Cuttack Road,
Bhubaneswar-751006
Ph.: 0674-2575501
Email: bhubaneswar@jaquar.com

CHANDIGARH: S.C.O. 52-53, Sector
17-A, Opp. Hotel Park Plaza, Adjacent
to Fab India,
Chandigarh-160017
Ph.: 0172-4071727
Email: chandigarhoc@jaquar.com

CHENNAI: Ground Floor, KGN Towers,
#62, Ethiraj Salai, Egmore,
Chennai- 600008
Phone: 044-42693001
Email: chennai@jaquar.com

COCHIN: No. 35/563, Opposite
International Stadium, Palarivattom
P.O., Cochin-682025
Email: cochin@jaquar.com

GUWAHATI: "Swagota Envision"
Ground Floor, G.S. Road, Sixmile,
Khanapara (Opp. Directorate of
Agriculture, Assam)
Guwahati-781022
Email: guwahati@jaquar.com

HYDERABAD: Unit No. 202,
Reliance Classic, Banjara Hills,
Road No.1, Hyderabad-500034
Email: hyderabad@jaquar.co

JAIPUR: Neelkanth, 1 Bhawani
Singh Road, Opp. Nehru Sehkar
Bhawan, C-Scheme,
Jaipur-302001
Ph.: 0141-5115609
Email: jaipur@jaquar.com

JAMMU: Bonny Square, NH
Bypass, Near Vishal Mega Mart,
Kunjwani, Jammu-180010
Ph.: 0191-2484876
Email: jammu@jaquar.com

KOLKATA: 2nd Floor, 55,
Chowringhee Road,
Kolkata-700071
Ph.: 033-40054891
Email: kolkata@jaquar.com

LUCKNOW: Asha Bhawan, 27/II A,
Gokhle Marg, Lucknow
Ph.: 0522-4001434
Email: lucknow@jaquar.com

LUDHIANA: 2nd Floor, Lodhi
Complex, Mall Road,
Ludhiana-141001
Ph.: 0161-5094974
Email: ludhiana@jaquar.com

MUMBAI: 101,102,103, Kamla
Spaces, Above Kohinoor
Electronics, S.V. Road, Santacruz
West, Mumbai-400054
Ph.: 022-26613279
Email: mumbai@jaquar.com

NAGPUR: Kala Bhavan, 103/A,
South Ambazari Road,
Shradhanand Peth Square,
Laxmi Nagar, Nagpur-440022
Ph.: 0712-2223395
Email: nagpur@jaquar.com

NEW DELHI: D-56, Defence Colony,
New Delhi-110024
Ph.: 011-24636807
Email: delhincr@jaquar.com

PUNE: DSK Gandharva Heights,
5th Floor, Office No. 501,
Near Hotel Pride Executive,
Ganeshkhind Road,
Shivajinagar, Pune-411005
Email: pune@jaquar.com

RAIPUR: M K Planet, Ring Road
No. 1, New Rajendra Nagar,
Raipur-492001.
Ph.: 0771-6556789
Email: raipur@jaquar.com

SILIGURI: 1st Floor, M-Square
Building, Opp. Hotel Sachitra,
2 ½ Mile, Sevoke Road,
Siliguri-734002
Email: siliguri@jaquar.com

SURAT: 23, Siddhi Shopping
Centre, Near Agrasen
Bhavan Char Rasta,
City Light Road, Surat
Email: suratcare@jaquar.com